
Counter. 0=N_input 1=N_ht 2=N_clust 3=N_accept
h100
Entries 3214
Mean 2
RMS 1.124


N high towers > threshold
h101
Entries 815
Mean 1.475
RMS 0.1769


N clusters > threshold (w/ ht > threshold)
h102
Entries 815
Mean 1.475
RMS 0.1769


kTicks / input event
h115
Entries 815
Mean 81.43
RMS 2.366
Input Events
tower > thresh
clust > thresh


High tower > threshold frequency, X: ieta+mNumEta*iphi
h113
Entries 795
Mean 2439
RMS 1412
0
2
4
6
8
10
12
14
16
0
500
1000
1500
2000
2500
3000
3500
4000
4500


Cluster > threshold frequency, X: ieta+mNumEta*iphi
h114
Entries 795
Mean 2439
RMS 1412
0
2
4
6
8
10
12
14
16
0
500
1000
1500
2000
2500
3000
3500
4000
4500


Freq. of high tower > threshold
h113a
Entries 4800
Mean x 21.41
Mean y 60.42
RMS x 10.84
RMS y 35.32
phi bin
eta bin
0
20
40
60
80
100
120
0
5
10
15
20
25
30
35
40
1
10^{-1}


Freq. of 3x3 cluster > threshold
h114a
Entries 4800
Mean x 21.41
Mean y 60.42
RMS x 10.84
RMS y 35.32
phi bin
eta bin
0
20
40
60
80
100
120
0
5
10
15
20
25
30
35
40
1
10^{-1}


Raw ADC of ht (if DEBUG)
h103
Entries 0
Mean 0
RMS 0
1
0.5
0
-0.5
-1
0
200
400
600
800
1000


Raw ADC of ht, ht > threshold
h104
Entries 795
Mean 224
RMS 32.1
25
20
15
10
5
0
0
200
400
600
800
1000
ADC


Raw ADC of ht, cluster > threshold
h105
Entries 795
Mean 224
RMS 32.1
25
20
15
10
5
0
0
200
400
600
800
1000
ADC


HT event accepted
h106
Entries 795
Mean x 38.76
Mean y 2439
RMS x 6.232
RMS y 1412
tower id
4500
4000
3500
3000
2500
2000
1500
1000
500
0
0
20
40
60
80
100
120
ADC-ped
5
4
3.5
3
2.5
2
1.5
1
0.5
0


Cluster ET sum = $\sum_i$ ADC/gain$_T$, ht > threshold
h107a
Entries 32
Mean 0
RMS 0
E_T [GeV]


Cluster ET sum = $\sum_i$ ADC/gain$_T$, ht > threshold
h108a
Entries 32
Mean 6.594
RMS 1.007
E_T [GeV]


ET of cluster (ped subtracted)
h109a
Entries 153600
Mean x 3.008
Mean y 2439
RMS x 0.6185
RMS y 1412
ietaTimNumEtaPhi
E_T [GeV]