17138019.pxlMon.Ma

Tue May 17 10:08:14 2016


Entries 646800
The number of RawHits vs. sensorID
nRawHits
Sensor ID


Entries 646800
The number of RawHits vs. sensorID
<nRawHits>
Sensor ID


Entries 258720
RawHits vs. sensorNo: Sector 1
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 1
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 2
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 2
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 3
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 3
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 4
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 4
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 5
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 5
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 6
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 6
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 7
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 7
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 8
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 8
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 9
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 9
<nRawHits>
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 10
nRawHits
Sub-array


Entries 258720
RawHits vs. sensorNo: Sector 10
<nRawHits>
Sub-array


Entries 0
Global X vs. Y
Global Y
Global X
10
8
6
4
2
0
−2
−4
−6
−8
−10
−10 −8 −6 −4 −2 0 2 4 6 8 10


Entries 0
Global Z
Counts
Global Z
10
1
10^{-1}
10^{-2}
−10 −8 −6 −4 −2 0 2 4 6 8 10


Entries 844945
Raw hit map: Sector 1, Ladder 1, Sensor 1
Row Id
Column Id
10^2


Entries 844945
Raw hit map: Sector 1, Ladder 1, Sensor 1
Counts
Column Id
10^3


Entries 844945
Raw hit map: Sector 1, Ladder 1, Sensor 1
Counts
Row Id
10^3


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 1
<rawhits>
EventID/100 (Time)
10^3
10^2
$\times 10^3$


Entries 893249
Raw hit map: Sector 1, Ladder 1, Sensor 2
Row Id
Column Id
10^2


Entries 893249
Raw hit map: Sector 1, Ladder 1, Sensor 2
Counts
10^3
Column Id


Entries 893249
Raw hit map: Sector 1, Ladder 1, Sensor 2
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 2
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 948368
Raw hit map: Sector 1, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 948368
Raw hit map: Sector 1, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 948368
Raw hit map: Sector 1, Ladder 1, Sensor 3
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 3
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 991667
Raw hit map: Sector 1, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 991667
Raw hit map: Sector 1, Ladder 1, Sensor 4
Counts
10^3
Column Id


Entries 991667
Raw hit map: Sector 1, Ladder 1, Sensor 4
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 4
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 987603
Raw hit map: Sector 1, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 987603
Raw hit map: Sector 1, Ladder 1, Sensor 5
Counts
10^3
Column Id


Entries 987603
Raw hit map: Sector 1, Ladder 1, Sensor 5
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 5
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 906363
Raw hit map: Sector 1, Ladder 1, Sensor 6
Row Id
Column Id
10^2


Entries 906363
Raw hit map: Sector 1, Ladder 1, Sensor 6
Counts
10^3
Column Id


Entries 906363
Raw hit map: Sector 1, Ladder 1, Sensor 6
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 6
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 904719
Raw hit map: Sector 1, Ladder 1, Sensor 7
Row Id
Column Id
10^2


Entries 904719
Raw hit map: Sector 1, Ladder 1, Sensor 7
Counts
10^3
Column Id


Entries 904719
Raw hit map: Sector 1, Ladder 1, Sensor 7
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 7
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 0
Raw hit map: Sector 1, Ladder 1, Sensor 8
Row Id
Column Id


Entries 0
Raw hit map: Sector 1, Ladder 1, Sensor 8
Counts
Column Id


Entries 0
Raw hit map: Sector 1, Ladder 1, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 684465
Raw hit map: Sector 1, Ladder 1, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 684465
Raw hit map: Sector 1, Ladder 1, Sensor 9
Counts
10^3
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 684465
Raw hit map: Sector 1, Ladder 1, Sensor 9
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 9
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 780257
Raw hit map: Sector 1, Ladder 1, Sensor 10
Row Id
Column Id
10^2


Entries 780257
Raw hit map: Sector 1, Ladder 1, Sensor 10
Counts
10^3
Column Id


Entries 780257
Raw hit map: Sector 1, Ladder 1, Sensor 10
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 1 Sensor 10
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 158871
Raw hit map: Sector 1, Ladder 2, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 158871
Raw hit map: Sector 1, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 158871
Raw hit map: Sector 1, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 1
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 162139
Raw hit map: Sector 1, Ladder 2, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 162139
Raw hit map: Sector 1, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 162139
Raw hit map: Sector 1, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 179171
Raw hit map: Sector 1, Ladder 2, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 179171
Raw hit map: Sector 1, Ladder 2, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 179171
Raw hit map: Sector 1, Ladder 2, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 3
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 150542
Raw hit map: Sector 1, Ladder 2, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 150542
Raw hit map: Sector 1, Ladder 2, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 150542
Raw hit map: Sector 1, Ladder 2, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 161178
Raw hit map: Sector 1, Ladder 2, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 161178
Raw hit map: Sector 1, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 161178
Raw hit map: Sector 1, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 134637
Raw hit map: Sector 1, Ladder 2, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 134637
Raw hit map: Sector 1, Ladder 2, Sensor 6
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 134637
Raw hit map: Sector 1, Ladder 2, Sensor 6
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 6
<rawhits>
10^3
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 161177
Raw hit map: Sector 1, Ladder 2, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 161177
Raw hit map: Sector 1, Ladder 2, Sensor 7
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 161177
Raw hit map: Sector 1, Ladder 2, Sensor 7
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 7
<rawhits>
10^2
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 166820
Raw hit map: Sector 1, Ladder 2, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 166820
Raw hit map: Sector 1, Ladder 2, Sensor 8
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 166820
Raw hit map: Sector 1, Ladder 2, Sensor 8
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 8
<rawhits>
10^2
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 157761
Raw hit map: Sector 1, Ladder 2, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 157761
Raw hit map: Sector 1, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 157761
Raw hit map: Sector 1, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 9
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 136122
Raw hit map: Sector 1, Ladder 2, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 136122
Raw hit map: Sector 1, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 136122
Raw hit map: Sector 1, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 2 Sensor 10
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 142628
Raw hit map: Sector 1, Ladder 3, Sensor 1
Row Id
Column Id


Entries 142628
Raw hit map: Sector 1, Ladder 3, Sensor 1
Counts
Column Id


Entries 142628
Raw hit map: Sector 1, Ladder 3, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 135368
Raw hit map: Sector 1, Ladder 3, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 135368
Raw hit map: Sector 1, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 135368
Raw hit map: Sector 1, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 150296
Raw hit map: Sector 1, Ladder 3, Sensor 3
Row Id
Column Id


Entries 150296
Raw hit map: Sector 1, Ladder 3, Sensor 3
Counts
Column Id


Entries 150296
Raw hit map: Sector 1, Ladder 3, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 154441
Raw hit map: Sector 1, Ladder 3, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 154441
Raw hit map: Sector 1, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 154441
Raw hit map: Sector 1, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 141282
Raw hit map: Sector 1, Ladder 3, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 141282
Raw hit map: Sector 1, Ladder 3, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 141282
Raw hit map: Sector 1, Ladder 3, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 152094
Raw hit map: Sector 1, Ladder 3, Sensor 6
Row Id
Column Id


Entries 152094
Raw hit map: Sector 1, Ladder 3, Sensor 6
Counts
Column Id


Entries 152094
Raw hit map: Sector 1, Ladder 3, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 147489
Raw hit map: Sector 1, Ladder 3, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 147489
Raw hit map: Sector 1, Ladder 3, Sensor 7
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 147489
Raw hit map: Sector 1, Ladder 3, Sensor 7
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 7
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 150027
Raw hit map: Sector 1, Ladder 3, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 150027
Raw hit map: Sector 1, Ladder 3, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 150027
Raw hit map: Sector 1, Ladder 3, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 8
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 166911
Raw hit map: Sector 1, Ladder 3, Sensor 9
Row Id
Column Id


Entries 166911
Raw hit map: Sector 1, Ladder 3, Sensor 9
Counts
Column Id


Entries 166911
Raw hit map: Sector 1, Ladder 3, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 137968
Raw hit map: Sector 1, Ladder 3, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 137968
Raw hit map: Sector 1, Ladder 3, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 137968
Raw hit map: Sector 1, Ladder 3, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 3 Sensor 10
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 141664
Raw hit map: Sector 1, Ladder 4, Sensor 1
Row Id
Column Id


Entries 141664
Raw hit map: Sector 1, Ladder 4, Sensor 1
Counts
Column Id


Entries 141664
Raw hit map: Sector 1, Ladder 4, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 151857
Raw hit map: Sector 1, Ladder 4, Sensor 2
Row Id
Column Id


Entries 151857
Raw hit map: Sector 1, Ladder 4, Sensor 2
Counts
Column Id


Entries 151857
Raw hit map: Sector 1, Ladder 4, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 150774
Raw hit map: Sector 1, Ladder 4, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 150774
Raw hit map: Sector 1, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 150774
Raw hit map: Sector 1, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 3
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 147702
Raw hit map: Sector 1, Ladder 4, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 147702
Raw hit map: Sector 1, Ladder 4, Sensor 4
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 147702
Raw hit map: Sector 1, Ladder 4, Sensor 4
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 153085
Raw hit map: Sector 1, Ladder 4, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 153085
Raw hit map: Sector 1, Ladder 4, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 153085
Raw hit map: Sector 1, Ladder 4, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 237277
Raw hit map: Sector 1, Ladder 4, Sensor 6
Row Id
Column Id


Entries 237277
Raw hit map: Sector 1, Ladder 4, Sensor 6
Counts
Column Id


Entries 237277
Raw hit map: Sector 1, Ladder 4, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 330684
Raw hit map: Sector 1, Ladder 4, Sensor 7
Row Id
Column Id


Entries 330684
Raw hit map: Sector 1, Ladder 4, Sensor 7
Counts
Column Id


Entries 330684
Raw hit map: Sector 1, Ladder 4, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 158573
Raw hit map: Sector 1, Ladder 4, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 158573
Raw hit map: Sector 1, Ladder 4, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 158573
Raw hit map: Sector 1, Ladder 4, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 8
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 167007
Raw hit map: Sector 1, Ladder 4, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 167007
Raw hit map: Sector 1, Ladder 4, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 167007
Raw hit map: Sector 1, Ladder 4, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 9
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 153419
Raw hit map: Sector 1, Ladder 4, Sensor 10
Row Id
Column Id


Entries 153419
Raw hit map: Sector 1, Ladder 4, Sensor 10
Counts
Column Id


Entries 153419
Raw hit map: Sector 1, Ladder 4, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 1 Ladder 4 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 1038619
Raw hit map: Sector 2, Ladder 1, Sensor 1
Row Id
Column Id
10^2


Entries 1038619
Raw hit map: Sector 2, Ladder 1, Sensor 1
Counts
10^3
Column Id


Entries 1038619
Raw hit map: Sector 2, Ladder 1, Sensor 1
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 1
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1112001
Raw hit map: Sector 2, Ladder 1, Sensor 2
Row Id
Column Id
10^2


Entries 1112001
Raw hit map: Sector 2, Ladder 1, Sensor 2
Counts
Column Id
10^3


Entries 1112001
Raw hit map: Sector 2, Ladder 1, Sensor 2
Counts
Row Id
10^3
10^2


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 2
<rawhits>
EventID/100 (Time)
10^3
$\times 10^3$


Entries 1023045
Raw hit map: Sector 2, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 1023045
Raw hit map: Sector 2, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 1023045
Raw hit map: Sector 2, Ladder 1, Sensor 3
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 3
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 974105
Raw hit map: Sector 2, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 974105
Raw hit map: Sector 2, Ladder 1, Sensor 4
Counts
10^3
Column Id


Entries 974105
Raw hit map: Sector 2, Ladder 1, Sensor 4
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 4
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 998482
Raw hit map: Sector 2, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 998482
Raw hit map: Sector 2, Ladder 1, Sensor 5
Counts
10^3
Column Id


Entries 998482
Raw hit map: Sector 2, Ladder 1, Sensor 5
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 5
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 827687
Raw hit map: Sector 2, Ladder 1, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 827687
Raw hit map: Sector 2, Ladder 1, Sensor 6
Counts
10^3
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 827687
Raw hit map: Sector 2, Ladder 1, Sensor 6
Counts
10^3
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 6
<rawhits>
10^3
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 593689
Raw hit map: Sector 2, Ladder 1, Sensor 7
Row Id
Column Id


Entries 593689
Raw hit map: Sector 2, Ladder 1, Sensor 7
Counts
Column Id


Entries 593689
Raw hit map: Sector 2, Ladder 1, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 494012
Raw hit map: Sector 2, Ladder 1, Sensor 8
Row Id
Column Id


Entries 494012
Raw hit map: Sector 2, Ladder 1, Sensor 8
Counts
Column Id


Entries 494012
Raw hit map: Sector 2, Ladder 1, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 958225
Raw hit map: Sector 2, Ladder 1, Sensor 9
Row Id
Column Id
10^2


Entries 958225
Raw hit map: Sector 2, Ladder 1, Sensor 9
Counts
10^3
Column Id


Entries 958225
Raw hit map: Sector 2, Ladder 1, Sensor 9
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 9
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 888137
Raw hit map: Sector 2, Ladder 1, Sensor 10
Row Id
Column Id
10^2


Entries 888137
Raw hit map: Sector 2, Ladder 1, Sensor 10
Counts
Column Id
10^3


Entries 888137
Raw hit map: Sector 2, Ladder 1, Sensor 10
Counts
Row Id
10^3
10^2


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 1 Sensor 10
<rawhits>
EventID/100 (Time)
10^3
$\times 10^3$


Entries 153746
Raw hit map: Sector 2, Ladder 2, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 153746
Raw hit map: Sector 2, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 153746
Raw hit map: Sector 2, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 1
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 133872
Raw hit map: Sector 2, Ladder 2, Sensor 2
Row Id
Column Id


Entries 133872
Raw hit map: Sector 2, Ladder 2, Sensor 2
Counts
Column Id


Entries 133872
Raw hit map: Sector 2, Ladder 2, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 166594
Raw hit map: Sector 2, Ladder 2, Sensor 3
Row Id
Column Id


Entries 166594
Raw hit map: Sector 2, Ladder 2, Sensor 3
Counts
Column Id


Entries 166594
Raw hit map: Sector 2, Ladder 2, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 154071
Raw hit map: Sector 2, Ladder 2, Sensor 4
Row Id
Column Id


Entries 154071
Raw hit map: Sector 2, Ladder 2, Sensor 4
Counts
Column Id


Entries 154071
Raw hit map: Sector 2, Ladder 2, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 148595
Raw hit map: Sector 2, Ladder 2, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 148595
Raw hit map: Sector 2, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 148595
Raw hit map: Sector 2, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 166099
Raw hit map: Sector 2, Ladder 2, Sensor 6
Row Id
Column Id


Entries 166099
Raw hit map: Sector 2, Ladder 2, Sensor 6
Counts
Column Id


Entries 166099
Raw hit map: Sector 2, Ladder 2, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 166259
Raw hit map: Sector 2, Ladder 2, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 166259
Raw hit map: Sector 2, Ladder 2, Sensor 7
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 166259
Raw hit map: Sector 2, Ladder 2, Sensor 7
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 7
<rawhits>
10^2
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 169881
Raw hit map: Sector 2, Ladder 2, Sensor 8
Row Id
Column Id


Entries 169881
Raw hit map: Sector 2, Ladder 2, Sensor 8
Counts
Column Id


Entries 169881
Raw hit map: Sector 2, Ladder 2, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 155749
Raw hit map: Sector 2, Ladder 2, Sensor 9
Row Id
Column Id


Entries 155749
Raw hit map: Sector 2, Ladder 2, Sensor 9
Counts
Column Id


Entries 155749
Raw hit map: Sector 2, Ladder 2, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 165610
Raw hit map: Sector 2, Ladder 2, Sensor 10
Row Id
Column Id


Entries 165610
Raw hit map: Sector 2, Ladder 2, Sensor 10
Counts
Column Id


Entries 165610
Raw hit map: Sector 2, Ladder 2, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 2 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 143385
Raw hit map: Sector 2, Ladder 3, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 143385
Raw hit map: Sector 2, Ladder 3, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 143385
Raw hit map: Sector 2, Ladder 3, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 1
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 140462
Raw hit map: Sector 2, Ladder 3, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 140462
Raw hit map: Sector 2, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 140462
Raw hit map: Sector 2, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 150272
Raw hit map: Sector 2, Ladder 3, Sensor 3
Row Id
Column Id


Entries 150272
Raw hit map: Sector 2, Ladder 3, Sensor 3
Counts
Column Id


Entries 150272
Raw hit map: Sector 2, Ladder 3, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 154388
Raw hit map: Sector 2, Ladder 3, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 154388
Raw hit map: Sector 2, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 154388
Raw hit map: Sector 2, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 4
<rawhits>
10^3
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 158134
Raw hit map: Sector 2, Ladder 3, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 158134
Raw hit map: Sector 2, Ladder 3, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 158134
Raw hit map: Sector 2, Ladder 3, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 162844
Raw hit map: Sector 2, Ladder 3, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 162844
Raw hit map: Sector 2, Ladder 3, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 162844
Raw hit map: Sector 2, Ladder 3, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 6
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 142007
Raw hit map: Sector 2, Ladder 3, Sensor 7
Row Id
Column Id


Entries 142007
Raw hit map: Sector 2, Ladder 3, Sensor 7
Counts
Column Id


Entries 142007
Raw hit map: Sector 2, Ladder 3, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 156293
Raw hit map: Sector 2, Ladder 3, Sensor 8
Row Id
Column Id


Entries 156293
Raw hit map: Sector 2, Ladder 3, Sensor 8
Counts
Column Id


Entries 156293
Raw hit map: Sector 2, Ladder 3, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 136028
Raw hit map: Sector 2, Ladder 3, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 136028
Raw hit map: Sector 2, Ladder 3, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 136028
Raw hit map: Sector 2, Ladder 3, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 9
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 144524
Raw hit map: Sector 2, Ladder 3, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 144524
Raw hit map: Sector 2, Ladder 3, Sensor 10
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 144524
Raw hit map: Sector 2, Ladder 3, Sensor 10
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 3 Sensor 10
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 128284
Raw hit map: Sector 2, Ladder 4, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 128284
Raw hit map: Sector 2, Ladder 4, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 128284
Raw hit map: Sector 2, Ladder 4, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 1
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 133998
Raw hit map: Sector 2, Ladder 4, Sensor 2
Row Id
Column Id


Entries 133998
Raw hit map: Sector 2, Ladder 4, Sensor 2
Counts
Column Id


Entries 133998
Raw hit map: Sector 2, Ladder 4, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 140075
Raw hit map: Sector 2, Ladder 4, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 140075
Raw hit map: Sector 2, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 140075
Raw hit map: Sector 2, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 3
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 137656
Raw hit map: Sector 2, Ladder 4, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 137656
Raw hit map: Sector 2, Ladder 4, Sensor 4
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 137656
Raw hit map: Sector 2, Ladder 4, Sensor 4
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 4
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 139472
Raw hit map: Sector 2, Ladder 4, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 139472
Raw hit map: Sector 2, Ladder 4, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 139472
Raw hit map: Sector 2, Ladder 4, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 147398
Raw hit map: Sector 2, Ladder 4, Sensor 6
Row Id
Column Id


Entries 147398
Raw hit map: Sector 2, Ladder 4, Sensor 6
Counts
Column Id


Entries 147398
Raw hit map: Sector 2, Ladder 4, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 150009
Raw hit map: Sector 2, Ladder 4, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 150009
Raw hit map: Sector 2, Ladder 4, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 150009
Raw hit map: Sector 2, Ladder 4, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 139968
Raw hit map: Sector 2, Ladder 4, Sensor 8
Row Id
Column Id


Entries 139968
Raw hit map: Sector 2, Ladder 4, Sensor 8
Counts
Column Id


Entries 139968
Raw hit map: Sector 2, Ladder 4, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 128165
Raw hit map: Sector 2, Ladder 4, Sensor 9
Row Id
Column Id


Entries 128165
Raw hit map: Sector 2, Ladder 4, Sensor 9
Counts
Column Id


Entries 128165
Raw hit map: Sector 2, Ladder 4, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 135099
Raw hit map: Sector 2, Ladder 4, Sensor 10
Row Id
Column Id


Entries 135099
Raw hit map: Sector 2, Ladder 4, Sensor 10
Counts
Column Id


Entries 135099
Raw hit map: Sector 2, Ladder 4, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 2 Ladder 4 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 863013
Raw hit map: Sector 3, Ladder 1, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 863013
Raw hit map: Sector 3, Ladder 1, Sensor 1
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 863013
Raw hit map: Sector 3, Ladder 1, Sensor 1
Counts
10^3
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 1
<rawhits>
10^4
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 882771
Raw hit map: Sector 3, Ladder 1, Sensor 2
Row Id
Column Id
10^2


Entries 882771
Raw hit map: Sector 3, Ladder 1, Sensor 2
Counts
10^3
Column Id


Entries 882771
Raw hit map: Sector 3, Ladder 1, Sensor 2
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 2
<rawhits>
10^4
10^3
$\times 10^3$
EventID/100 (Time)


Entries 949164
Raw hit map: Sector 3, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 949164
Raw hit map: Sector 3, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 949164
Raw hit map: Sector 3, Ladder 1, Sensor 3
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 3
<rawhits>
10^4
10^3
$\times 10^3$
EventID/100 (Time)


Entries 911245
Raw hit map: Sector 3, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 911245
Raw hit map: Sector 3, Ladder 1, Sensor 4
Counts
Column Id


Entries 911245
Raw hit map: Sector 3, Ladder 1, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 4
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 981078
Raw hit map: Sector 3, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 981078
Raw hit map: Sector 3, Ladder 1, Sensor 5
Counts
10^3
Column Id


Entries 981078
Raw hit map: Sector 3, Ladder 1, Sensor 5
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 5
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 899649
Raw hit map: Sector 3, Ladder 1, Sensor 6
Row Id
Column Id
10^2


Entries 899649
Raw hit map: Sector 3, Ladder 1, Sensor 6
Counts
Column Id


Entries 899649
Raw hit map: Sector 3, Ladder 1, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 6
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 0
Raw hit map: Sector 3, Ladder 1, Sensor 7
Row Id
Column Id


Entries 0
Raw hit map: Sector 3, Ladder 1, Sensor 7
Counts
Column Id


Entries 0
Raw hit map: Sector 3, Ladder 1, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 638470
Raw hit map: Sector 3, Ladder 1, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 638470
Raw hit map: Sector 3, Ladder 1, Sensor 8
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 638470
Raw hit map: Sector 3, Ladder 1, Sensor 8
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 8
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 748498
Raw hit map: Sector 3, Ladder 1, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 748498
Raw hit map: Sector 3, Ladder 1, Sensor 9
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 748498
Raw hit map: Sector 3, Ladder 1, Sensor 9
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 9
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 698830
Raw hit map: Sector 3, Ladder 1, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 698830
Raw hit map: Sector 3, Ladder 1, Sensor 10
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 698830
Raw hit map: Sector 3, Ladder 1, Sensor 10
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 1 Sensor 10
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 151214
Raw hit map: Sector 3, Ladder 2, Sensor 1
Row Id
Column Id


Entries 151214
Raw hit map: Sector 3, Ladder 2, Sensor 1
Counts
Column Id


Entries 151214
Raw hit map: Sector 3, Ladder 2, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 154391
Raw hit map: Sector 3, Ladder 2, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 154391
Raw hit map: Sector 3, Ladder 2, Sensor 2
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 154391
Raw hit map: Sector 3, Ladder 2, Sensor 2
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 2
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 166784
Raw hit map: Sector 3, Ladder 2, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 166784
Raw hit map: Sector 3, Ladder 2, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 166784
Raw hit map: Sector 3, Ladder 2, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 3
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 170753
Raw hit map: Sector 3, Ladder 2, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 170753
Raw hit map: Sector 3, Ladder 2, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 170753
Raw hit map: Sector 3, Ladder 2, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 4
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 160189
Raw hit map: Sector 3, Ladder 2, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 160189
Raw hit map: Sector 3, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 160189
Raw hit map: Sector 3, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 5
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 144593
Raw hit map: Sector 3, Ladder 2, Sensor 6
Row Id
Column Id


Entries 144593
Raw hit map: Sector 3, Ladder 2, Sensor 6
Counts
Column Id


Entries 144593
Raw hit map: Sector 3, Ladder 2, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 173060
Raw hit map: Sector 3, Ladder 2, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 173060
Raw hit map: Sector 3, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 173060
Raw hit map: Sector 3, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 7
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 175246
Raw hit map: Sector 3, Ladder 2, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 175246
Raw hit map: Sector 3, Ladder 2, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 175246
Raw hit map: Sector 3, Ladder 2, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 8
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 132688
Raw hit map: Sector 3, Ladder 2, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 132688
Raw hit map: Sector 3, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 132688
Raw hit map: Sector 3, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 9
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 153509
Raw hit map: Sector 3, Ladder 2, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 153509
Raw hit map: Sector 3, Ladder 2, Sensor 10
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 153509
Raw hit map: Sector 3, Ladder 2, Sensor 10
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 2 Sensor 10
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 137946
Raw hit map: Sector 3, Ladder 3, Sensor 1
Row Id
Column Id


Entries 137946
Raw hit map: Sector 3, Ladder 3, Sensor 1
Counts
Column Id


Entries 137946
Raw hit map: Sector 3, Ladder 3, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 141336
Raw hit map: Sector 3, Ladder 3, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 141336
Raw hit map: Sector 3, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 141336
Raw hit map: Sector 3, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 146405
Raw hit map: Sector 3, Ladder 3, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 146405
Raw hit map: Sector 3, Ladder 3, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 146405
Raw hit map: Sector 3, Ladder 3, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 3
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 146476
Raw hit map: Sector 3, Ladder 3, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 146476
Raw hit map: Sector 3, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 146476
Raw hit map: Sector 3, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 156132
Raw hit map: Sector 3, Ladder 3, Sensor 5
Row Id
Column Id


Entries 156132
Raw hit map: Sector 3, Ladder 3, Sensor 5
Counts
Column Id


Entries 156132
Raw hit map: Sector 3, Ladder 3, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 144473
Raw hit map: Sector 3, Ladder 3, Sensor 6
Row Id
Column Id


Entries 144473
Raw hit map: Sector 3, Ladder 3, Sensor 6
Counts
Column Id


Entries 144473
Raw hit map: Sector 3, Ladder 3, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 153766
Raw hit map: Sector 3, Ladder 3, Sensor 7
Row Id
Column Id


Entries 153766
Raw hit map: Sector 3, Ladder 3, Sensor 7
Counts
Column Id


Entries 153766
Raw hit map: Sector 3, Ladder 3, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 151545
Raw hit map: Sector 3, Ladder 3, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 151545
Raw hit map: Sector 3, Ladder 3, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 151545
Raw hit map: Sector 3, Ladder 3, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 8
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 151987
Raw hit map: Sector 3, Ladder 3, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 151987
Raw hit map: Sector 3, Ladder 3, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 151987
Raw hit map: Sector 3, Ladder 3, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 9
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 140328
Raw hit map: Sector 3, Ladder 3, Sensor 10
Row Id
Column Id


Entries 140328
Raw hit map: Sector 3, Ladder 3, Sensor 10
Counts
Column Id


Entries 140328
Raw hit map: Sector 3, Ladder 3, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 3 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 128265
Raw hit map: Sector 3, Ladder 4, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 128265
Raw hit map: Sector 3, Ladder 4, Sensor 1
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 128265
Raw hit map: Sector 3, Ladder 4, Sensor 1
Counts
10^3
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 1
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 115618
Raw hit map: Sector 3, Ladder 4, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 115618
Raw hit map: Sector 3, Ladder 4, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 115618
Raw hit map: Sector 3, Ladder 4, Sensor 2
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 154315
Raw hit map: Sector 3, Ladder 4, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 154315
Raw hit map: Sector 3, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 154315
Raw hit map: Sector 3, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 3
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 151385
Raw hit map: Sector 3, Ladder 4, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 151385
Raw hit map: Sector 3, Ladder 4, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 151385
Raw hit map: Sector 3, Ladder 4, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 106275
Raw hit map: Sector 3, Ladder 4, Sensor 5
Row Id
Column Id


Entries 106275
Raw hit map: Sector 3, Ladder 4, Sensor 5
Counts
Column Id


Entries 106275
Raw hit map: Sector 3, Ladder 4, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 140036
Raw hit map: Sector 3, Ladder 4, Sensor 6
Row Id
Column Id


Entries 140036
Raw hit map: Sector 3, Ladder 4, Sensor 6
Counts
Column Id


Entries 140036
Raw hit map: Sector 3, Ladder 4, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 148468
Raw hit map: Sector 3, Ladder 4, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 148468
Raw hit map: Sector 3, Ladder 4, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 148468
Raw hit map: Sector 3, Ladder 4, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 145048
Raw hit map: Sector 3, Ladder 4, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 145048
Raw hit map: Sector 3, Ladder 4, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 145048
Raw hit map: Sector 3, Ladder 4, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 8
<rawhits>
10^2
10
1
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 150899
Raw hit map: Sector 3, Ladder 4, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 150899
Raw hit map: Sector 3, Ladder 4, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 150899
Raw hit map: Sector 3, Ladder 4, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 9
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 130470
Raw hit map: Sector 3, Ladder 4, Sensor 10
Row Id
Column Id


Entries 130470
Raw hit map: Sector 3, Ladder 4, Sensor 10
Counts
Column Id


Entries 130470
Raw hit map: Sector 3, Ladder 4, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 3 Ladder 4 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 951679
Raw hit map: Sector 4, Ladder 1, Sensor 1
Row Id
Column Id
10^2


Entries 951679
Raw hit map: Sector 4, Ladder 1, Sensor 1
Counts
10^3
Column Id


Entries 951679
Raw hit map: Sector 4, Ladder 1, Sensor 1
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 1
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 974027
Raw hit map: Sector 4, Ladder 1, Sensor 2
Row Id
Column Id
10^2


Entries 974027
Raw hit map: Sector 4, Ladder 1, Sensor 2
Counts
10^3
Column Id


Entries 974027
Raw hit map: Sector 4, Ladder 1, Sensor 2
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 2
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1097874
Raw hit map: Sector 4, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 1097874
Raw hit map: Sector 4, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 1097874
Raw hit map: Sector 4, Ladder 1, Sensor 3
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 3
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1031073
Raw hit map: Sector 4, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 1031073
Raw hit map: Sector 4, Ladder 1, Sensor 4
Counts
10^3
Column Id


Entries 1031073
Raw hit map: Sector 4, Ladder 1, Sensor 4
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 4
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1140233
Raw hit map: Sector 4, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 1140233
Raw hit map: Sector 4, Ladder 1, Sensor 5
Counts
10^3
Column Id


Entries 1140233
Raw hit map: Sector 4, Ladder 1, Sensor 5
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 5
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 947197
Raw hit map: Sector 4, Ladder 1, Sensor 6
Row Id
Column Id
10^2


Entries 947197
Raw hit map: Sector 4, Ladder 1, Sensor 6
Counts
Column Id


Entries 947197
Raw hit map: Sector 4, Ladder 1, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 6
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 515468
Raw hit map: Sector 4, Ladder 1, Sensor 7
Row Id
Column Id


Entries 515468
Raw hit map: Sector 4, Ladder 1, Sensor 7
Counts
Column Id


Entries 515468
Raw hit map: Sector 4, Ladder 1, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 351035
Raw hit map: Sector 4, Ladder 1, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 351035
Raw hit map: Sector 4, Ladder 1, Sensor 8
Counts
10^3
10^2
10
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 351035
Raw hit map: Sector 4, Ladder 1, Sensor 8
Counts
10^3
10^2
10
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 8
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 823278
Raw hit map: Sector 4, Ladder 1, Sensor 9
Row Id
Column Id
10^2


Entries 823278
Raw hit map: Sector 4, Ladder 1, Sensor 9
Counts
10^3
10^2
Column Id


Entries 823278
Raw hit map: Sector 4, Ladder 1, Sensor 9
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 9
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 793506
Raw hit map: Sector 4, Ladder 1, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
10^2


Entries 793506
Raw hit map: Sector 4, Ladder 1, Sensor 10
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 793506
Raw hit map: Sector 4, Ladder 1, Sensor 10
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 1 Sensor 10
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 182705
Raw hit map: Sector 4, Ladder 2, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 182705
Raw hit map: Sector 4, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 182705
Raw hit map: Sector 4, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 1
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 185247
Raw hit map: Sector 4, Ladder 2, Sensor 2
Row Id
Column Id


Entries 185247
Raw hit map: Sector 4, Ladder 2, Sensor 2
Counts
Column Id


Entries 185247
Raw hit map: Sector 4, Ladder 2, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 196204
Raw hit map: Sector 4, Ladder 2, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 196204
Raw hit map: Sector 4, Ladder 2, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 196204
Raw hit map: Sector 4, Ladder 2, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 3
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 215168
Raw hit map: Sector 4, Ladder 2, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 215168
Raw hit map: Sector 4, Ladder 2, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 215168
Raw hit map: Sector 4, Ladder 2, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 4
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 202164
Raw hit map: Sector 4, Ladder 2, Sensor 5
Row Id
Column Id


Entries 202164
Raw hit map: Sector 4, Ladder 2, Sensor 5
Counts
Column Id


Entries 202164
Raw hit map: Sector 4, Ladder 2, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 187462
Raw hit map: Sector 4, Ladder 2, Sensor 6
Row Id
Column Id


Entries 187462
Raw hit map: Sector 4, Ladder 2, Sensor 6
Counts
Column Id


Entries 187462
Raw hit map: Sector 4, Ladder 2, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 207004
Raw hit map: Sector 4, Ladder 2, Sensor 7
Row Id
Column Id


Entries 207004
Raw hit map: Sector 4, Ladder 2, Sensor 7
Counts
Column Id


Entries 207004
Raw hit map: Sector 4, Ladder 2, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 174392
Raw hit map: Sector 4, Ladder 2, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 174392
Raw hit map: Sector 4, Ladder 2, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 174392
Raw hit map: Sector 4, Ladder 2, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 8
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 160150
Raw hit map: Sector 4, Ladder 2, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 160150
Raw hit map: Sector 4, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 160150
Raw hit map: Sector 4, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 9
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 187274
Raw hit map: Sector 4, Ladder 2, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 187274
Raw hit map: Sector 4, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 187274
Raw hit map: Sector 4, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 2 Sensor 10
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 128158
Raw hit map: Sector 4, Ladder 3, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 128158
Raw hit map: Sector 4, Ladder 3, Sensor 1
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 128158
Raw hit map: Sector 4, Ladder 3, Sensor 1
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 1
<rawhits>
10^3
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 166128
Raw hit map: Sector 4, Ladder 3, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 166128
Raw hit map: Sector 4, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 166128
Raw hit map: Sector 4, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 2
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 174898
Raw hit map: Sector 4, Ladder 3, Sensor 3
Row Id
Column Id


Entries 174898
Raw hit map: Sector 4, Ladder 3, Sensor 3
Counts
Column Id


Entries 174898
Raw hit map: Sector 4, Ladder 3, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 178644
Raw hit map: Sector 4, Ladder 3, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 178644
Raw hit map: Sector 4, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 178644
Raw hit map: Sector 4, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 4
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 176247
Raw hit map: Sector 4, Ladder 3, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 176247
Raw hit map: Sector 4, Ladder 3, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 176247
Raw hit map: Sector 4, Ladder 3, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 169802
Raw hit map: Sector 4, Ladder 3, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 169802
Raw hit map: Sector 4, Ladder 3, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 169802
Raw hit map: Sector 4, Ladder 3, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 6
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 149154
Raw hit map: Sector 4, Ladder 3, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 149154
Raw hit map: Sector 4, Ladder 3, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 149154
Raw hit map: Sector 4, Ladder 3, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 135402
Raw hit map: Sector 4, Ladder 3, Sensor 8
Row Id
Column Id


Entries 135402
Raw hit map: Sector 4, Ladder 3, Sensor 8
Counts
Column Id


Entries 135402
Raw hit map: Sector 4, Ladder 3, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 149363
Raw hit map: Sector 4, Ladder 3, Sensor 9
Row Id
Column Id


Entries 149363
Raw hit map: Sector 4, Ladder 3, Sensor 9
Counts
Column Id


Entries 149363
Raw hit map: Sector 4, Ladder 3, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 147699
Raw hit map: Sector 4, Ladder 3, Sensor 10
Row Id
Column Id


Entries 147699
Raw hit map: Sector 4, Ladder 3, Sensor 10
Counts
Column Id


Entries 147699
Raw hit map: Sector 4, Ladder 3, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 3 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 135018
Raw hit map: Sector 4, Ladder 4, Sensor 1
Row Id
Column Id


Entries 135018
Raw hit map: Sector 4, Ladder 4, Sensor 1
Counts
Column Id


Entries 135018
Raw hit map: Sector 4, Ladder 4, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 104170
Raw hit map: Sector 4, Ladder 4, Sensor 2
Row Id
Column Id


Entries 104170
Raw hit map: Sector 4, Ladder 4, Sensor 2
Counts
Column Id


Entries 104170
Raw hit map: Sector 4, Ladder 4, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 159077
Raw hit map: Sector 4, Ladder 4, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 159077
Raw hit map: Sector 4, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 159077
Raw hit map: Sector 4, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 3
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 116378
Raw hit map: Sector 4, Ladder 4, Sensor 4
Row Id
Column Id


Entries 116378
Raw hit map: Sector 4, Ladder 4, Sensor 4
Counts
Column Id


Entries 116378
Raw hit map: Sector 4, Ladder 4, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 152983
Raw hit map: Sector 4, Ladder 4, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 152983
Raw hit map: Sector 4, Ladder 4, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 152983
Raw hit map: Sector 4, Ladder 4, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 68301
Raw hit map: Sector 4, Ladder 4, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 68301
Raw hit map: Sector 4, Ladder 4, Sensor 6
Counts
10^2
10
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 68301
Raw hit map: Sector 4, Ladder 4, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 6
<rawhits>
10^2
10
1
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 74757
Raw hit map: Sector 4, Ladder 4, Sensor 7
Row Id
Column Id


Entries 74757
Raw hit map: Sector 4, Ladder 4, Sensor 7
Counts
Column Id


Entries 74757
Raw hit map: Sector 4, Ladder 4, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 137551
Raw hit map: Sector 4, Ladder 4, Sensor 8
Row Id
Column Id


Entries 137551
Raw hit map: Sector 4, Ladder 4, Sensor 8
Counts
Column Id


Entries 137551
Raw hit map: Sector 4, Ladder 4, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 140981
Raw hit map: Sector 4, Ladder 4, Sensor 9
Row Id
Column Id


Entries 140981
Raw hit map: Sector 4, Ladder 4, Sensor 9
Counts
Column Id


Entries 140981
Raw hit map: Sector 4, Ladder 4, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 123044
Raw hit map: Sector 4, Ladder 4, Sensor 10
Row Id
Column Id


Entries 123044
Raw hit map: Sector 4, Ladder 4, Sensor 10
Counts
Column Id


Entries 123044
Raw hit map: Sector 4, Ladder 4, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 4 Ladder 4 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 826257
Raw hit map: Sector 5, Ladder 1, Sensor 1
Row Id
Column Id
10^2


Entries 826257
Raw hit map: Sector 5, Ladder 1, Sensor 1
Counts
Column Id


Entries 826257
Raw hit map: Sector 5, Ladder 1, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 1
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 860810
Raw hit map: Sector 5, Ladder 1, Sensor 2
Row Id
Column Id
10^2


Entries 860810
Raw hit map: Sector 5, Ladder 1, Sensor 2
Counts
10^3
Column Id


Entries 860810
Raw hit map: Sector 5, Ladder 1, Sensor 2
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 2
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 892230
Raw hit map: Sector 5, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 892230
Raw hit map: Sector 5, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 892230
Raw hit map: Sector 5, Ladder 1, Sensor 3
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 3
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1009261
Raw hit map: Sector 5, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 1009261
Raw hit map: Sector 5, Ladder 1, Sensor 4
Counts
10^3
Column Id


Entries 1009261
Raw hit map: Sector 5, Ladder 1, Sensor 4
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 4
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1038865
Raw hit map: Sector 5, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 1038865
Raw hit map: Sector 5, Ladder 1, Sensor 5
Counts
10^3
Column Id


Entries 1038865
Raw hit map: Sector 5, Ladder 1, Sensor 5
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 5
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 945102
Raw hit map: Sector 5, Ladder 1, Sensor 6
Row Id
Column Id
10^2


Entries 945102
Raw hit map: Sector 5, Ladder 1, Sensor 6
Counts
10^3
Column Id


Entries 945102
Raw hit map: Sector 5, Ladder 1, Sensor 6
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 6
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 917808
Raw hit map: Sector 5, Ladder 1, Sensor 7
Row Id
Column Id
10^2


Entries 917808
Raw hit map: Sector 5, Ladder 1, Sensor 7
Counts
10^3
Column Id


Entries 917808
Raw hit map: Sector 5, Ladder 1, Sensor 7
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 7
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 781806
Raw hit map: Sector 5, Ladder 1, Sensor 8
Row Id
Column Id


Entries 781806
Raw hit map: Sector 5, Ladder 1, Sensor 8
Counts
Column Id


Entries 781806
Raw hit map: Sector 5, Ladder 1, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 896630
Raw hit map: Sector 5, Ladder 1, Sensor 9
Row Id
Column Id
10^2


Entries 896630
Raw hit map: Sector 5, Ladder 1, Sensor 9
Counts
10^3
Column Id


Entries 896630
Raw hit map: Sector 5, Ladder 1, Sensor 9
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 9
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 856973
Raw hit map: Sector 5, Ladder 1, Sensor 10
Row Id
Column Id
10^2


Entries 856973
Raw hit map: Sector 5, Ladder 1, Sensor 10
Counts
Column Id


Entries 856973
Raw hit map: Sector 5, Ladder 1, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 1 Sensor 10
<rawhits>
EventID/100 (Time)
$\times 10^3$


Entries 141366
Raw hit map: Sector 5, Ladder 2, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 141366
Raw hit map: Sector 5, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 141366
Raw hit map: Sector 5, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 1
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 173299
Raw hit map: Sector 5, Ladder 2, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 173299
Raw hit map: Sector 5, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 173299
Raw hit map: Sector 5, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 2
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 155530
Raw hit map: Sector 5, Ladder 2, Sensor 3
Row Id
Column Id


Entries 155530
Raw hit map: Sector 5, Ladder 2, Sensor 3
Counts
Column Id


Entries 155530
Raw hit map: Sector 5, Ladder 2, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 149767
Raw hit map: Sector 5, Ladder 2, Sensor 4
Row Id
Column Id


Entries 149767
Raw hit map: Sector 5, Ladder 2, Sensor 4
Counts
Column Id


Entries 149767
Raw hit map: Sector 5, Ladder 2, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 146336
Raw hit map: Sector 5, Ladder 2, Sensor 5
Row Id
Column Id


Entries 146336
Raw hit map: Sector 5, Ladder 2, Sensor 5
Counts
Column Id


Entries 146336
Raw hit map: Sector 5, Ladder 2, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 163382
Raw hit map: Sector 5, Ladder 2, Sensor 6
Row Id
Column Id


Entries 163382
Raw hit map: Sector 5, Ladder 2, Sensor 6
Counts
Column Id


Entries 163382
Raw hit map: Sector 5, Ladder 2, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 161166
Raw hit map: Sector 5, Ladder 2, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 161166
Raw hit map: Sector 5, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 161166
Raw hit map: Sector 5, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 7
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 147225
Raw hit map: Sector 5, Ladder 2, Sensor 8
Row Id
Column Id


Entries 147225
Raw hit map: Sector 5, Ladder 2, Sensor 8
Counts
Column Id


Entries 147225
Raw hit map: Sector 5, Ladder 2, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 5, Ladder 2, Sensor 9
Row Id
Column Id


Entries 0
Raw hit map: Sector 5, Ladder 2, Sensor 9
Counts
Column Id


Entries 0
Raw hit map: Sector 5, Ladder 2, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 5, Ladder 2, Sensor 10
Row Id
Column Id


Entries 0
Raw hit map: Sector 5, Ladder 2, Sensor 10
Counts
Column Id


Entries 0
Raw hit map: Sector 5, Ladder 2, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 2 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 121778
Raw hit map: Sector 5, Ladder 3, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 121778
Raw hit map: Sector 5, Ladder 3, Sensor 1
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 121778
Raw hit map: Sector 5, Ladder 3, Sensor 1
Counts
10^3
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 1
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 126378
Raw hit map: Sector 5, Ladder 3, Sensor 2
Row Id
Column Id


Entries 126378
Raw hit map: Sector 5, Ladder 3, Sensor 2
Counts
Column Id


Entries 126378
Raw hit map: Sector 5, Ladder 3, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 67836
Raw hit map: Sector 5, Ladder 3, Sensor 3
Row Id
Column Id


Entries 67836
Raw hit map: Sector 5, Ladder 3, Sensor 3
Counts
Column Id


Entries 67836
Raw hit map: Sector 5, Ladder 3, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 108039
Raw hit map: Sector 5, Ladder 3, Sensor 4
Row Id
Column Id


Entries 108039
Raw hit map: Sector 5, Ladder 3, Sensor 4
Counts
Column Id


Entries 108039
Raw hit map: Sector 5, Ladder 3, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 69762
Raw hit map: Sector 5, Ladder 3, Sensor 5
Row Id
Column Id


Entries 69762
Raw hit map: Sector 5, Ladder 3, Sensor 5
Counts
Column Id


Entries 69762
Raw hit map: Sector 5, Ladder 3, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 130736
Raw hit map: Sector 5, Ladder 3, Sensor 6
Row Id
Column Id


Entries 130736
Raw hit map: Sector 5, Ladder 3, Sensor 6
Counts
Column Id


Entries 130736
Raw hit map: Sector 5, Ladder 3, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 118110
Raw hit map: Sector 5, Ladder 3, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 118110
Raw hit map: Sector 5, Ladder 3, Sensor 7
Counts
10^2
10
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 118110
Raw hit map: Sector 5, Ladder 3, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 125695
Raw hit map: Sector 5, Ladder 3, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 125695
Raw hit map: Sector 5, Ladder 3, Sensor 8
Counts
10^2
10
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 125695
Raw hit map: Sector 5, Ladder 3, Sensor 8
Counts
10^2
10
1
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 8
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 94043
Raw hit map: Sector 5, Ladder 3, Sensor 9
Row Id
Column Id


Entries 94043
Raw hit map: Sector 5, Ladder 3, Sensor 9
Counts
Column Id


Entries 94043
Raw hit map: Sector 5, Ladder 3, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 92267
Raw hit map: Sector 5, Ladder 3, Sensor 10
Row Id
Column Id


Entries 92267
Raw hit map: Sector 5, Ladder 3, Sensor 10
Counts
Column Id


Entries 92267
Raw hit map: Sector 5, Ladder 3, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 3 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 153745
Raw hit map: Sector 5, Ladder 4, Sensor 1
Row Id
Column Id


Entries 153745
Raw hit map: Sector 5, Ladder 4, Sensor 1
Counts
Column Id


Entries 153745
Raw hit map: Sector 5, Ladder 4, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 161141
Raw hit map: Sector 5, Ladder 4, Sensor 2
Row Id
Column Id


Entries 161141
Raw hit map: Sector 5, Ladder 4, Sensor 2
Counts
Column Id


Entries 161141
Raw hit map: Sector 5, Ladder 4, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 146692
Raw hit map: Sector 5, Ladder 4, Sensor 3
Row Id
Column Id


Entries 146692
Raw hit map: Sector 5, Ladder 4, Sensor 3
Counts
Column Id


Entries 146692
Raw hit map: Sector 5, Ladder 4, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 139645
Raw hit map: Sector 5, Ladder 4, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 139645
Raw hit map: Sector 5, Ladder 4, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 139645
Raw hit map: Sector 5, Ladder 4, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 165211
Raw hit map: Sector 5, Ladder 4, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
1
10
10^2


Entries 165211
Raw hit map: Sector 5, Ladder 4, Sensor 5
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 165211
Raw hit map: Sector 5, Ladder 4, Sensor 5
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 5
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 142730
Raw hit map: Sector 5, Ladder 4, Sensor 6
Row Id
Column Id


Entries 142730
Raw hit map: Sector 5, Ladder 4, Sensor 6
Counts
Column Id


Entries 142730
Raw hit map: Sector 5, Ladder 4, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 145778
Raw hit map: Sector 5, Ladder 4, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 145778
Raw hit map: Sector 5, Ladder 4, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 145778
Raw hit map: Sector 5, Ladder 4, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 139265
Raw hit map: Sector 5, Ladder 4, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 139265
Raw hit map: Sector 5, Ladder 4, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 139265
Raw hit map: Sector 5, Ladder 4, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 8
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 149335
Raw hit map: Sector 5, Ladder 4, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 149335
Raw hit map: Sector 5, Ladder 4, Sensor 9
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 149335
Raw hit map: Sector 5, Ladder 4, Sensor 9
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 9
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 133197
Raw hit map: Sector 5, Ladder 4, Sensor 10
Row Id
Column Id


Entries 133197
Raw hit map: Sector 5, Ladder 4, Sensor 10
Counts
Column Id


Entries 133197
Raw hit map: Sector 5, Ladder 4, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 5 Ladder 4 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 1
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 1
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 2
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 2
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 3
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 3
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 4
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 4
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 5
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 5
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 6
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 6
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 7
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 7
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 8
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 8
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 9
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 9
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 10
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 10
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 1, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 1 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 159987
Raw hit map: Sector 6, Ladder 2, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 159987
Raw hit map: Sector 6, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 159987
Raw hit map: Sector 6, Ladder 2, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 1
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 161483
Raw hit map: Sector 6, Ladder 2, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 161483
Raw hit map: Sector 6, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 161483
Raw hit map: Sector 6, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 182717
Raw hit map: Sector 6, Ladder 2, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 182717
Raw hit map: Sector 6, Ladder 2, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 182717
Raw hit map: Sector 6, Ladder 2, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 3
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 168369
Raw hit map: Sector 6, Ladder 2, Sensor 4
Row Id
Column Id


Entries 168369
Raw hit map: Sector 6, Ladder 2, Sensor 4
Counts
Column Id


Entries 168369
Raw hit map: Sector 6, Ladder 2, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 163306
Raw hit map: Sector 6, Ladder 2, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 163306
Raw hit map: Sector 6, Ladder 2, Sensor 5
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 163306
Raw hit map: Sector 6, Ladder 2, Sensor 5
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 151281
Raw hit map: Sector 6, Ladder 2, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 151281
Raw hit map: Sector 6, Ladder 2, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 151281
Raw hit map: Sector 6, Ladder 2, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 6
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 148476
Raw hit map: Sector 6, Ladder 2, Sensor 7
Row Id
Column Id


Entries 148476
Raw hit map: Sector 6, Ladder 2, Sensor 7
Counts
Column Id


Entries 148476
Raw hit map: Sector 6, Ladder 2, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 152342
Raw hit map: Sector 6, Ladder 2, Sensor 8
Row Id
Column Id


Entries 152342
Raw hit map: Sector 6, Ladder 2, Sensor 8
Counts
Column Id


Entries 152342
Raw hit map: Sector 6, Ladder 2, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 145889
Raw hit map: Sector 6, Ladder 2, Sensor 9
Row Id
Column Id


Entries 145889
Raw hit map: Sector 6, Ladder 2, Sensor 9
Counts
Column Id


Entries 145889
Raw hit map: Sector 6, Ladder 2, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 154249
Raw hit map: Sector 6, Ladder 2, Sensor 10
Row Id
Column Id


Entries 154249
Raw hit map: Sector 6, Ladder 2, Sensor 10
Counts
Column Id


Entries 154249
Raw hit map: Sector 6, Ladder 2, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 2 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 177313
Raw hit map: Sector 6, Ladder 3, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 177313
Raw hit map: Sector 6, Ladder 3, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 177313
Raw hit map: Sector 6, Ladder 3, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 1
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 88559
Raw hit map: Sector 6, Ladder 3, Sensor 2
Row Id
Column Id


Entries 88559
Raw hit map: Sector 6, Ladder 3, Sensor 2
Counts
Column Id


Entries 88559
Raw hit map: Sector 6, Ladder 3, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 126194
Raw hit map: Sector 6, Ladder 3, Sensor 3
Row Id
Column Id


Entries 126194
Raw hit map: Sector 6, Ladder 3, Sensor 3
Counts
Column Id


Entries 126194
Raw hit map: Sector 6, Ladder 3, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 84267
Raw hit map: Sector 6, Ladder 3, Sensor 4
Row Id
Column Id


Entries 84267
Raw hit map: Sector 6, Ladder 3, Sensor 4
Counts
Column Id


Entries 84267
Raw hit map: Sector 6, Ladder 3, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 57700
Raw hit map: Sector 6, Ladder 3, Sensor 5
Row Id
Column Id


Entries 57700
Raw hit map: Sector 6, Ladder 3, Sensor 5
Counts
Column Id


Entries 57700
Raw hit map: Sector 6, Ladder 3, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 6, Ladder 3, Sensor 6
Row Id
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 3, Sensor 6
Counts
Column Id


Entries 0
Raw hit map: Sector 6, Ladder 3, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 143878
Raw hit map: Sector 6, Ladder 3, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 143878
Raw hit map: Sector 6, Ladder 3, Sensor 7
Counts
10^2
10
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 143878
Raw hit map: Sector 6, Ladder 3, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 117681
Raw hit map: Sector 6, Ladder 3, Sensor 8
Row Id
Column Id


Entries 117681
Raw hit map: Sector 6, Ladder 3, Sensor 8
Counts
Column Id


Entries 117681
Raw hit map: Sector 6, Ladder 3, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 75016
Raw hit map: Sector 6, Ladder 3, Sensor 9
Row Id
Column Id


Entries 75016
Raw hit map: Sector 6, Ladder 3, Sensor 9
Counts
Column Id


Entries 75016
Raw hit map: Sector 6, Ladder 3, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 120305
Raw hit map: Sector 6, Ladder 3, Sensor 10
Row Id
Column Id


Entries 120305
Raw hit map: Sector 6, Ladder 3, Sensor 10
Counts
Column Id


Entries 120305
Raw hit map: Sector 6, Ladder 3, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 3 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 181130
Raw hit map: Sector 6, Ladder 4, Sensor 1
Row Id
Column Id


Entries 181130
Raw hit map: Sector 6, Ladder 4, Sensor 1
Counts
Column Id


Entries 181130
Raw hit map: Sector 6, Ladder 4, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 159170
Raw hit map: Sector 6, Ladder 4, Sensor 2
Row Id
Column Id


Entries 159170
Raw hit map: Sector 6, Ladder 4, Sensor 2
Counts
Column Id


Entries 159170
Raw hit map: Sector 6, Ladder 4, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 137107
Raw hit map: Sector 6, Ladder 4, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 137107
Raw hit map: Sector 6, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 137107
Raw hit map: Sector 6, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 3
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 170849
Raw hit map: Sector 6, Ladder 4, Sensor 4
Row Id
Column Id


Entries 170849
Raw hit map: Sector 6, Ladder 4, Sensor 4
Counts
Column Id


Entries 170849
Raw hit map: Sector 6, Ladder 4, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 79715
Raw hit map: Sector 6, Ladder 4, Sensor 5
Row Id
Column Id


Entries 79715
Raw hit map: Sector 6, Ladder 4, Sensor 5
Counts
Column Id


Entries 79715
Raw hit map: Sector 6, Ladder 4, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 134536
Raw hit map: Sector 6, Ladder 4, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 134536
Raw hit map: Sector 6, Ladder 4, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 134536
Raw hit map: Sector 6, Ladder 4, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 6
<rawhits>
10^2
10
1
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 145257
Raw hit map: Sector 6, Ladder 4, Sensor 7
Row Id
Column Id


Entries 145257
Raw hit map: Sector 6, Ladder 4, Sensor 7
Counts
Column Id


Entries 145257
Raw hit map: Sector 6, Ladder 4, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 94442
Raw hit map: Sector 6, Ladder 4, Sensor 8
Row Id
Column Id


Entries 94442
Raw hit map: Sector 6, Ladder 4, Sensor 8
Counts
Column Id


Entries 94442
Raw hit map: Sector 6, Ladder 4, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 119562
Raw hit map: Sector 6, Ladder 4, Sensor 9
Row Id
Column Id


Entries 119562
Raw hit map: Sector 6, Ladder 4, Sensor 9
Counts
Column Id


Entries 119562
Raw hit map: Sector 6, Ladder 4, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 143949
Raw hit map: Sector 6, Ladder 4, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 143949
Raw hit map: Sector 6, Ladder 4, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 143949
Raw hit map: Sector 6, Ladder 4, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 6 Ladder 4 Sensor 10
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 772195
Raw hit map: Sector 7, Ladder 1, Sensor 1
Row Id
Column Id
10^2


Entries 772195
Raw hit map: Sector 7, Ladder 1, Sensor 1
Counts
Column Id


Entries 772195
Raw hit map: Sector 7, Ladder 1, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 1
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 735246
Raw hit map: Sector 7, Ladder 1, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^3
10^2
10


Entries 735246
Raw hit map: Sector 7, Ladder 1, Sensor 2
Counts
10^3
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 735246
Raw hit map: Sector 7, Ladder 1, Sensor 2
Counts
10^3
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 2
<rawhits>
10^3
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 1076216
Raw hit map: Sector 7, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 1076216
Raw hit map: Sector 7, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 1076216
Raw hit map: Sector 7, Ladder 1, Sensor 3
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 3
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 991310
Raw hit map: Sector 7, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 991310
Raw hit map: Sector 7, Ladder 1, Sensor 4
Counts
10^3
Column Id


Entries 991310
Raw hit map: Sector 7, Ladder 1, Sensor 4
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 4
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1011135
Raw hit map: Sector 7, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 1011135
Raw hit map: Sector 7, Ladder 1, Sensor 5
Counts
10^3
Column Id


Entries 1011135
Raw hit map: Sector 7, Ladder 1, Sensor 5
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 5
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 0
Raw hit map: Sector 7, Ladder 1, Sensor 6
Row Id
Column Id


Entries 0
Raw hit map: Sector 7, Ladder 1, Sensor 6
Counts
Column Id


Entries 0
Raw hit map: Sector 7, Ladder 1, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 805389
Raw hit map: Sector 7, Ladder 1, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 805389
Raw hit map: Sector 7, Ladder 1, Sensor 7
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 805389
Raw hit map: Sector 7, Ladder 1, Sensor 7
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 7
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 622367
Raw hit map: Sector 7, Ladder 1, Sensor 8
Row Id
Column Id


Entries 622367
Raw hit map: Sector 7, Ladder 1, Sensor 8
Counts
Column Id


Entries 622367
Raw hit map: Sector 7, Ladder 1, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 730778
Raw hit map: Sector 7, Ladder 1, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 730778
Raw hit map: Sector 7, Ladder 1, Sensor 9
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 730778
Raw hit map: Sector 7, Ladder 1, Sensor 9
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 9
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 647922
Raw hit map: Sector 7, Ladder 1, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 647922
Raw hit map: Sector 7, Ladder 1, Sensor 10
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 647922
Raw hit map: Sector 7, Ladder 1, Sensor 10
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 1 Sensor 10
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 163145
Raw hit map: Sector 7, Ladder 2, Sensor 1
Row Id
Column Id


Entries 163145
Raw hit map: Sector 7, Ladder 2, Sensor 1
Counts
Column Id


Entries 163145
Raw hit map: Sector 7, Ladder 2, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 124089
Raw hit map: Sector 7, Ladder 2, Sensor 2
Row Id
Column Id


Entries 124089
Raw hit map: Sector 7, Ladder 2, Sensor 2
Counts
Column Id


Entries 124089
Raw hit map: Sector 7, Ladder 2, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 158821
Raw hit map: Sector 7, Ladder 2, Sensor 3
Row Id
Column Id


Entries 158821
Raw hit map: Sector 7, Ladder 2, Sensor 3
Counts
Column Id


Entries 158821
Raw hit map: Sector 7, Ladder 2, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 155928
Raw hit map: Sector 7, Ladder 2, Sensor 4
Row Id
Column Id


Entries 155928
Raw hit map: Sector 7, Ladder 2, Sensor 4
Counts
Column Id


Entries 155928
Raw hit map: Sector 7, Ladder 2, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 182173
Raw hit map: Sector 7, Ladder 2, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 182173
Raw hit map: Sector 7, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 182173
Raw hit map: Sector 7, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 5
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 151432
Raw hit map: Sector 7, Ladder 2, Sensor 6
Row Id
Column Id


Entries 151432
Raw hit map: Sector 7, Ladder 2, Sensor 6
Counts
Column Id


Entries 151432
Raw hit map: Sector 7, Ladder 2, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 171953
Raw hit map: Sector 7, Ladder 2, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 171953
Raw hit map: Sector 7, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 171953
Raw hit map: Sector 7, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 7
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 197560
Raw hit map: Sector 7, Ladder 2, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 197560
Raw hit map: Sector 7, Ladder 2, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 197560
Raw hit map: Sector 7, Ladder 2, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 8
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 149738
Raw hit map: Sector 7, Ladder 2, Sensor 9
Row Id
Column Id


Entries 149738
Raw hit map: Sector 7, Ladder 2, Sensor 9
Counts
Column Id


Entries 149738
Raw hit map: Sector 7, Ladder 2, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 101741
Raw hit map: Sector 7, Ladder 2, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 101741
Raw hit map: Sector 7, Ladder 2, Sensor 10
Counts
10^2
10
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 101741
Raw hit map: Sector 7, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 2 Sensor 10
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 162361
Raw hit map: Sector 7, Ladder 3, Sensor 1
Row Id
Column Id


Entries 162361
Raw hit map: Sector 7, Ladder 3, Sensor 1
Counts
Column Id


Entries 162361
Raw hit map: Sector 7, Ladder 3, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 148510
Raw hit map: Sector 7, Ladder 3, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 148510
Raw hit map: Sector 7, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 148510
Raw hit map: Sector 7, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 176455
Raw hit map: Sector 7, Ladder 3, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 176455
Raw hit map: Sector 7, Ladder 3, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 176455
Raw hit map: Sector 7, Ladder 3, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 3
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 163595
Raw hit map: Sector 7, Ladder 3, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 163595
Raw hit map: Sector 7, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 163595
Raw hit map: Sector 7, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 166828
Raw hit map: Sector 7, Ladder 3, Sensor 5
Row Id
Column Id


Entries 166828
Raw hit map: Sector 7, Ladder 3, Sensor 5
Counts
Column Id


Entries 166828
Raw hit map: Sector 7, Ladder 3, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 178248
Raw hit map: Sector 7, Ladder 3, Sensor 6
Row Id
Column Id


Entries 178248
Raw hit map: Sector 7, Ladder 3, Sensor 6
Counts
Column Id


Entries 178248
Raw hit map: Sector 7, Ladder 3, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 160951
Raw hit map: Sector 7, Ladder 3, Sensor 7
Row Id
Column Id


Entries 160951
Raw hit map: Sector 7, Ladder 3, Sensor 7
Counts
Column Id


Entries 160951
Raw hit map: Sector 7, Ladder 3, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 152635
Raw hit map: Sector 7, Ladder 3, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 152635
Raw hit map: Sector 7, Ladder 3, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 152635
Raw hit map: Sector 7, Ladder 3, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 8
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 145144
Raw hit map: Sector 7, Ladder 3, Sensor 9
Row Id
Column Id


Entries 145144
Raw hit map: Sector 7, Ladder 3, Sensor 9
Counts
Column Id


Entries 145144
Raw hit map: Sector 7, Ladder 3, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 153639
Raw hit map: Sector 7, Ladder 3, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 153639
Raw hit map: Sector 7, Ladder 3, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 153639
Raw hit map: Sector 7, Ladder 3, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 3 Sensor 10
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 166075
Raw hit map: Sector 7, Ladder 4, Sensor 1
Row Id
Column Id


Entries 166075
Raw hit map: Sector 7, Ladder 4, Sensor 1
Counts
Column Id


Entries 166075
Raw hit map: Sector 7, Ladder 4, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 152838
Raw hit map: Sector 7, Ladder 4, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 152838
Raw hit map: Sector 7, Ladder 4, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 152838
Raw hit map: Sector 7, Ladder 4, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 143507
Raw hit map: Sector 7, Ladder 4, Sensor 3
Row Id
Column Id


Entries 143507
Raw hit map: Sector 7, Ladder 4, Sensor 3
Counts
Column Id


Entries 143507
Raw hit map: Sector 7, Ladder 4, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 156322
Raw hit map: Sector 7, Ladder 4, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 156322
Raw hit map: Sector 7, Ladder 4, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 156322
Raw hit map: Sector 7, Ladder 4, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 146979
Raw hit map: Sector 7, Ladder 4, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 146979
Raw hit map: Sector 7, Ladder 4, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 146979
Raw hit map: Sector 7, Ladder 4, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 5
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 138186
Raw hit map: Sector 7, Ladder 4, Sensor 6
Row Id
Column Id


Entries 138186
Raw hit map: Sector 7, Ladder 4, Sensor 6
Counts
Column Id


Entries 138186
Raw hit map: Sector 7, Ladder 4, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 146203
Raw hit map: Sector 7, Ladder 4, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 146203
Raw hit map: Sector 7, Ladder 4, Sensor 7
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 146203
Raw hit map: Sector 7, Ladder 4, Sensor 7
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 7
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 135898
Raw hit map: Sector 7, Ladder 4, Sensor 8
Row Id
Column Id


Entries 135898
Raw hit map: Sector 7, Ladder 4, Sensor 8
Counts
Column Id


Entries 135898
Raw hit map: Sector 7, Ladder 4, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 145380
Raw hit map: Sector 7, Ladder 4, Sensor 9
Row Id
Column Id


Entries 145380
Raw hit map: Sector 7, Ladder 4, Sensor 9
Counts
Column Id


Entries 145380
Raw hit map: Sector 7, Ladder 4, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 146093
Raw hit map: Sector 7, Ladder 4, Sensor 10
Row Id
Column Id


Entries 146093
Raw hit map: Sector 7, Ladder 4, Sensor 10
Counts
Column Id


Entries 146093
Raw hit map: Sector 7, Ladder 4, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 7 Ladder 4 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 953382
Raw hit map: Sector 8, Ladder 1, Sensor 1
Row Id
Column Id
10^2


Entries 953382
Raw hit map: Sector 8, Ladder 1, Sensor 1
Counts
10^3
Column Id


Entries 953382
Raw hit map: Sector 8, Ladder 1, Sensor 1
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 1
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 928142
Raw hit map: Sector 8, Ladder 1, Sensor 2
Row Id
Column Id
10^2


Entries 928142
Raw hit map: Sector 8, Ladder 1, Sensor 2
Counts
10^3
Column Id


Entries 928142
Raw hit map: Sector 8, Ladder 1, Sensor 2
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 2
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1071235
Raw hit map: Sector 8, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 1071235
Raw hit map: Sector 8, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 1071235
Raw hit map: Sector 8, Ladder 1, Sensor 3
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 3
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1031018
Raw hit map: Sector 8, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 1031018
Raw hit map: Sector 8, Ladder 1, Sensor 4
Counts
Column Id
10^3


Entries 1031018
Raw hit map: Sector 8, Ladder 1, Sensor 4
Counts
Row Id
10^3


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 4
<rawhits>
EventID/100 (Time)
10^3
$\times 10^3$


Entries 1032849
Raw hit map: Sector 8, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 1032849
Raw hit map: Sector 8, Ladder 1, Sensor 5
Counts
10^3
Column Id


Entries 1032849
Raw hit map: Sector 8, Ladder 1, Sensor 5
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 5
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 730868
Raw hit map: Sector 8, Ladder 1, Sensor 6
Row Id
Column Id


Entries 730868
Raw hit map: Sector 8, Ladder 1, Sensor 6
Counts
Column Id


Entries 730868
Raw hit map: Sector 8, Ladder 1, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 896420
Raw hit map: Sector 8, Ladder 1, Sensor 7
Row Id
Column Id
10^2


Entries 896420
Raw hit map: Sector 8, Ladder 1, Sensor 7
Counts
10^3
Column Id


Entries 896420
Raw hit map: Sector 8, Ladder 1, Sensor 7
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 7
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 974904
Raw hit map: Sector 8, Ladder 1, Sensor 8
Row Id
Column Id
10^2


Entries 974904
Raw hit map: Sector 8, Ladder 1, Sensor 8
Counts
10^3
Column Id


Entries 974904
Raw hit map: Sector 8, Ladder 1, Sensor 8
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 8
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 865449
Raw hit map: Sector 8, Ladder 1, Sensor 9
Row Id
Column Id
10^2


Entries 865449
Raw hit map: Sector 8, Ladder 1, Sensor 9
Counts
10^3
Column Id


Entries 865449
Raw hit map: Sector 8, Ladder 1, Sensor 9
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 9
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 512823
Raw hit map: Sector 8, Ladder 1, Sensor 10
Row Id
Column Id


Entries 512823
Raw hit map: Sector 8, Ladder 1, Sensor 10
Counts
Column Id


Entries 512823
Raw hit map: Sector 8, Ladder 1, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 1 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 141003
Raw hit map: Sector 8, Ladder 2, Sensor 1
Row Id
Column Id


Entries 141003
Raw hit map: Sector 8, Ladder 2, Sensor 1
Counts
Column Id


Entries 141003
Raw hit map: Sector 8, Ladder 2, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 171860
Raw hit map: Sector 8, Ladder 2, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 171860
Raw hit map: Sector 8, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 171860
Raw hit map: Sector 8, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 2
<rawhits>
10^3
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 167253
Raw hit map: Sector 8, Ladder 2, Sensor 3
Row Id
Column Id


Entries 167253
Raw hit map: Sector 8, Ladder 2, Sensor 3
Counts
Column Id


Entries 167253
Raw hit map: Sector 8, Ladder 2, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 164481
Raw hit map: Sector 8, Ladder 2, Sensor 4
Row Id
Column Id


Entries 164481
Raw hit map: Sector 8, Ladder 2, Sensor 4
Counts
Column Id


Entries 164481
Raw hit map: Sector 8, Ladder 2, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 163149
Raw hit map: Sector 8, Ladder 2, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 163149
Raw hit map: Sector 8, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 163149
Raw hit map: Sector 8, Ladder 2, Sensor 5
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 5
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 133011
Raw hit map: Sector 8, Ladder 2, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 133011
Raw hit map: Sector 8, Ladder 2, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 133011
Raw hit map: Sector 8, Ladder 2, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 6
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 137097
Raw hit map: Sector 8, Ladder 2, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 137097
Raw hit map: Sector 8, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 137097
Raw hit map: Sector 8, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 7
<rawhits>
10^2
10
1
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 129189
Raw hit map: Sector 8, Ladder 2, Sensor 8
Row Id
Column Id


Entries 129189
Raw hit map: Sector 8, Ladder 2, Sensor 8
Counts
Column Id


Entries 129189
Raw hit map: Sector 8, Ladder 2, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 152011
Raw hit map: Sector 8, Ladder 2, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 152011
Raw hit map: Sector 8, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 152011
Raw hit map: Sector 8, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 9
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 148648
Raw hit map: Sector 8, Ladder 2, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 148648
Raw hit map: Sector 8, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 148648
Raw hit map: Sector 8, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 2 Sensor 10
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 141518
Raw hit map: Sector 8, Ladder 3, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 141518
Raw hit map: Sector 8, Ladder 3, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 141518
Raw hit map: Sector 8, Ladder 3, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 1
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 158346
Raw hit map: Sector 8, Ladder 3, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 158346
Raw hit map: Sector 8, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 158346
Raw hit map: Sector 8, Ladder 3, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 2
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 152262
Raw hit map: Sector 8, Ladder 3, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 152262
Raw hit map: Sector 8, Ladder 3, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 152262
Raw hit map: Sector 8, Ladder 3, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 3
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 140916
Raw hit map: Sector 8, Ladder 3, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 140916
Raw hit map: Sector 8, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 140916
Raw hit map: Sector 8, Ladder 3, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 135942
Raw hit map: Sector 8, Ladder 3, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 135942
Raw hit map: Sector 8, Ladder 3, Sensor 5
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 135942
Raw hit map: Sector 8, Ladder 3, Sensor 5
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 5
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 127021
Raw hit map: Sector 8, Ladder 3, Sensor 6
Row Id
Column Id


Entries 127021
Raw hit map: Sector 8, Ladder 3, Sensor 6
Counts
Column Id


Entries 127021
Raw hit map: Sector 8, Ladder 3, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 150830
Raw hit map: Sector 8, Ladder 3, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 150830
Raw hit map: Sector 8, Ladder 3, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 150830
Raw hit map: Sector 8, Ladder 3, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 139338
Raw hit map: Sector 8, Ladder 3, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 139338
Raw hit map: Sector 8, Ladder 3, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 139338
Raw hit map: Sector 8, Ladder 3, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 8
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 134252
Raw hit map: Sector 8, Ladder 3, Sensor 9
Row Id
Column Id


Entries 134252
Raw hit map: Sector 8, Ladder 3, Sensor 9
Counts
Column Id


Entries 134252
Raw hit map: Sector 8, Ladder 3, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 133812
Raw hit map: Sector 8, Ladder 3, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 133812
Raw hit map: Sector 8, Ladder 3, Sensor 10
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 133812
Raw hit map: Sector 8, Ladder 3, Sensor 10
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 3 Sensor 10
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 160427
Raw hit map: Sector 8, Ladder 4, Sensor 1
Row Id
Column Id


Entries 160427
Raw hit map: Sector 8, Ladder 4, Sensor 1
Counts
Column Id


Entries 160427
Raw hit map: Sector 8, Ladder 4, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 145341
Raw hit map: Sector 8, Ladder 4, Sensor 2
Row Id
Column Id


Entries 145341
Raw hit map: Sector 8, Ladder 4, Sensor 2
Counts
Column Id


Entries 145341
Raw hit map: Sector 8, Ladder 4, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 0
Raw hit map: Sector 8, Ladder 4, Sensor 3
Row Id
Column Id


Entries 0
Raw hit map: Sector 8, Ladder 4, Sensor 3
Counts
Column Id


Entries 0
Raw hit map: Sector 8, Ladder 4, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 140902
Raw hit map: Sector 8, Ladder 4, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 140902
Raw hit map: Sector 8, Ladder 4, Sensor 4
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 140902
Raw hit map: Sector 8, Ladder 4, Sensor 4
Counts
10^2
10
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 4
<rawhits>
10^2
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 109792
Raw hit map: Sector 8, Ladder 4, Sensor 5
Row Id
Column Id


Entries 109792
Raw hit map: Sector 8, Ladder 4, Sensor 5
Counts
Column Id


Entries 109792
Raw hit map: Sector 8, Ladder 4, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 89164
Raw hit map: Sector 8, Ladder 4, Sensor 6
Row Id
Column Id


Entries 89164
Raw hit map: Sector 8, Ladder 4, Sensor 6
Counts
Column Id


Entries 89164
Raw hit map: Sector 8, Ladder 4, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 52760
Raw hit map: Sector 8, Ladder 4, Sensor 7
Row Id
Column Id
10
1
10^{-1}


Entries 52760
Raw hit map: Sector 8, Ladder 4, Sensor 7
Counts
Column Id


Entries 52760
Raw hit map: Sector 8, Ladder 4, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 7
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 85313
Raw hit map: Sector 8, Ladder 4, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 85313
Raw hit map: Sector 8, Ladder 4, Sensor 8
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 85313
Raw hit map: Sector 8, Ladder 4, Sensor 8
Counts
10^2
10
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 8
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 59934
Raw hit map: Sector 8, Ladder 4, Sensor 9
Row Id
Column Id


Entries 59934
Raw hit map: Sector 8, Ladder 4, Sensor 9
Counts
Column Id


Entries 59934
Raw hit map: Sector 8, Ladder 4, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 63866
Raw hit map: Sector 8, Ladder 4, Sensor 10
Row Id
Column Id


Entries 63866
Raw hit map: Sector 8, Ladder 4, Sensor 10
Counts
Column Id


Entries 63866
Raw hit map: Sector 8, Ladder 4, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 8 Ladder 4 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 871408
Raw hit map: Sector 9, Ladder 1, Sensor 1
Row Id
Column Id
10^2


Entries 871408
Raw hit map: Sector 9, Ladder 1, Sensor 1
Counts
Column Id


Entries 871408
Raw hit map: Sector 9, Ladder 1, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 1
<rawhits>
EventID/100 (Time)
$\times 10^3$


Entries 1107551
Raw hit map: Sector 9, Ladder 1, Sensor 2
Row Id
Column Id
10^2


Entries 1107551
Raw hit map: Sector 9, Ladder 1, Sensor 2
Counts
Column Id
10^3


Entries 1107551
Raw hit map: Sector 9, Ladder 1, Sensor 2
Counts
Row Id
10^3


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 2
<rawhits>
EventID/100 (Time)
10^3
$\times 10^3$


Entries 1047150
Raw hit map: Sector 9, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 1047150
Raw hit map: Sector 9, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 1047150
Raw hit map: Sector 9, Ladder 1, Sensor 3
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 3
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1026829
Raw hit map: Sector 9, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 1026829
Raw hit map: Sector 9, Ladder 1, Sensor 4
Counts
10^3
Column Id


Entries 1026829
Raw hit map: Sector 9, Ladder 1, Sensor 4
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 4
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1116484
Raw hit map: Sector 9, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 1116484
Raw hit map: Sector 9, Ladder 1, Sensor 5
Counts
10^3
Column Id


Entries 1116484
Raw hit map: Sector 9, Ladder 1, Sensor 5
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 5
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 982491
Raw hit map: Sector 9, Ladder 1, Sensor 6
Row Id
Column Id
10^2


Entries 982491
Raw hit map: Sector 9, Ladder 1, Sensor 6
Counts
Column Id


Entries 982491
Raw hit map: Sector 9, Ladder 1, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 6
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 941658
Raw hit map: Sector 9, Ladder 1, Sensor 7
Row Id
Column Id
10^2


Entries 941658
Raw hit map: Sector 9, Ladder 1, Sensor 7
Counts
10^3
Column Id


Entries 941658
Raw hit map: Sector 9, Ladder 1, Sensor 7
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 7
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 903228
Raw hit map: Sector 9, Ladder 1, Sensor 8
Row Id
Column Id
10^2


Entries 903228
Raw hit map: Sector 9, Ladder 1, Sensor 8
Counts
10^3
Column Id


Entries 903228
Raw hit map: Sector 9, Ladder 1, Sensor 8
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 8
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 808319
Raw hit map: Sector 9, Ladder 1, Sensor 9
Row Id
Column Id
10^2


Entries 808319
Raw hit map: Sector 9, Ladder 1, Sensor 9
Counts
10^3
Column Id


Entries 808319
Raw hit map: Sector 9, Ladder 1, Sensor 9
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 9
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 800898
Raw hit map: Sector 9, Ladder 1, Sensor 10
Row Id
Column Id
10^2


Entries 800898
Raw hit map: Sector 9, Ladder 1, Sensor 10
Counts
Column Id


Entries 800898
Raw hit map: Sector 9, Ladder 1, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 1 Sensor 10
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 193488
Raw hit map: Sector 9, Ladder 2, Sensor 1
Row Id
Column Id


Entries 193488
Raw hit map: Sector 9, Ladder 2, Sensor 1
Counts
Column Id


Entries 193488
Raw hit map: Sector 9, Ladder 2, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 172839
Raw hit map: Sector 9, Ladder 2, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 172839
Raw hit map: Sector 9, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 172839
Raw hit map: Sector 9, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 2
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 189678
Raw hit map: Sector 9, Ladder 2, Sensor 3
Row Id
Column Id


Entries 189678
Raw hit map: Sector 9, Ladder 2, Sensor 3
Counts
Column Id


Entries 189678
Raw hit map: Sector 9, Ladder 2, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 179240
Raw hit map: Sector 9, Ladder 2, Sensor 4
Row Id
Column Id


Entries 179240
Raw hit map: Sector 9, Ladder 2, Sensor 4
Counts
Column Id


Entries 179240
Raw hit map: Sector 9, Ladder 2, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 160381
Raw hit map: Sector 9, Ladder 2, Sensor 5
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 160381
Raw hit map: Sector 9, Ladder 2, Sensor 5
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 160381
Raw hit map: Sector 9, Ladder 2, Sensor 5
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 5
<rawhits>
10^3
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 156920
Raw hit map: Sector 9, Ladder 2, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 156920
Raw hit map: Sector 9, Ladder 2, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 156920
Raw hit map: Sector 9, Ladder 2, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 6
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 148976
Raw hit map: Sector 9, Ladder 2, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 148976
Raw hit map: Sector 9, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 148976
Raw hit map: Sector 9, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 155730
Raw hit map: Sector 9, Ladder 2, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 155730
Raw hit map: Sector 9, Ladder 2, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 155730
Raw hit map: Sector 9, Ladder 2, Sensor 8
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 8
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 175905
Raw hit map: Sector 9, Ladder 2, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 175905
Raw hit map: Sector 9, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 175905
Raw hit map: Sector 9, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 9
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 173126
Raw hit map: Sector 9, Ladder 2, Sensor 10
Row Id
Column Id


Entries 173126
Raw hit map: Sector 9, Ladder 2, Sensor 10
Counts
Column Id


Entries 173126
Raw hit map: Sector 9, Ladder 2, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 2 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 122178
Raw hit map: Sector 9, Ladder 3, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 122178
Raw hit map: Sector 9, Ladder 3, Sensor 1
Counts
10^2
10
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 122178
Raw hit map: Sector 9, Ladder 3, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 1
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 72980
Raw hit map: Sector 9, Ladder 3, Sensor 2
Row Id
Column Id


Entries 72980
Raw hit map: Sector 9, Ladder 3, Sensor 2
Counts
Column Id


Entries 72980
Raw hit map: Sector 9, Ladder 3, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 103804
Raw hit map: Sector 9, Ladder 3, Sensor 3
Row Id
Column Id


Entries 103804
Raw hit map: Sector 9, Ladder 3, Sensor 3
Counts
Column Id


Entries 103804
Raw hit map: Sector 9, Ladder 3, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 98079
Raw hit map: Sector 9, Ladder 3, Sensor 4
Row Id
Column Id


Entries 98079
Raw hit map: Sector 9, Ladder 3, Sensor 4
Counts
Column Id


Entries 98079
Raw hit map: Sector 9, Ladder 3, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 80539
Raw hit map: Sector 9, Ladder 3, Sensor 5
Row Id
Column Id


Entries 80539
Raw hit map: Sector 9, Ladder 3, Sensor 5
Counts
Column Id


Entries 80539
Raw hit map: Sector 9, Ladder 3, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 143998
Raw hit map: Sector 9, Ladder 3, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 143998
Raw hit map: Sector 9, Ladder 3, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 143998
Raw hit map: Sector 9, Ladder 3, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 6
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 148363
Raw hit map: Sector 9, Ladder 3, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 148363
Raw hit map: Sector 9, Ladder 3, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 148363
Raw hit map: Sector 9, Ladder 3, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 129844
Raw hit map: Sector 9, Ladder 3, Sensor 8
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 129844
Raw hit map: Sector 9, Ladder 3, Sensor 8
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 129844
Raw hit map: Sector 9, Ladder 3, Sensor 8
Counts
10^2
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 8
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 65282
Raw hit map: Sector 9, Ladder 3, Sensor 9
Row Id
Column Id


Entries 65282
Raw hit map: Sector 9, Ladder 3, Sensor 9
Counts
Column Id


Entries 65282
Raw hit map: Sector 9, Ladder 3, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 168044
Raw hit map: Sector 9, Ladder 3, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 168044
Raw hit map: Sector 9, Ladder 3, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 168044
Raw hit map: Sector 9, Ladder 3, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 3 Sensor 10
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 162391
Raw hit map: Sector 9, Ladder 4, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 162391
Raw hit map: Sector 9, Ladder 4, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 162391
Raw hit map: Sector 9, Ladder 4, Sensor 1
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 1
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 163962
Raw hit map: Sector 9, Ladder 4, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 163962
Raw hit map: Sector 9, Ladder 4, Sensor 2
Counts
10^2
Column Id
0 100 200 300 400 500 600 700 800 900


Entries 163962
Raw hit map: Sector 9, Ladder 4, Sensor 2
Counts
10^2
10
Row Id
0 100 200 300 400 500 600 700 800 900


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 2
<rawhits>
10^2
10
$\times 10^3$
0 5 10 15 20 25 30
EventID/100 (Time)


Entries 152124
Raw hit map: Sector 9, Ladder 4, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 152124
Raw hit map: Sector 9, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 152124
Raw hit map: Sector 9, Ladder 4, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 3
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 151935
Raw hit map: Sector 9, Ladder 4, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 151935
Raw hit map: Sector 9, Ladder 4, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 151935
Raw hit map: Sector 9, Ladder 4, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 4
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 148140
Raw hit map: Sector 9, Ladder 4, Sensor 5
Row Id
Column Id


Entries 148140
Raw hit map: Sector 9, Ladder 4, Sensor 5
Counts
Column Id


Entries 148140
Raw hit map: Sector 9, Ladder 4, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 138678
Raw hit map: Sector 9, Ladder 4, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 138678
Raw hit map: Sector 9, Ladder 4, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 138678
Raw hit map: Sector 9, Ladder 4, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 6
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 138885
Raw hit map: Sector 9, Ladder 4, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 138885
Raw hit map: Sector 9, Ladder 4, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 138885
Raw hit map: Sector 9, Ladder 4, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 132599
Raw hit map: Sector 9, Ladder 4, Sensor 8
Row Id
Column Id


Entries 132599
Raw hit map: Sector 9, Ladder 4, Sensor 8
Counts
Column Id


Entries 132599
Raw hit map: Sector 9, Ladder 4, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 145357
Raw hit map: Sector 9, Ladder 4, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 145357
Raw hit map: Sector 9, Ladder 4, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 145357
Raw hit map: Sector 9, Ladder 4, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 9
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 130336
Raw hit map: Sector 9, Ladder 4, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 130336
Raw hit map: Sector 9, Ladder 4, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 130336
Raw hit map: Sector 9, Ladder 4, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 9 Ladder 4 Sensor 10
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 909320
Raw hit map: Sector 10, Ladder 1, Sensor 1
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 909320
Raw hit map: Sector 10, Ladder 1, Sensor 1
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 909320
Raw hit map: Sector 10, Ladder 1, Sensor 1
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 1
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 1043176
Raw hit map: Sector 10, Ladder 1, Sensor 2
Row Id
Column Id
10^2


Entries 1043176
Raw hit map: Sector 10, Ladder 1, Sensor 2
Counts
10^3
Column Id


Entries 1043176
Raw hit map: Sector 10, Ladder 1, Sensor 2
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 2
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1017368
Raw hit map: Sector 10, Ladder 1, Sensor 3
Row Id
Column Id
10^2


Entries 1017368
Raw hit map: Sector 10, Ladder 1, Sensor 3
Counts
10^3
Column Id


Entries 1017368
Raw hit map: Sector 10, Ladder 1, Sensor 3
Counts
10^3
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 3
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 1056191
Raw hit map: Sector 10, Ladder 1, Sensor 4
Row Id
Column Id
10^2


Entries 1056191
Raw hit map: Sector 10, Ladder 1, Sensor 4
Counts
10^3
Column Id


Entries 1056191
Raw hit map: Sector 10, Ladder 1, Sensor 4
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 4
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 909628
Raw hit map: Sector 10, Ladder 1, Sensor 5
Row Id
Column Id
10^2


Entries 909628
Raw hit map: Sector 10, Ladder 1, Sensor 5
Counts
Column Id


Entries 909628
Raw hit map: Sector 10, Ladder 1, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 5
<rawhits>
EventID/100 (Time)
$\times 10^3$


Entries 941386
Raw hit map: Sector 10, Ladder 1, Sensor 6
Row Id
Column Id
10^2


Entries 941386
Raw hit map: Sector 10, Ladder 1, Sensor 6
Counts
10^3
Column Id


Entries 941386
Raw hit map: Sector 10, Ladder 1, Sensor 6
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 6
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 721957
Raw hit map: Sector 10, Ladder 1, Sensor 7
Row Id
Column Id


Entries 721957
Raw hit map: Sector 10, Ladder 1, Sensor 7
Counts
Column Id


Entries 721957
Raw hit map: Sector 10, Ladder 1, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 910941
Raw hit map: Sector 10, Ladder 1, Sensor 8
Row Id
Column Id
10^2


Entries 910941
Raw hit map: Sector 10, Ladder 1, Sensor 8
Counts
10^3
Column Id


Entries 910941
Raw hit map: Sector 10, Ladder 1, Sensor 8
Counts
10^3
10^2
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 8
<rawhits>
10^3
$\times 10^3$
EventID/100 (Time)


Entries 775067
Raw hit map: Sector 10, Ladder 1, Sensor 9
Row Id
Column Id
10^2
10


Entries 775067
Raw hit map: Sector 10, Ladder 1, Sensor 9
Counts
Column Id


Entries 775067
Raw hit map: Sector 10, Ladder 1, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 9
<rawhits>
$\times 10^3$
EventID/100 (Time)


Entries 700786
Raw hit map: Sector 10, Ladder 1, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10


Entries 700786
Raw hit map: Sector 10, Ladder 1, Sensor 10
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 700786
Raw hit map: Sector 10, Ladder 1, Sensor 10
Counts
10^3
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 1 Sensor 10
<rawhits>
10^3
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 168265
Raw hit map: Sector 10, Ladder 2, Sensor 1
Row Id
Column Id


Entries 168265
Raw hit map: Sector 10, Ladder 2, Sensor 1
Counts
Column Id


Entries 168265
Raw hit map: Sector 10, Ladder 2, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 173240
Raw hit map: Sector 10, Ladder 2, Sensor 2
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 173240
Raw hit map: Sector 10, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 173240
Raw hit map: Sector 10, Ladder 2, Sensor 2
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 2
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 0
Raw hit map: Sector 10, Ladder 2, Sensor 3
Row Id
Column Id


Entries 0
Raw hit map: Sector 10, Ladder 2, Sensor 3
Counts
Column Id


Entries 0
Raw hit map: Sector 10, Ladder 2, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 177526
Raw hit map: Sector 10, Ladder 2, Sensor 4
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 177526
Raw hit map: Sector 10, Ladder 2, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 177526
Raw hit map: Sector 10, Ladder 2, Sensor 4
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 4
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 137791
Raw hit map: Sector 10, Ladder 2, Sensor 5
Row Id
Column Id


Entries 137791
Raw hit map: Sector 10, Ladder 2, Sensor 5
Counts
Column Id


Entries 137791
Raw hit map: Sector 10, Ladder 2, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 154519
Raw hit map: Sector 10, Ladder 2, Sensor 6
Row Id
Column Id


Entries 154519
Raw hit map: Sector 10, Ladder 2, Sensor 6
Counts
Column Id


Entries 154519
Raw hit map: Sector 10, Ladder 2, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 126466
Raw hit map: Sector 10, Ladder 2, Sensor 7
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 126466
Raw hit map: Sector 10, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 126466
Raw hit map: Sector 10, Ladder 2, Sensor 7
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 7
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 0
Raw hit map: Sector 10, Ladder 2, Sensor 8
Row Id
Column Id


Entries 0
Raw hit map: Sector 10, Ladder 2, Sensor 8
Counts
Column Id


Entries 0
Raw hit map: Sector 10, Ladder 2, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 167698
Raw hit map: Sector 10, Ladder 2, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 167698
Raw hit map: Sector 10, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 167698
Raw hit map: Sector 10, Ladder 2, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 9
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 176065
Raw hit map: Sector 10, Ladder 2, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 176065
Raw hit map: Sector 10, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 176065
Raw hit map: Sector 10, Ladder 2, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 2 Sensor 10
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 152562
Raw hit map: Sector 10, Ladder 3, Sensor 1
Row Id
Column Id


Entries 152562
Raw hit map: Sector 10, Ladder 3, Sensor 1
Counts
Column Id


Entries 152562
Raw hit map: Sector 10, Ladder 3, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 157441
Raw hit map: Sector 10, Ladder 3, Sensor 2
Row Id
Column Id


Entries 157441
Raw hit map: Sector 10, Ladder 3, Sensor 2
Counts
Column Id


Entries 157441
Raw hit map: Sector 10, Ladder 3, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 151354
Raw hit map: Sector 10, Ladder 3, Sensor 3
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 151354
Raw hit map: Sector 10, Ladder 3, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 151354
Raw hit map: Sector 10, Ladder 3, Sensor 3
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 3
<rawhits>
10^3
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 146744
Raw hit map: Sector 10, Ladder 3, Sensor 4
Row Id
Column Id


Entries 146744
Raw hit map: Sector 10, Ladder 3, Sensor 4
Counts
Column Id


Entries 146744
Raw hit map: Sector 10, Ladder 3, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 115011
Raw hit map: Sector 10, Ladder 3, Sensor 5
Row Id
Column Id


Entries 115011
Raw hit map: Sector 10, Ladder 3, Sensor 5
Counts
Column Id


Entries 115011
Raw hit map: Sector 10, Ladder 3, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 137826
Raw hit map: Sector 10, Ladder 3, Sensor 6
Row Id
Column Id


Entries 137826
Raw hit map: Sector 10, Ladder 3, Sensor 6
Counts
Column Id


Entries 137826
Raw hit map: Sector 10, Ladder 3, Sensor 6
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 6
<rawhits>
EventID/100 (Time)


Entries 144693
Raw hit map: Sector 10, Ladder 3, Sensor 7
Row Id
Column Id


Entries 144693
Raw hit map: Sector 10, Ladder 3, Sensor 7
Counts
Column Id


Entries 144693
Raw hit map: Sector 10, Ladder 3, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 157682
Raw hit map: Sector 10, Ladder 3, Sensor 8
Row Id
Column Id


Entries 157682
Raw hit map: Sector 10, Ladder 3, Sensor 8
Counts
Column Id


Entries 157682
Raw hit map: Sector 10, Ladder 3, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 129511
Raw hit map: Sector 10, Ladder 3, Sensor 9
Row Id
Column Id


Entries 129511
Raw hit map: Sector 10, Ladder 3, Sensor 9
Counts
Column Id


Entries 129511
Raw hit map: Sector 10, Ladder 3, Sensor 9
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 9
<rawhits>
EventID/100 (Time)


Entries 132857
Raw hit map: Sector 10, Ladder 3, Sensor 10
Row Id
Column Id


Entries 132857
Raw hit map: Sector 10, Ladder 3, Sensor 10
Counts
Column Id


Entries 132857
Raw hit map: Sector 10, Ladder 3, Sensor 10
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 3 Sensor 10
<rawhits>
EventID/100 (Time)


Entries 119630
Raw hit map: Sector 10, Ladder 4, Sensor 1
Row Id
Column Id


Entries 119630
Raw hit map: Sector 10, Ladder 4, Sensor 1
Counts
Column Id


Entries 119630
Raw hit map: Sector 10, Ladder 4, Sensor 1
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 1
<rawhits>
EventID/100 (Time)


Entries 141437
Raw hit map: Sector 10, Ladder 4, Sensor 2
Row Id
Column Id


Entries 141437
Raw hit map: Sector 10, Ladder 4, Sensor 2
Counts
Column Id


Entries 141437
Raw hit map: Sector 10, Ladder 4, Sensor 2
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 2
<rawhits>
EventID/100 (Time)


Entries 153025
Raw hit map: Sector 10, Ladder 4, Sensor 3
Row Id
Column Id


Entries 153025
Raw hit map: Sector 10, Ladder 4, Sensor 3
Counts
Column Id


Entries 153025
Raw hit map: Sector 10, Ladder 4, Sensor 3
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 3
<rawhits>
EventID/100 (Time)


Entries 145359
Raw hit map: Sector 10, Ladder 4, Sensor 4
Row Id
Column Id


Entries 145359
Raw hit map: Sector 10, Ladder 4, Sensor 4
Counts
Column Id


Entries 145359
Raw hit map: Sector 10, Ladder 4, Sensor 4
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 4
<rawhits>
EventID/100 (Time)


Entries 150435
Raw hit map: Sector 10, Ladder 4, Sensor 5
Row Id
Column Id


Entries 150435
Raw hit map: Sector 10, Ladder 4, Sensor 5
Counts
Column Id


Entries 150435
Raw hit map: Sector 10, Ladder 4, Sensor 5
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 5
<rawhits>
EventID/100 (Time)


Entries 162880
Raw hit map: Sector 10, Ladder 4, Sensor 6
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 162880
Raw hit map: Sector 10, Ladder 4, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 162880
Raw hit map: Sector 10, Ladder 4, Sensor 6
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 6
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 151467
Raw hit map: Sector 10, Ladder 4, Sensor 7
Row Id
Column Id


Entries 151467
Raw hit map: Sector 10, Ladder 4, Sensor 7
Counts
Column Id


Entries 151467
Raw hit map: Sector 10, Ladder 4, Sensor 7
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 7
<rawhits>
EventID/100 (Time)


Entries 140237
Raw hit map: Sector 10, Ladder 4, Sensor 8
Row Id
Column Id


Entries 140237
Raw hit map: Sector 10, Ladder 4, Sensor 8
Counts
Column Id


Entries 140237
Raw hit map: Sector 10, Ladder 4, Sensor 8
Counts
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 8
<rawhits>
EventID/100 (Time)


Entries 149479
Raw hit map: Sector 10, Ladder 4, Sensor 9
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10^2
10
1


Entries 149479
Raw hit map: Sector 10, Ladder 4, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 149479
Raw hit map: Sector 10, Ladder 4, Sensor 9
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 9
<rawhits>
10^2
10
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)


Entries 154066
Raw hit map: Sector 10, Ladder 4, Sensor 10
Row Id
Column Id
0 100 200 300 400 500 600 700 800 900
10
1
10^{-1}


Entries 154066
Raw hit map: Sector 10, Ladder 4, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Column Id


Entries 154066
Raw hit map: Sector 10, Ladder 4, Sensor 10
Counts
10^2
0 100 200 300 400 500 600 700 800 900
Row Id


Entries 1617
rawHits vs. Event Id: Sector 10 Ladder 4 Sensor 10
<rawhits>
10^2
0 5 10 15 20 25 30
$\times 10^3$
EventID/100 (Time)