17143041.istQa

Sun May 22 21:59:00 2016


Entries 173952
The number of RawHits vs. sensor ID
Number of Raw Hits
Sensor ID


Entries 173952
The number of hits vs. sensor ID
Number of Hits
Sensor ID


Entries 32122
ADC of raw hits at time bin 0 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 32122
ADC of raw hits at time bin 1 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 32122
ADC of raw hits at time bin 2 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 32122
ADC of raw hits at time bin 3 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 32122
ADC of raw hits at time bin 4 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 32122
ADC of raw hits at time bin 5 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 32122
ADC of raw hits at time bin 6 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 32122
ADC of raw hits at time bin 7 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 32122
ADC of raw hits at time bin 8 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 32122
RMS noise of raw hits vs. channel geometry ID
RMS noise of Raw Hits
Channel ID
×10^3


ADC of hits vs. sensor ID
Entries 28138
ADC of Hits
×10^3
Sensor ID


RMS noise of hits vs. sensor ID
Entries 28138
RMS noise of Hits
Sensor ID


Max time bin of raw hits vs group ID
Entries 32122
Max Time Bin Index
Group ID [12*(RDO-1)+2*ARM+GROUP]


Max time bin of raw hits vs APV ID
Entries 32122
Max Time Bin Index
APV ID [144*(RDO-1)+24*ARM+APV]


Entries 28138
Max time bin of hits vs. sensor ID
Max Time Bin Index
Sensor ID


Entries 28138
Cluster size of hits vs. sensor ID
Cluster Size of Hits
Sensor ID


Entries 28138
Cluster size in Z of hits vs. sensor ID
Cluster Size in Z of Hits
Sensor ID


Entries 28138
Cluster size in r-ϕ of hits vs. sensor ID
Cluster Size in r-ϕ of hits
Sensor ID


IST hit map in r-phi vs. Z
Entries 28138
Column in Z
Row in r-ϕ
×10^3


IST hit map in APV geometry Id vs. ladder
Entries 28138
Ladder ID
APV geometry ID


Global X vs. Global Y
Entries 28138
Global Y [cm]
Global X [cm]


Global ϕ vs. Global Z
Entries 28138
Global Z [cm]
Global ϕ [rad.]


Entries 187
Raw Hit column vs. row: Ladder 1 Sensor 1
Row
Column


Entries 168
Hit mean column vs. mean row: Ladder 1 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 228
Raw Hit column vs. row: Ladder 1 Sensor 2
Row
Column


Entries 206
Hit mean column vs. mean row: Ladder 1 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 172
Raw Hit column vs. row: Ladder 1 Sensor 3
Row
Column


Entries 165
Hit mean column vs. mean row: Ladder 1 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 1 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 128
Raw Hit column vs. row: Ladder 1 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 118
Hit mean column vs. mean row: Ladder 1 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 1 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 1 Sensor 5
Entries 25
Row
Column


Hit mean column vs. mean row: Ladder 1 Sensor 5
Entries 23
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 1 Sensor 5
Entries 1208
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 1 Sensor 6
Entries 1232
Row
Column


Entries 1229
Hit mean column vs. mean row: Ladder 1 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 185
Raw Hit column vs. row: Ladder 2 Sensor 1
Row
Column


Entries 161
Hit mean column vs. mean row: Ladder 2 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 2 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 233
Raw Hit column vs. row: Ladder 2 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 217
Hit mean column vs. mean row: Ladder 2 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 2 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 2 Sensor 3
Entries 261
Row
Column


Hit mean column vs. mean row: Ladder 2 Sensor 3
Entries 229
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 2 Sensor 3
Entries 1208
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 2 Sensor 4
Entries 259
Row
Column


Entries 236
Hit mean column vs. mean row: Ladder 2 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 99
Raw Hit column vs. row: Ladder 2 Sensor 5
Row
Column


Entries 90
Hit mean column vs. mean row: Ladder 2 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 2 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 158
Raw Hit column vs. row: Ladder 2 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 136
Hit mean column vs. mean row: Ladder 2 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 2 Sensor 6
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 237
Raw Hit column vs. row: Ladder 3 Sensor 1
Row
Column


Entries 207
Hit mean column vs. mean row: Ladder 3 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 269
Raw Hit column vs. row: Ladder 3 Sensor 2
Row
Column


Entries 230
Hit mean column vs. mean row: Ladder 3 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 205
Raw Hit column vs. row: Ladder 3 Sensor 3
Row
Column


Entries 191
Hit mean column vs. mean row: Ladder 3 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 3 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 283
Raw Hit column vs. row: Ladder 3 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 245
Hit mean column vs. mean row: Ladder 3 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 3 Sensor 4
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 197
Raw Hit column vs. row: Ladder 3 Sensor 5
Row
Column


Entries 178
Hit mean column vs. mean row: Ladder 3 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 168
Raw Hit column vs. row: Ladder 3 Sensor 6
Row
Column


Entries 144
Hit mean column vs. mean row: Ladder 3 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 232
Raw Hit column vs. row: Ladder 4 Sensor 1
Row
Column


Entries 186
Hit mean column vs. mean row: Ladder 4 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 4 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 245
Raw Hit column vs. row: Ladder 4 Sensor 2
Row
Column


Entries 213
Hit mean column vs. mean row: Ladder 4 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 4 Sensor 2
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 4 Sensor 3
Entries 248
Row
Column


Hit mean column vs. mean row: Ladder 4 Sensor 3
Entries 212
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 4 Sensor 3
Entries 1208
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 4 Sensor 4
Entries 268
Row
Column


Entries 230
Hit mean column vs. mean row: Ladder 4 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 266
Raw Hit column vs. row: Ladder 4 Sensor 5
Row
Column


Entries 234
Hit mean column vs. mean row: Ladder 4 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 4 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 181
Raw Hit column vs. row: Ladder 4 Sensor 6
Row
Column


Entries 152
Hit mean column vs. mean row: Ladder 4 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 4 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 216
Raw Hit column vs. row: Ladder 5 Sensor 1
Row
Column


Entries 192
Hit mean column vs. mean row: Ladder 5 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 5 Sensor 1
<rawhits>
EventID (Time)


Entries 246
Raw Hit column vs. row: Ladder 5 Sensor 2
Row
Column


Entries 218
Hit mean column vs. mean row: Ladder 5 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 5 Sensor 2
<rawhits>
EventID (Time)


Entries 252
Raw Hit column vs. row: Ladder 5 Sensor 3
Row
Column


Entries 222
Hit mean column vs. mean row: Ladder 5 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 5 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 241
Raw Hit column vs. row: Ladder 5 Sensor 4
Row
Column


Entries 219
Hit mean column vs. mean row: Ladder 5 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 5 Sensor 4
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 5 Sensor 5
Entries 211
Row
Column


Hit mean column vs. mean row: Ladder 5 Sensor 5
Entries 185
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 5 Sensor 5
Entries 1208
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 5 Sensor 6
Entries 172
Row
Column


Entries 149
Hit mean column vs. mean row: Ladder 5 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 5 Sensor 6
<rawhits>
EventID (Time)


Entries 238
Raw Hit column vs. row: Ladder 6 Sensor 1
Row
Column


Entries 199
Hit mean column vs. mean row: Ladder 6 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 6 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 243
Raw Hit column vs. row: Ladder 6 Sensor 2
Row
Column


Entries 207
Hit mean column vs. mean row: Ladder 6 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 6 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 230
Raw Hit column vs. row: Ladder 6 Sensor 3
Row
Column


Entries 205
Hit mean column vs. mean row: Ladder 6 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 6 Sensor 3
<rawhits>
EventID (Time)


Entries 233
Raw Hit column vs. row: Ladder 6 Sensor 4
Row
Column


Entries 208
Hit mean column vs. mean row: Ladder 6 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 6 Sensor 4
<rawhits>
EventID (Time)


Entries 201
Raw Hit column vs. row: Ladder 6 Sensor 5
Row
Column


Entries 182
Hit mean column vs. mean row: Ladder 6 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 6 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 149
Raw Hit column vs. row: Ladder 6 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 133
Hit mean column vs. mean row: Ladder 6 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 6 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 224
Raw Hit column vs. row: Ladder 7 Sensor 1
Row
Column


Entries 186
Hit mean column vs. mean row: Ladder 7 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 7 Sensor 1
<rawhits>
EventID (Time)


Entries 229
Raw Hit column vs. row: Ladder 7 Sensor 2
Row
Column


Entries 202
Hit mean column vs. mean row: Ladder 7 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 7 Sensor 2
<rawhits>
EventID (Time)


Entries 259
Raw Hit column vs. row: Ladder 7 Sensor 3
Row
Column


Entries 221
Hit mean column vs. mean row: Ladder 7 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 7 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 263
Raw Hit column vs. row: Ladder 7 Sensor 4
Row
Column


Entries 229
Hit mean column vs. mean row: Ladder 7 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 7 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 206
Raw Hit column vs. row: Ladder 7 Sensor 5
Row
Column


Entries 177
Hit mean column vs. mean row: Ladder 7 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 7 Sensor 5
<rawhits>
EventID (Time)


Entries 166
Raw Hit column vs. row: Ladder 7 Sensor 6
Row
Column


Entries 148
Hit mean column vs. mean row: Ladder 7 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 7 Sensor 6
<rawhits>
EventID (Time)


Entries 230
Raw Hit column vs. row: Ladder 8 Sensor 1
Row
Column


Entries 186
Hit mean column vs. mean row: Ladder 8 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 8 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 213
Raw Hit column vs. row: Ladder 8 Sensor 2
Row
Column


Entries 186
Hit mean column vs. mean row: Ladder 8 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 8 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 254
Raw Hit column vs. row: Ladder 8 Sensor 3
Row
Column


Entries 218
Hit mean column vs. mean row: Ladder 8 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 8 Sensor 3
<rawhits>
EventID (Time)


Entries 231
Raw Hit column vs. row: Ladder 8 Sensor 4
Row
Column


Entries 208
Hit mean column vs. mean row: Ladder 8 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 8 Sensor 4
<rawhits>
EventID (Time)


Entries 240
Raw Hit column vs. row: Ladder 8 Sensor 5
Row
Column


Entries 199
Hit mean column vs. mean row: Ladder 8 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 8 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 160
Raw Hit column vs. row: Ladder 8 Sensor 6
Row
Column


Entries 139
Hit mean column vs. mean row: Ladder 8 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 8 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 246
Raw Hit column vs. row: Ladder 9 Sensor 1
Row
Column


Entries 206
Hit mean column vs. mean row: Ladder 9 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 9 Sensor 1
<rawhits>
EventID (Time)


Entries 231
Raw Hit column vs. row: Ladder 9 Sensor 2
Row
Column


Entries 204
Hit mean column vs. mean row: Ladder 9 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 9 Sensor 2
<rawhits>
EventID (Time)


Entries 243
Raw Hit column vs. row: Ladder 9 Sensor 3
Row
Column


Entries 215
Hit mean column vs. mean row: Ladder 9 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 9 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 247
Raw Hit column vs. row: Ladder 9 Sensor 4
Row
Column


Entries 221
Hit mean column vs. mean row: Ladder 9 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 9 Sensor 4
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 9 Sensor 5
Entries 209
Row
Column


Hit mean column vs. mean row: Ladder 9 Sensor 5
Entries 182
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 9 Sensor 5
Entries 1208
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 9 Sensor 6
Entries 137
Row
Column


Entries 124
Hit mean column vs. mean row: Ladder 9 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 9 Sensor 6
<rawhits>
EventID (Time)


Entries 227
Raw Hit column vs. row: Ladder 10 Sensor 1
Row
Column


Entries 200
Hit mean column vs. mean row: Ladder 10 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 10 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 251
Raw Hit column vs. row: Ladder 10 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 228
Hit mean column vs. mean row: Ladder 10 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 10 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 10 Sensor 3
Entries 227
Row
Column


Hit mean column vs. mean row: Ladder 10 Sensor 3
Entries 190
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 10 Sensor 3
Entries 1208
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 10 Sensor 4
Entries 242
Row
Column


Entries 222
Hit mean column vs. mean row: Ladder 10 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 10 Sensor 4
<rawhits>
EventID (Time)


Entries 197
Raw Hit column vs. row: Ladder 10 Sensor 5
Row
Column


Entries 174
Hit mean column vs. mean row: Ladder 10 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 10 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 128
Raw Hit column vs. row: Ladder 10 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 112
Hit mean column vs. mean row: Ladder 10 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 10 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 216
Raw Hit column vs. row: Ladder 11 Sensor 1
Row
Column


Entries 185
Hit mean column vs. mean row: Ladder 11 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 11 Sensor 1
<rawhits>
EventID (Time)


Entries 273
Raw Hit column vs. row: Ladder 11 Sensor 2
Row
Column


Entries 229
Hit mean column vs. mean row: Ladder 11 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 11 Sensor 2
<rawhits>
EventID (Time)


Entries 256
Raw Hit column vs. row: Ladder 11 Sensor 3
Row
Column


Entries 225
Hit mean column vs. mean row: Ladder 11 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 11 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 240
Raw Hit column vs. row: Ladder 11 Sensor 4
Row
Column


Entries 212
Hit mean column vs. mean row: Ladder 11 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 11 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 232
Raw Hit column vs. row: Ladder 11 Sensor 5
Row
Column


Entries 201
Hit mean column vs. mean row: Ladder 11 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 11 Sensor 5
<rawhits>
EventID (Time)


Entries 182
Raw Hit column vs. row: Ladder 11 Sensor 6
Row
Column


Entries 155
Hit mean column vs. mean row: Ladder 11 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 11 Sensor 6
<rawhits>
EventID (Time)


Entries 248
Raw Hit column vs. row: Ladder 12 Sensor 1
Row
Column


Entries 214
Hit mean column vs. mean row: Ladder 12 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 12 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 218
Raw Hit column vs. row: Ladder 12 Sensor 2
Row
Column


Entries 189
Hit mean column vs. mean row: Ladder 12 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 12 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 207
Raw Hit column vs. row: Ladder 12 Sensor 3
Row
Column


Entries 179
Hit mean column vs. mean row: Ladder 12 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 12 Sensor 3
<rawhits>
EventID (Time)


Entries 215
Raw Hit column vs. row: Ladder 12 Sensor 4
Row
Column


Entries 193
Hit mean column vs. mean row: Ladder 12 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 12 Sensor 4
<rawhits>
EventID (Time)


Entries 230
Raw Hit column vs. row: Ladder 12 Sensor 5
Row
Column


Entries 192
Hit mean column vs. mean row: Ladder 12 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 12 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 146
Raw Hit column vs. row: Ladder 12 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 130
Hit mean column vs. mean row: Ladder 12 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 12 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 207
Raw Hit column vs. row: Ladder 13 Sensor 1
Row
Column


Entries 179
Hit mean column vs. mean row: Ladder 13 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 13 Sensor 1
<rawhits>
EventID (Time)


Entries 242
Raw Hit column vs. row: Ladder 13 Sensor 2
Row
Column


Entries 202
Hit mean column vs. mean row: Ladder 13 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 13 Sensor 2
<rawhits>
EventID (Time)


Entries 232
Raw Hit column vs. row: Ladder 13 Sensor 3
Row
Column


Entries 205
Hit mean column vs. mean row: Ladder 13 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 13 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 253
Raw Hit column vs. row: Ladder 13 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 214
Hit mean column vs. mean row: Ladder 13 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 13 Sensor 4
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 204
Raw Hit column vs. row: Ladder 13 Sensor 5
Row
Column


Entries 176
Hit mean column vs. mean row: Ladder 13 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 13 Sensor 5
<rawhits>
EventID (Time)


Entries 207
Raw Hit column vs. row: Ladder 13 Sensor 6
Row
Column


Entries 168
Hit mean column vs. mean row: Ladder 13 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 13 Sensor 6
<rawhits>
EventID (Time)


Entries 188
Raw Hit column vs. row: Ladder 14 Sensor 1
Row
Column


Entries 168
Hit mean column vs. mean row: Ladder 14 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 14 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 237
Raw Hit column vs. row: Ladder 14 Sensor 2
Row
Column


Entries 205
Hit mean column vs. mean row: Ladder 14 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 14 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 269
Raw Hit column vs. row: Ladder 14 Sensor 3
Row
Column


Entries 242
Hit mean column vs. mean row: Ladder 14 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 14 Sensor 3
<rawhits>
EventID (Time)


Entries 251
Raw Hit column vs. row: Ladder 14 Sensor 4
Row
Column


Entries 214
Hit mean column vs. mean row: Ladder 14 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 14 Sensor 4
<rawhits>
EventID (Time)


Entries 182
Raw Hit column vs. row: Ladder 14 Sensor 5
Row
Column


Entries 156
Hit mean column vs. mean row: Ladder 14 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 14 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 161
Raw Hit column vs. row: Ladder 14 Sensor 6
Row
Column


Entries 138
Hit mean column vs. mean row: Ladder 14 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 14 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 249
Raw Hit column vs. row: Ladder 15 Sensor 1
Row
Column


Entries 210
Hit mean column vs. mean row: Ladder 15 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 15 Sensor 1
<rawhits>
EventID (Time)


Entries 224
Raw Hit column vs. row: Ladder 15 Sensor 2
Row
Column


Entries 191
Hit mean column vs. mean row: Ladder 15 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 15 Sensor 2
<rawhits>
EventID (Time)


Entries 244
Raw Hit column vs. row: Ladder 15 Sensor 3
Row
Column


Entries 208
Hit mean column vs. mean row: Ladder 15 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 15 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 298
Raw Hit column vs. row: Ladder 15 Sensor 4
Row
Column


Entries 260
Hit mean column vs. mean row: Ladder 15 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 15 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 225
Raw Hit column vs. row: Ladder 15 Sensor 5
Row
Column


Entries 199
Hit mean column vs. mean row: Ladder 15 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 15 Sensor 5
<rawhits>
EventID (Time)


Entries 184
Raw Hit column vs. row: Ladder 15 Sensor 6
Row
Column


Entries 154
Hit mean column vs. mean row: Ladder 15 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 15 Sensor 6
<rawhits>
EventID (Time)


Entries 217
Raw Hit column vs. row: Ladder 16 Sensor 1
Row
Column


Entries 184
Hit mean column vs. mean row: Ladder 16 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 16 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 233
Raw Hit column vs. row: Ladder 16 Sensor 2
Row
Column


Entries 194
Hit mean column vs. mean row: Ladder 16 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 16 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 257
Raw Hit column vs. row: Ladder 16 Sensor 3
Row
Column


Entries 226
Hit mean column vs. mean row: Ladder 16 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 16 Sensor 3
<rawhits>
EventID (Time)


Entries 244
Raw Hit column vs. row: Ladder 16 Sensor 4
Row
Column


Entries 208
Hit mean column vs. mean row: Ladder 16 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 16 Sensor 4
<rawhits>
EventID (Time)


Entries 175
Raw Hit column vs. row: Ladder 16 Sensor 5
Row
Column


Entries 157
Hit mean column vs. mean row: Ladder 16 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 16 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 182
Raw Hit column vs. row: Ladder 16 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 147
Hit mean column vs. mean row: Ladder 16 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 16 Sensor 6
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 17 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 17 Sensor 2
<rawhits>
EventID (Time)


Entries 259
Raw Hit column vs. row: Ladder 17 Sensor 3
Row
Column


Entries 234
Hit mean column vs. mean row: Ladder 17 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 17 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 223
Raw Hit column vs. row: Ladder 17 Sensor 4
Row
Column


Entries 199
Hit mean column vs. mean row: Ladder 17 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 17 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 206
Raw Hit column vs. row: Ladder 17 Sensor 5
Row
Column


Entries 179
Hit mean column vs. mean row: Ladder 17 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 17 Sensor 5
<rawhits>
EventID (Time)


Entries 175
Raw Hit column vs. row: Ladder 17 Sensor 6
Row
Column


Entries 147
Hit mean column vs. mean row: Ladder 17 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 17 Sensor 6
<rawhits>
EventID (Time)


Entries 237
Raw Hit column vs. row: Ladder 18 Sensor 1
Row
Column


Entries 202
Hit mean column vs. mean row: Ladder 18 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 18 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 253
Raw Hit column vs. row: Ladder 18 Sensor 2
Row
Column


Entries 216
Hit mean column vs. mean row: Ladder 18 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 18 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 262
Raw Hit column vs. row: Ladder 18 Sensor 3
Row
Column


Entries 233
Hit mean column vs. mean row: Ladder 18 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 18 Sensor 3
<rawhits>
EventID (Time)


Entries 231
Raw Hit column vs. row: Ladder 18 Sensor 4
Row
Column


Entries 207
Hit mean column vs. mean row: Ladder 18 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 18 Sensor 4
<rawhits>
EventID (Time)


Entries 198
Raw Hit column vs. row: Ladder 18 Sensor 5
Row
Column


Entries 173
Hit mean column vs. mean row: Ladder 18 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 18 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 202
Raw Hit column vs. row: Ladder 18 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 162
Hit mean column vs. mean row: Ladder 18 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 18 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 1
Entries 257
Row
Column


Hit mean column vs. mean row: Ladder 19 Sensor 1
Entries 216
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 19 Sensor 1
Entries 1208
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 2
Entries 259
Row
Column


Entries 226
Hit mean column vs. mean row: Ladder 19 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 19 Sensor 2
<rawhits>
EventID (Time)


Entries 214
Raw Hit column vs. row: Ladder 19 Sensor 3
Row
Column


Entries 191
Hit mean column vs. mean row: Ladder 19 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 19 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 264
Raw Hit column vs. row: Ladder 19 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 234
Hit mean column vs. mean row: Ladder 19 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 19 Sensor 4
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 198
Raw Hit column vs. row: Ladder 19 Sensor 5
Row
Column


Entries 168
Hit mean column vs. mean row: Ladder 19 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 19 Sensor 5
<rawhits>
EventID (Time)


Entries 168
Raw Hit column vs. row: Ladder 19 Sensor 6
Row
Column


Entries 142
Hit mean column vs. mean row: Ladder 19 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 19 Sensor 6
<rawhits>
EventID (Time)


Entries 196
Raw Hit column vs. row: Ladder 20 Sensor 1
Row
Column


Entries 164
Hit mean column vs. mean row: Ladder 20 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 20 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 281
Raw Hit column vs. row: Ladder 20 Sensor 2
Row
Column


Entries 244
Hit mean column vs. mean row: Ladder 20 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 20 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 280
Raw Hit column vs. row: Ladder 20 Sensor 3
Row
Column


Entries 252
Hit mean column vs. mean row: Ladder 20 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 20 Sensor 3
<rawhits>
EventID (Time)


Entries 214
Raw Hit column vs. row: Ladder 20 Sensor 4
Row
Column


Entries 190
Hit mean column vs. mean row: Ladder 20 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 20 Sensor 4
<rawhits>
EventID (Time)


Entries 203
Raw Hit column vs. row: Ladder 20 Sensor 5
Row
Column


Entries 183
Hit mean column vs. mean row: Ladder 20 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 20 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 186
Raw Hit column vs. row: Ladder 20 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 156
Hit mean column vs. mean row: Ladder 20 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 20 Sensor 6
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 232
Raw Hit column vs. row: Ladder 21 Sensor 1
Row
Column


Entries 195
Hit mean column vs. mean row: Ladder 21 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 21 Sensor 1
<rawhits>
EventID (Time)


Entries 275
Raw Hit column vs. row: Ladder 21 Sensor 2
Row
Column


Entries 232
Hit mean column vs. mean row: Ladder 21 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 21 Sensor 2
<rawhits>
EventID (Time)


Entries 243
Raw Hit column vs. row: Ladder 21 Sensor 3
Row
Column


Entries 210
Hit mean column vs. mean row: Ladder 21 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 21 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 167
Raw Hit column vs. row: Ladder 21 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 148
Hit mean column vs. mean row: Ladder 21 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 21 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 186
Raw Hit column vs. row: Ladder 21 Sensor 5
Row
Column


Entries 160
Hit mean column vs. mean row: Ladder 21 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 21 Sensor 5
<rawhits>
EventID (Time)


Entries 187
Raw Hit column vs. row: Ladder 21 Sensor 6
Row
Column


Entries 160
Hit mean column vs. mean row: Ladder 21 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 21 Sensor 6
<rawhits>
EventID (Time)


Entries 243
Raw Hit column vs. row: Ladder 22 Sensor 1
Row
Column


Entries 209
Hit mean column vs. mean row: Ladder 22 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 22 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 216
Raw Hit column vs. row: Ladder 22 Sensor 2
Row
Column


Entries 191
Hit mean column vs. mean row: Ladder 22 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 22 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 267
Raw Hit column vs. row: Ladder 22 Sensor 3
Row
Column


Entries 236
Hit mean column vs. mean row: Ladder 22 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 22 Sensor 3
<rawhits>
EventID (Time)


Entries 222
Raw Hit column vs. row: Ladder 22 Sensor 4
Row
Column


Entries 204
Hit mean column vs. mean row: Ladder 22 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 22 Sensor 4
<rawhits>
EventID (Time)


Entries 193
Raw Hit column vs. row: Ladder 22 Sensor 5
Row
Column


Entries 171
Hit mean column vs. mean row: Ladder 22 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 22 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 179
Raw Hit column vs. row: Ladder 22 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 162
Hit mean column vs. mean row: Ladder 22 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 22 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 23 Sensor 1
Entries 269
Row
Column


Hit mean column vs. mean row: Ladder 23 Sensor 1
Entries 237
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 23 Sensor 1
Entries 1208
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 23 Sensor 2
Entries 271
Row
Column


Entries 228
Hit mean column vs. mean row: Ladder 23 Sensor 2
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 23 Sensor 2
<rawhits>
EventID (Time)


Entries 235
Raw Hit column vs. row: Ladder 23 Sensor 3
Row
Column


Entries 213
Hit mean column vs. mean row: Ladder 23 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 23 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 232
Raw Hit column vs. row: Ladder 23 Sensor 4
Row
Column


Entries 211
Hit mean column vs. mean row: Ladder 23 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 23 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 188
Raw Hit column vs. row: Ladder 23 Sensor 5
Row
Column


Entries 165
Hit mean column vs. mean row: Ladder 23 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 23 Sensor 5
<rawhits>
EventID (Time)


Entries 160
Raw Hit column vs. row: Ladder 23 Sensor 6
Row
Column


Entries 138
Hit mean column vs. mean row: Ladder 23 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 23 Sensor 6
<rawhits>
EventID (Time)


Entries 251
Raw Hit column vs. row: Ladder 24 Sensor 1
Row
Column


Entries 210
Hit mean column vs. mean row: Ladder 24 Sensor 1
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 24 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 208
Raw Hit column vs. row: Ladder 24 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 190
Hit mean column vs. mean row: Ladder 24 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1208
Number of raw hits vs. EventID: Ladder 24 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 239
Raw Hit column vs. row: Ladder 24 Sensor 3
Row
Column


Entries 218
Hit mean column vs. mean row: Ladder 24 Sensor 3
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 24 Sensor 3
<rawhits>
EventID (Time)


Entries 209
Raw Hit column vs. row: Ladder 24 Sensor 4
Row
Column


Entries 188
Hit mean column vs. mean row: Ladder 24 Sensor 4
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 24 Sensor 4
<rawhits>
EventID (Time)


Entries 201
Raw Hit column vs. row: Ladder 24 Sensor 5
Row
Column


Entries 168
Hit mean column vs. mean row: Ladder 24 Sensor 5
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 24 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 197
Raw Hit column vs. row: Ladder 24 Sensor 6
Row
Column


Entries 171
Hit mean column vs. mean row: Ladder 24 Sensor 6
Mean Row
Mean Column


Entries 1208
Number of raw hits vs. EventID: Ladder 24 Sensor 6
<rawhits>
EventID (Time)
×10^3