17143045.istQa

Mon May 23 00:01:32 2016


Entries 275616
The number of RawHits vs. sensor ID
Number of Raw Hits
Sensor ID


Entries 275616
The number of hits vs. sensor ID
Number of Hits
Sensor ID


Entries 49417
ADC of raw hits at time bin 0 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 49417
ADC of raw hits at time bin 1 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 49417
ADC of raw hits at time bin 2 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 49417
ADC of raw hits at time bin 3 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 49417
ADC of raw hits at time bin 4 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 49417
ADC of raw hits at time bin 5 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 49417
ADC of raw hits at time bin 6 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 49417
ADC of raw hits at time bin 7 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 49417
ADC of raw hits at time bin 8 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 49417
RMS noise of raw hits vs. channel geometry ID
RMS noise of Raw Hits
Channel ID
×10^3


ADC of hits vs. sensor ID
Entries 43468
ADC of Hits
×10^3
Sensor ID


RMS noise of hits vs. sensor ID
Entries 43468
RMS noise of Hits
Sensor ID


Max time bin of raw hits vs group ID
Entries 49417
Max Time Bin Index
Group ID [12*(RDO-1)+2*ARM+GROUP]


Max time bin of raw hits vs APV ID
Entries 49417
Max Time Bin Index
APV ID [144*(RDO-1)+24*ARM+APV]


Entries 43468
Max time bin of hits vs. sensor ID
Max Time Bin Index
Sensor ID


Entries 43468
Cluster size of hits vs. sensor ID
Cluster Size of Hits
Sensor ID


Entries 43468
Cluster size in Z of hits vs. sensor ID
Cluster Size in Z of Hits
Sensor ID


Entries 43468
Cluster size in r-ϕ of hits vs. sensor ID
Cluster Size in r-ϕ of hits
Sensor ID


IST hit map in r-phi vs. Z
Entries 43468
Column in Z
Row in r-ϕ
×10³


IST hit map in APV geometry Id vs. ladder
Entries 43468
Ladder ID
APV geometry ID


Global X vs. Global Y
Entries 43468
Global Y [cm]
Global X [cm]


Global ϕ vs. Global Z
Entries 43468
Global Z [cm]
Global ϕ [rad.]


Entries 291
Raw Hit column vs. row: Ladder 1 Sensor 1
Row
Column


Entries 247
Hit mean column vs. mean row: Ladder 1 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 386
Raw Hit column vs. row: Ladder 1 Sensor 2
Row
Column


Entries 337
Hit mean column vs. mean row: Ladder 1 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 409
Raw Hit column vs. row: Ladder 1 Sensor 3
Row
Column


Entries 356
Hit mean column vs. mean row: Ladder 1 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 1 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 284
Raw Hit column vs. row: Ladder 1 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 256
Hit mean column vs. mean row: Ladder 1 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 1 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 35
Raw Hit column vs. row: Ladder 1 Sensor 5
Row
Column


Entries 33
Hit mean column vs. mean row: Ladder 1 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 1973
Raw Hit column vs. row: Ladder 1 Sensor 6
Row
Column


Entries 1964
Hit mean column vs. mean row: Ladder 1 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 352
Raw Hit column vs. row: Ladder 2 Sensor 1
Row
Column


Entries 302
Hit mean column vs. mean row: Ladder 2 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 2 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 384
Raw Hit column vs. row: Ladder 2 Sensor 2
Row
Column


Entries 338
Hit mean column vs. mean row: Ladder 2 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 2 Sensor 2
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 2 Sensor 3
Entries 351
Row
Column


Hit mean column vs. mean row: Ladder 2 Sensor 3
Entries 318
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 2 Sensor 3
Entries 1914
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 2 Sensor 4
Entries 374
Row
Column


Entries 335
Hit mean column vs. mean row: Ladder 2 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 2 Sensor 5
Row
Column


Entries 133
Hit mean column vs. mean row: Ladder 2 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 2 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 201
Raw Hit column vs. row: Ladder 2 Sensor 6
Row
Column


Entries 178
Hit mean column vs. mean row: Ladder 2 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 2 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 384
Raw Hit column vs. row: Ladder 3 Sensor 1
Row
Column


Entries 316
Hit mean column vs. mean row: Ladder 3 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 380
Raw Hit column vs. row: Ladder 3 Sensor 2
Row
Column


Entries 329
Hit mean column vs. mean row: Ladder 3 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 304
Raw Hit column vs. row: Ladder 3 Sensor 3
Row
Column


Entries 268
Hit mean column vs. mean row: Ladder 3 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 3 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 356
Raw Hit column vs. row: Ladder 3 Sensor 4
Row
Column


Entries 319
Hit mean column vs. mean row: Ladder 3 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 3 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 338
Raw Hit column vs. row: Ladder 3 Sensor 5
Row
Column


Entries 298
Hit mean column vs. mean row: Ladder 3 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 298
Raw Hit column vs. row: Ladder 3 Sensor 6
Row
Column


Entries 256
Hit mean column vs. mean row: Ladder 3 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 421
Raw Hit column vs. row: Ladder 4 Sensor 1
Row
Column


Entries 349
Hit mean column vs. mean row: Ladder 4 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 4 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 385
Raw Hit column vs. row: Ladder 4 Sensor 2
Row
Column


Entries 348
Hit mean column vs. mean row: Ladder 4 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 4 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 400
Raw Hit column vs. row: Ladder 4 Sensor 3
Row
Column


Entries 359
Hit mean column vs. mean row: Ladder 4 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 398
Raw Hit column vs. row: Ladder 4 Sensor 4
Row
Column


Entries 346
Hit mean column vs. mean row: Ladder 4 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 291
Raw Hit column vs. row: Ladder 4 Sensor 5
Row
Column


Entries 259
Hit mean column vs. mean row: Ladder 4 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 4 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 260
Raw Hit column vs. row: Ladder 4 Sensor 6
Row
Column


Entries 226
Hit mean column vs. mean row: Ladder 4 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 4 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 362
Raw Hit column vs. row: Ladder 5 Sensor 1
Row
Column


Entries 310
Hit mean column vs. mean row: Ladder 5 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 5 Sensor 1
<rawhits>
EventID (Time)


Entries 381
Raw Hit column vs. row: Ladder 5 Sensor 2
Row
Column


Entries 335
Hit mean column vs. mean row: Ladder 5 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 5 Sensor 2
<rawhits>
EventID (Time)


Entries 412
Raw Hit column vs. row: Ladder 5 Sensor 3
Row
Column


Entries 373
Hit mean column vs. mean row: Ladder 5 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 5 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 393
Raw Hit column vs. row: Ladder 5 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 354
Hit mean column vs. mean row: Ladder 5 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 5 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 337
Raw Hit column vs. row: Ladder 5 Sensor 5
Row
Column


Entries 289
Hit mean column vs. mean row: Ladder 5 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 5 Sensor 5
<rawhits>
EventID (Time)


Entries 240
Raw Hit column vs. row: Ladder 5 Sensor 6
Row
Column


Entries 215
Hit mean column vs. mean row: Ladder 5 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 5 Sensor 6
<rawhits>
EventID (Time)


Entries 334
Raw Hit column vs. row: Ladder 6 Sensor 1
Row
Column


Entries 286
Hit mean column vs. mean row: Ladder 6 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 6 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 387
Raw Hit column vs. row: Ladder 6 Sensor 2
Row
Column


Entries 332
Hit mean column vs. mean row: Ladder 6 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 6 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 408
Raw Hit column vs. row: Ladder 6 Sensor 3
Row
Column


Entries 365
Hit mean column vs. mean row: Ladder 6 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 6 Sensor 3
<rawhits>
EventID (Time)


Entries 380
Raw Hit column vs. row: Ladder 6 Sensor 4
Row
Column


Entries 336
Hit mean column vs. mean row: Ladder 6 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 6 Sensor 4
<rawhits>
EventID (Time)


Entries 321
Raw Hit column vs. row: Ladder 6 Sensor 5
Row
Column


Entries 265
Hit mean column vs. mean row: Ladder 6 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 6 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 303
Raw Hit column vs. row: Ladder 6 Sensor 6
Row
Column


Entries 257
Hit mean column vs. mean row: Ladder 6 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 6 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 366
Raw Hit column vs. row: Ladder 7 Sensor 1
Row
Column


Entries 316
Hit mean column vs. mean row: Ladder 7 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 7 Sensor 1
<rawhits>
EventID (Time)


Entries 376
Raw Hit column vs. row: Ladder 7 Sensor 2
Row
Column


Entries 331
Hit mean column vs. mean row: Ladder 7 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 7 Sensor 2
<rawhits>
EventID (Time)


Entries 400
Raw Hit column vs. row: Ladder 7 Sensor 3
Row
Column


Entries 347
Hit mean column vs. mean row: Ladder 7 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 7 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 327
Raw Hit column vs. row: Ladder 7 Sensor 4
Row
Column


Entries 292
Hit mean column vs. mean row: Ladder 7 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 7 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 276
Raw Hit column vs. row: Ladder 7 Sensor 5
Row
Column


Entries 248
Hit mean column vs. mean row: Ladder 7 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 7 Sensor 5
<rawhits>
EventID (Time)


Entries 283
Raw Hit column vs. row: Ladder 7 Sensor 6
Row
Column


Entries 238
Hit mean column vs. mean row: Ladder 7 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 7 Sensor 6
<rawhits>
EventID (Time)


Entries 341
Raw Hit column vs. row: Ladder 8 Sensor 1
Row
Column


Entries 289
Hit mean column vs. mean row: Ladder 8 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 8 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 386
Raw Hit column vs. row: Ladder 8 Sensor 2
Row
Column


Entries 342
Hit mean column vs. mean row: Ladder 8 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 8 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 354
Raw Hit column vs. row: Ladder 8 Sensor 3
Row
Column


Entries 308
Hit mean column vs. mean row: Ladder 8 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 8 Sensor 3
<rawhits>
EventID (Time)


Entries 349
Raw Hit column vs. row: Ladder 8 Sensor 4
Row
Column


Entries 308
Hit mean column vs. mean row: Ladder 8 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 8 Sensor 4
<rawhits>
EventID (Time)


Entries 303
Raw Hit column vs. row: Ladder 8 Sensor 5
Row
Column


Entries 263
Hit mean column vs. mean row: Ladder 8 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 8 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 227
Raw Hit column vs. row: Ladder 8 Sensor 6
Row
Column


Entries 194
Hit mean column vs. mean row: Ladder 8 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 8 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 368
Raw Hit column vs. row: Ladder 9 Sensor 1
Row
Column


Entries 317
Hit mean column vs. mean row: Ladder 9 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 9 Sensor 1
<rawhits>
EventID (Time)


Entries 382
Raw Hit column vs. row: Ladder 9 Sensor 2
Row
Column


Entries 336
Hit mean column vs. mean row: Ladder 9 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 9 Sensor 2
<rawhits>
EventID (Time)


Entries 293
Raw Hit column vs. row: Ladder 9 Sensor 3
Row
Column


Entries 255
Hit mean column vs. mean row: Ladder 9 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 9 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 341
Raw Hit column vs. row: Ladder 9 Sensor 4
Row
Column


Entries 312
Hit mean column vs. mean row: Ladder 9 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 9 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 297
Raw Hit column vs. row: Ladder 9 Sensor 5
Row
Column


Entries 265
Hit mean column vs. mean row: Ladder 9 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 9 Sensor 5
<rawhits>
EventID (Time)


Entries 248
Raw Hit column vs. row: Ladder 9 Sensor 6
Row
Column


Entries 217
Hit mean column vs. mean row: Ladder 9 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 9 Sensor 6
<rawhits>
EventID (Time)


Entries 360
Raw Hit column vs. row: Ladder 10 Sensor 1
Row
Column


Entries 305
Hit mean column vs. mean row: Ladder 10 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 10 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 391
Raw Hit column vs. row: Ladder 10 Sensor 2
Row
Column


Entries 334
Hit mean column vs. mean row: Ladder 10 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 10 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 400
Raw Hit column vs. row: Ladder 10 Sensor 3
Row
Column


Entries 353
Hit mean column vs. mean row: Ladder 10 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 10 Sensor 3
<rawhits>
EventID (Time)


Entries 380
Raw Hit column vs. row: Ladder 10 Sensor 4
Row
Column


Entries 341
Hit mean column vs. mean row: Ladder 10 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 10 Sensor 4
<rawhits>
EventID (Time)


Entries 314
Raw Hit column vs. row: Ladder 10 Sensor 5
Row
Column


Entries 272
Hit mean column vs. mean row: Ladder 10 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 10 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 251
Raw Hit column vs. row: Ladder 10 Sensor 6
Row
Column


Entries 219
Hit mean column vs. mean row: Ladder 10 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 10 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 353
Raw Hit column vs. row: Ladder 11 Sensor 1
Row
Column


Entries 301
Hit mean column vs. mean row: Ladder 11 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 11 Sensor 1
<rawhits>
EventID (Time)


Entries 346
Raw Hit column vs. row: Ladder 11 Sensor 2
Row
Column


Entries 300
Hit mean column vs. mean row: Ladder 11 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 11 Sensor 2
<rawhits>
EventID (Time)


Entries 384
Raw Hit column vs. row: Ladder 11 Sensor 3
Row
Column


Entries 340
Hit mean column vs. mean row: Ladder 11 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 11 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 321
Raw Hit column vs. row: Ladder 11 Sensor 4
Row
Column


Entries 288
Hit mean column vs. mean row: Ladder 11 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 11 Sensor 4
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 11 Sensor 5
Entries 312
Row
Column


Hit mean column vs. mean row: Ladder 11 Sensor 5
Entries 271
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 11 Sensor 5
Entries 1914
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 11 Sensor 6
Entries 244
Row
Column


Entries 216
Hit mean column vs. mean row: Ladder 11 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 11 Sensor 6
<rawhits>
EventID (Time)


Entries 348
Raw Hit column vs. row: Ladder 12 Sensor 1
Row
Column


Entries 298
Hit mean column vs. mean row: Ladder 12 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 12 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 358
Raw Hit column vs. row: Ladder 12 Sensor 2
Row
Column


Entries 313
Hit mean column vs. mean row: Ladder 12 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 12 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 362
Raw Hit column vs. row: Ladder 12 Sensor 3
Row
Column


Entries 326
Hit mean column vs. mean row: Ladder 12 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 12 Sensor 3
<rawhits>
EventID (Time)


Entries 361
Raw Hit column vs. row: Ladder 12 Sensor 4
Row
Column


Entries 320
Hit mean column vs. mean row: Ladder 12 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 12 Sensor 4
<rawhits>
EventID (Time)


Entries 312
Raw Hit column vs. row: Ladder 12 Sensor 5
Row
Column


Entries 278
Hit mean column vs. mean row: Ladder 12 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 12 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 242
Raw Hit column vs. row: Ladder 12 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 213
Hit mean column vs. mean row: Ladder 12 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 12 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 347
Raw Hit column vs. row: Ladder 13 Sensor 1
Row
Column


Entries 298
Hit mean column vs. mean row: Ladder 13 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 13 Sensor 1
<rawhits>
EventID (Time)


Entries 368
Raw Hit column vs. row: Ladder 13 Sensor 2
Row
Column


Entries 314
Hit mean column vs. mean row: Ladder 13 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 13 Sensor 2
<rawhits>
EventID (Time)


Entries 392
Raw Hit column vs. row: Ladder 13 Sensor 3
Row
Column


Entries 354
Hit mean column vs. mean row: Ladder 13 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 13 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 340
Raw Hit column vs. row: Ladder 13 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 303
Hit mean column vs. mean row: Ladder 13 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 13 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 298
Raw Hit column vs. row: Ladder 13 Sensor 5
Row
Column


Entries 263
Hit mean column vs. mean row: Ladder 13 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 13 Sensor 5
<rawhits>
EventID (Time)


Entries 250
Raw Hit column vs. row: Ladder 13 Sensor 6
Row
Column


Entries 218
Hit mean column vs. mean row: Ladder 13 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 13 Sensor 6
<rawhits>
EventID (Time)


Entries 338
Raw Hit column vs. row: Ladder 14 Sensor 1
Row
Column


Entries 287
Hit mean column vs. mean row: Ladder 14 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 14 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 364
Raw Hit column vs. row: Ladder 14 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 320
Hit mean column vs. mean row: Ladder 14 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 14 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 391
Raw Hit column vs. row: Ladder 14 Sensor 3
Row
Column


Entries 361
Hit mean column vs. mean row: Ladder 14 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 14 Sensor 3
<rawhits>
EventID (Time)


Entries 341
Raw Hit column vs. row: Ladder 14 Sensor 4
Row
Column


Entries 302
Hit mean column vs. mean row: Ladder 14 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 14 Sensor 4
<rawhits>
EventID (Time)


Entries 264
Raw Hit column vs. row: Ladder 14 Sensor 5
Row
Column


Entries 230
Hit mean column vs. mean row: Ladder 14 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 14 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 252
Raw Hit column vs. row: Ladder 14 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 223
Hit mean column vs. mean row: Ladder 14 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 14 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 15 Sensor 1
Entries 353
Row
Column


Hit mean column vs. mean row: Ladder 15 Sensor 1
Entries 301
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 15 Sensor 1
Entries 1914
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 15 Sensor 2
Entries 377
Row
Column


Entries 327
Hit mean column vs. mean row: Ladder 15 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 15 Sensor 2
<rawhits>
EventID (Time)


Entries 390
Raw Hit column vs. row: Ladder 15 Sensor 3
Row
Column


Entries 347
Hit mean column vs. mean row: Ladder 15 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 15 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 366
Raw Hit column vs. row: Ladder 15 Sensor 4
Row
Column


Entries 318
Hit mean column vs. mean row: Ladder 15 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 15 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 370
Raw Hit column vs. row: Ladder 15 Sensor 5
Row
Column


Entries 324
Hit mean column vs. mean row: Ladder 15 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 15 Sensor 5
<rawhits>
EventID (Time)


Entries 254
Raw Hit column vs. row: Ladder 15 Sensor 6
Row
Column


Entries 226
Hit mean column vs. mean row: Ladder 15 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 15 Sensor 6
<rawhits>
EventID (Time)


Entries 394
Raw Hit column vs. row: Ladder 16 Sensor 1
Row
Column


Entries 337
Hit mean column vs. mean row: Ladder 16 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 16 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 396
Raw Hit column vs. row: Ladder 16 Sensor 2
Row
Column


Entries 349
Hit mean column vs. mean row: Ladder 16 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 16 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 370
Raw Hit column vs. row: Ladder 16 Sensor 3
Row
Column


Entries 328
Hit mean column vs. mean row: Ladder 16 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 16 Sensor 3
<rawhits>
EventID (Time)


Entries 340
Raw Hit column vs. row: Ladder 16 Sensor 4
Row
Column


Entries 309
Hit mean column vs. mean row: Ladder 16 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 16 Sensor 4
<rawhits>
EventID (Time)


Entries 305
Raw Hit column vs. row: Ladder 16 Sensor 5
Row
Column


Entries 272
Hit mean column vs. mean row: Ladder 16 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 16 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 264
Raw Hit column vs. row: Ladder 16 Sensor 6
Row
Column


Entries 222
Hit mean column vs. mean row: Ladder 16 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 16 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 17 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 17 Sensor 2
<rawhits>
EventID (Time)


Entries 402
Raw Hit column vs. row: Ladder 17 Sensor 3
Row
Column


Entries 357
Hit mean column vs. mean row: Ladder 17 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 17 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 390
Raw Hit column vs. row: Ladder 17 Sensor 4
Row
Column


Entries 341
Hit mean column vs. mean row: Ladder 17 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 17 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 363
Raw Hit column vs. row: Ladder 17 Sensor 5
Row
Column


Entries 317
Hit mean column vs. mean row: Ladder 17 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 17 Sensor 5
<rawhits>
EventID (Time)


Entries 267
Raw Hit column vs. row: Ladder 17 Sensor 6
Row
Column


Entries 222
Hit mean column vs. mean row: Ladder 17 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 17 Sensor 6
<rawhits>
EventID (Time)


Entries 363
Raw Hit column vs. row: Ladder 18 Sensor 1
Row
Column


Entries 308
Hit mean column vs. mean row: Ladder 18 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 18 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 396
Raw Hit column vs. row: Ladder 18 Sensor 2
Row
Column


Entries 338
Hit mean column vs. mean row: Ladder 18 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 18 Sensor 2
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 18 Sensor 3
Entries 386
Row
Column


Hit mean column vs. mean row: Ladder 18 Sensor 3
Entries 331
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 18 Sensor 3
Entries 1914
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 18 Sensor 4
Entries 360
Row
Column


Entries 333
Hit mean column vs. mean row: Ladder 18 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 18 Sensor 4
<rawhits>
EventID (Time)


Entries 327
Raw Hit column vs. row: Ladder 18 Sensor 5
Row
Column


Entries 278
Hit mean column vs. mean row: Ladder 18 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 18 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 282
Raw Hit column vs. row: Ladder 18 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 239
Hit mean column vs. mean row: Ladder 18 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 18 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 1
Entries 334
Row
Column


Hit mean column vs. mean row: Ladder 19 Sensor 1
Entries 284
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 19 Sensor 1
Entries 1914
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 2
Entries 374
Row
Column


Entries 320
Hit mean column vs. mean row: Ladder 19 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 19 Sensor 2
<rawhits>
EventID (Time)


Entries 395
Raw Hit column vs. row: Ladder 19 Sensor 3
Row
Column


Entries 354
Hit mean column vs. mean row: Ladder 19 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 19 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 330
Raw Hit column vs. row: Ladder 19 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 309
Hit mean column vs. mean row: Ladder 19 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 19 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 322
Raw Hit column vs. row: Ladder 19 Sensor 5
Row
Column


Entries 286
Hit mean column vs. mean row: Ladder 19 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 19 Sensor 5
<rawhits>
EventID (Time)


Entries 276
Raw Hit column vs. row: Ladder 19 Sensor 6
Row
Column


Entries 233
Hit mean column vs. mean row: Ladder 19 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 19 Sensor 6
<rawhits>
EventID (Time)


Entries 361
Raw Hit column vs. row: Ladder 20 Sensor 1
Row
Column


Entries 300
Hit mean column vs. mean row: Ladder 20 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 20 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 382
Raw Hit column vs. row: Ladder 20 Sensor 2
Row
Column


Entries 331
Hit mean column vs. mean row: Ladder 20 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 20 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 388
Raw Hit column vs. row: Ladder 20 Sensor 3
Row
Column


Entries 347
Hit mean column vs. mean row: Ladder 20 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 20 Sensor 3
<rawhits>
EventID (Time)


Entries 332
Raw Hit column vs. row: Ladder 20 Sensor 4
Row
Column


Entries 295
Hit mean column vs. mean row: Ladder 20 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 20 Sensor 4
<rawhits>
EventID (Time)


Entries 353
Raw Hit column vs. row: Ladder 20 Sensor 5
Row
Column


Entries 300
Hit mean column vs. mean row: Ladder 20 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 20 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 232
Raw Hit column vs. row: Ladder 20 Sensor 6
Row
Column


Entries 201
Hit mean column vs. mean row: Ladder 20 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 20 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 352
Raw Hit column vs. row: Ladder 21 Sensor 1
Row
Column


Entries 294
Hit mean column vs. mean row: Ladder 21 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 21 Sensor 1
<rawhits>
EventID (Time)


Entries 371
Raw Hit column vs. row: Ladder 21 Sensor 2
Row
Column


Entries 326
Hit mean column vs. mean row: Ladder 21 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 21 Sensor 2
<rawhits>
EventID (Time)


Entries 305
Raw Hit column vs. row: Ladder 21 Sensor 3
Row
Column


Entries 279
Hit mean column vs. mean row: Ladder 21 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 21 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 348
Raw Hit column vs. row: Ladder 21 Sensor 4
Row
Column


Entries 309
Hit mean column vs. mean row: Ladder 21 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 21 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 359
Raw Hit column vs. row: Ladder 21 Sensor 5
Row
Column


Entries 305
Hit mean column vs. mean row: Ladder 21 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 21 Sensor 5
<rawhits>
EventID (Time)


Entries 229
Raw Hit column vs. row: Ladder 21 Sensor 6
Row
Column


Entries 197
Hit mean column vs. mean row: Ladder 21 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 21 Sensor 6
<rawhits>
EventID (Time)


Entries 355
Raw Hit column vs. row: Ladder 22 Sensor 1
Row
Column


Entries 305
Hit mean column vs. mean row: Ladder 22 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 22 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 355
Raw Hit column vs. row: Ladder 22 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 316
Hit mean column vs. mean row: Ladder 22 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 22 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 424
Raw Hit column vs. row: Ladder 22 Sensor 3
Row
Column


Entries 363
Hit mean column vs. mean row: Ladder 22 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 22 Sensor 3
<rawhits>
EventID (Time)


Entries 336
Raw Hit column vs. row: Ladder 22 Sensor 4
Row
Column


Entries 299
Hit mean column vs. mean row: Ladder 22 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 22 Sensor 4
<rawhits>
EventID (Time)


Entries 351
Raw Hit column vs. row: Ladder 22 Sensor 5
Row
Column


Entries 302
Hit mean column vs. mean row: Ladder 22 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 22 Sensor 5
<rawhits>
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 288
Raw Hit column vs. row: Ladder 22 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^-1
10^-2


Entries 252
Hit mean column vs. mean row: Ladder 22 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^-1
10^-2


Entries 1914
Number of raw hits vs. EventID: Ladder 22 Sensor 6
<rawhits>
10
1
10^-1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 344
Raw Hit column vs. row: Ladder 23 Sensor 1
Row
Column


Entries 295
Hit mean column vs. mean row: Ladder 23 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 23 Sensor 1
<rawhits>
EventID (Time)


Entries 341
Raw Hit column vs. row: Ladder 23 Sensor 2
Row
Column


Entries 302
Hit mean column vs. mean row: Ladder 23 Sensor 2
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 23 Sensor 2
<rawhits>
EventID (Time)


Entries 397
Raw Hit column vs. row: Ladder 23 Sensor 3
Row
Column


Entries 353
Hit mean column vs. mean row: Ladder 23 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 23 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 362
Raw Hit column vs. row: Ladder 23 Sensor 4
Row
Column


Entries 331
Hit mean column vs. mean row: Ladder 23 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 23 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 354
Raw Hit column vs. row: Ladder 23 Sensor 5
Row
Column


Entries 307
Hit mean column vs. mean row: Ladder 23 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 23 Sensor 5
<rawhits>
EventID (Time)


Entries 289
Raw Hit column vs. row: Ladder 23 Sensor 6
Row
Column


Entries 245
Hit mean column vs. mean row: Ladder 23 Sensor 6
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 23 Sensor 6
<rawhits>
EventID (Time)


Entries 314
Raw Hit column vs. row: Ladder 24 Sensor 1
Row
Column


Entries 271
Hit mean column vs. mean row: Ladder 24 Sensor 1
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 24 Sensor 1
<rawhits>
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 349
Raw Hit column vs. row: Ladder 24 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^-1
10^-2


Entries 312
Hit mean column vs. mean row: Ladder 24 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^-1
10^-2


Entries 1914
Number of raw hits vs. EventID: Ladder 24 Sensor 2
<rawhits>
10
1
10^-1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 304
Raw Hit column vs. row: Ladder 24 Sensor 3
Row
Column


Entries 275
Hit mean column vs. mean row: Ladder 24 Sensor 3
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 24 Sensor 3
<rawhits>
EventID (Time)


Entries 337
Raw Hit column vs. row: Ladder 24 Sensor 4
Row
Column


Entries 298
Hit mean column vs. mean row: Ladder 24 Sensor 4
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 24 Sensor 4
<rawhits>
EventID (Time)


Entries 336
Raw Hit column vs. row: Ladder 24 Sensor 5
Row
Column


Entries 292
Hit mean column vs. mean row: Ladder 24 Sensor 5
Mean Row
Mean Column


Entries 1914
Number of raw hits vs. EventID: Ladder 24 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 264
Raw Hit column vs. row: Ladder 24 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 230
Hit mean column vs. mean row: Ladder 24 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1914
Number of raw hits vs. EventID: Ladder 24 Sensor 6
<rawhits>
1
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)