17145001.istQa

Tue May 24 01:17:19 2016


Entries 116352
The number of RawHits vs. sensor ID
Number of Raw Hits
Sensor ID


Entries 116352
The number of hits vs. sensor ID
Number of Hits
Sensor ID


Entries 20921
ADC of raw hits at time bin 0 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 20921
ADC of raw hits at time bin 1 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 20921
ADC of raw hits at time bin 2 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 20921
ADC of raw hits at time bin 3 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 20921
ADC of raw hits at time bin 4 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 20921
ADC of raw hits at time bin 5 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 20921
ADC of raw hits at time bin 6 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 20921
ADC of raw hits at time bin 7 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 20921
ADC of raw hits at time bin 8 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 20921
RMS noise of raw hits vs. channel geometry ID
RMS noise of Raw Hits
Channel ID
×10^3


ADC of hits vs. sensor ID
Entries 18420
ADC of Hits
×10^3
Sensor ID


RMS noise of hits vs. sensor ID
Entries 18420
RMS noise of Hits
Sensor ID


Max time bin of raw hits vs group ID
Entries 20921
Max Time Bin Index
Group ID [12*(RDO-1)+2*ARM+GROUP]


Max time bin of raw hits vs APV ID
Entries 20921
Max Time Bin Index
APV ID [144*(RDO-1)+24*ARM+APV]


Entries 18420
Max time bin of hits vs. sensor ID
Max Time Bin Index
Sensor ID


Entries 18420
Cluster size of hits vs. sensor ID
Cluster Size of Hits
Sensor ID


Entries 18420
Cluster size in Z of hits vs. sensor ID
Cluster Size in Z of Hits
Sensor ID


Entries 18420
Cluster size in r-ϕ of hits vs. sensor ID
Cluster Size in r-ϕ of hits
Sensor ID


IST hit map in r-phi vs. Z
Entries 18420
Column in Z
Row in r-ϕ
×10³


IST hit map in APV geometry Id vs. ladder
Entries 18420
Ladder ID
APV geometry ID


Global X vs. Global Y
Entries 18420
Global Y [cm]
Global X [cm]


Global ϕ vs. Global Z
Entries 18420
Global Z [cm]
Global ϕ [rad.]


Entries 139
Raw Hit column vs. row: Ladder 1 Sensor 1
Row
Column


Entries 119
Hit mean column vs. mean row: Ladder 1 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 159
Raw Hit column vs. row: Ladder 1 Sensor 2
Row
Column


Entries 139
Hit mean column vs. mean row: Ladder 1 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 168
Raw Hit column vs. row: Ladder 1 Sensor 3
Row
Column


Entries 147
Hit mean column vs. mean row: Ladder 1 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 1 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 116
Raw Hit column vs. row: Ladder 1 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 102
Hit mean column vs. mean row: Ladder 1 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 1 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 14
Raw Hit column vs. row: Ladder 1 Sensor 5
Row
Column


Entries 13
Hit mean column vs. mean row: Ladder 1 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 756
Raw Hit column vs. row: Ladder 1 Sensor 6
Row
Column


Entries 754
Hit mean column vs. mean row: Ladder 1 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 144
Raw Hit column vs. row: Ladder 2 Sensor 1
Row
Column


Entries 128
Hit mean column vs. mean row: Ladder 2 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 2 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 166
Raw Hit column vs. row: Ladder 2 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 142
Hit mean column vs. mean row: Ladder 2 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 2 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 166
Raw Hit column vs. row: Ladder 2 Sensor 3
Row
Column


Entries 148
Hit mean column vs. mean row: Ladder 2 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 125
Raw Hit column vs. row: Ladder 2 Sensor 4
Row
Column


Entries 116
Hit mean column vs. mean row: Ladder 2 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 39
Raw Hit column vs. row: Ladder 2 Sensor 5
Row
Column


Entries 36
Hit mean column vs. mean row: Ladder 2 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 2 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 115
Raw Hit column vs. row: Ladder 2 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 99
Hit mean column vs. mean row: Ladder 2 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 2 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 144
Raw Hit column vs. row: Ladder 3 Sensor 1
Row
Column


Entries 122
Hit mean column vs. mean row: Ladder 3 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 150
Raw Hit column vs. row: Ladder 3 Sensor 2
Row
Column


Entries 127
Hit mean column vs. mean row: Ladder 3 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 119
Raw Hit column vs. row: Ladder 3 Sensor 3
Row
Column


Entries 110
Hit mean column vs. mean row: Ladder 3 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 3 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 162
Raw Hit column vs. row: Ladder 3 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 141
Hit mean column vs. mean row: Ladder 3 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 3 Sensor 4
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 3 Sensor 5
Entries 126
Row
Column


Hit mean column vs. mean row: Ladder 3 Sensor 5
Entries 109
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 3 Sensor 5
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 3 Sensor 6
Entries 100
Row
Column


Entries 84
Hit mean column vs. mean row: Ladder 3 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 130
Raw Hit column vs. row: Ladder 4 Sensor 1
Row
Column


Entries 110
Hit mean column vs. mean row: Ladder 4 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 4 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 156
Raw Hit column vs. row: Ladder 4 Sensor 2
Row
Column


Entries 142
Hit mean column vs. mean row: Ladder 4 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 4 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 180
Raw Hit column vs. row: Ladder 4 Sensor 3
Row
Column


Entries 164
Hit mean column vs. mean row: Ladder 4 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 4 Sensor 4
Row
Column


Entries 126
Hit mean column vs. mean row: Ladder 4 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 134
Raw Hit column vs. row: Ladder 4 Sensor 5
Row
Column


Entries 120
Hit mean column vs. mean row: Ladder 4 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 4 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 121
Raw Hit column vs. row: Ladder 4 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 102
Hit mean column vs. mean row: Ladder 4 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 4 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 154
Raw Hit column vs. row: Ladder 5 Sensor 1
Row
Column


Entries 132
Hit mean column vs. mean row: Ladder 5 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 5 Sensor 1
<rawhits>
EventID (Time)


Entries 143
Raw Hit column vs. row: Ladder 5 Sensor 2
Row
Column


Entries 129
Hit mean column vs. mean row: Ladder 5 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 5 Sensor 2
<rawhits>
EventID (Time)


Entries 130
Raw Hit column vs. row: Ladder 5 Sensor 3
Row
Column


Entries 113
Hit mean column vs. mean row: Ladder 5 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 5 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 5 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 136
Hit mean column vs. mean row: Ladder 5 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 5 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 135
Raw Hit column vs. row: Ladder 5 Sensor 5
Row
Column


Entries 123
Hit mean column vs. mean row: Ladder 5 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 5 Sensor 5
<rawhits>
EventID (Time)


Entries 98
Raw Hit column vs. row: Ladder 5 Sensor 6
Row
Column


Entries 88
Hit mean column vs. mean row: Ladder 5 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 5 Sensor 6
<rawhits>
EventID (Time)


Entries 153
Raw Hit column vs. row: Ladder 6 Sensor 1
Row
Column


Entries 132
Hit mean column vs. mean row: Ladder 6 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 6 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 180
Raw Hit column vs. row: Ladder 6 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 161
Hit mean column vs. mean row: Ladder 6 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 6 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 6 Sensor 3
Entries 153
Row
Column


Hit mean column vs. mean row: Ladder 6 Sensor 3
Entries 137
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 6 Sensor 3
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 6 Sensor 4
Entries 172
Row
Column


Entries 150
Hit mean column vs. mean row: Ladder 6 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 6 Sensor 4
<rawhits>
EventID (Time)


Entries 124
Raw Hit column vs. row: Ladder 6 Sensor 5
Row
Column


Entries 102
Hit mean column vs. mean row: Ladder 6 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 6 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 106
Raw Hit column vs. row: Ladder 6 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 93
Hit mean column vs. mean row: Ladder 6 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 6 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 7 Sensor 1
Row
Column


Entries 131
Hit mean column vs. mean row: Ladder 7 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 7 Sensor 1
<rawhits>
EventID (Time)


Entries 152
Raw Hit column vs. row: Ladder 7 Sensor 2
Row
Column


Entries 132
Hit mean column vs. mean row: Ladder 7 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 7 Sensor 2
<rawhits>
EventID (Time)


Entries 166
Raw Hit column vs. row: Ladder 7 Sensor 3
Row
Column


Entries 142
Hit mean column vs. mean row: Ladder 7 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 7 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 141
Raw Hit column vs. row: Ladder 7 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 130
Hit mean column vs. mean row: Ladder 7 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 7 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 149
Raw Hit column vs. row: Ladder 7 Sensor 5
Row
Column


Entries 133
Hit mean column vs. mean row: Ladder 7 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 7 Sensor 5
<rawhits>
EventID (Time)


Entries 87
Raw Hit column vs. row: Ladder 7 Sensor 6
Row
Column


Entries 77
Hit mean column vs. mean row: Ladder 7 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 7 Sensor 6
<rawhits>
EventID (Time)


Entries 135
Raw Hit column vs. row: Ladder 8 Sensor 1
Row
Column


Entries 113
Hit mean column vs. mean row: Ladder 8 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 8 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 155
Raw Hit column vs. row: Ladder 8 Sensor 2
Row
Column


Entries 140
Hit mean column vs. mean row: Ladder 8 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 8 Sensor 2
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 8 Sensor 3
Entries 144
Row
Column


Hit mean column vs. mean row: Ladder 8 Sensor 3
Entries 131
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 8 Sensor 3
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 8 Sensor 4
Entries 154
Row
Column


Entries 138
Hit mean column vs. mean row: Ladder 8 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 8 Sensor 4
<rawhits>
EventID (Time)


Entries 138
Raw Hit column vs. row: Ladder 8 Sensor 5
Row
Column


Entries 120
Hit mean column vs. mean row: Ladder 8 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 8 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 80
Raw Hit column vs. row: Ladder 8 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 74
Hit mean column vs. mean row: Ladder 8 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 8 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 141
Raw Hit column vs. row: Ladder 9 Sensor 1
Row
Column


Entries 126
Hit mean column vs. mean row: Ladder 9 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 9 Sensor 1
<rawhits>
EventID (Time)


Entries 177
Raw Hit column vs. row: Ladder 9 Sensor 2
Row
Column


Entries 155
Hit mean column vs. mean row: Ladder 9 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 9 Sensor 2
<rawhits>
EventID (Time)


Entries 166
Raw Hit column vs. row: Ladder 9 Sensor 3
Row
Column


Entries 147
Hit mean column vs. mean row: Ladder 9 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 9 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 152
Raw Hit column vs. row: Ladder 9 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 133
Hit mean column vs. mean row: Ladder 9 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 9 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 138
Raw Hit column vs. row: Ladder 9 Sensor 5
Row
Column


Entries 122
Hit mean column vs. mean row: Ladder 9 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 9 Sensor 5
<rawhits>
EventID (Time)


Entries 110
Raw Hit column vs. row: Ladder 9 Sensor 6
Row
Column


Entries 95
Hit mean column vs. mean row: Ladder 9 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 9 Sensor 6
<rawhits>
EventID (Time)


Entries 154
Raw Hit column vs. row: Ladder 10 Sensor 1
Row
Column


Entries 133
Hit mean column vs. mean row: Ladder 10 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 10 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 169
Raw Hit column vs. row: Ladder 10 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 145
Hit mean column vs. mean row: Ladder 10 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 10 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 151
Raw Hit column vs. row: Ladder 10 Sensor 3
Row
Column


Entries 139
Hit mean column vs. mean row: Ladder 10 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 10 Sensor 3
<rawhits>
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 10 Sensor 4
Row
Column


Entries 127
Hit mean column vs. mean row: Ladder 10 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 10 Sensor 4
<rawhits>
EventID (Time)


Entries 128
Raw Hit column vs. row: Ladder 10 Sensor 5
Row
Column


Entries 117
Hit mean column vs. mean row: Ladder 10 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 10 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 120
Raw Hit column vs. row: Ladder 10 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 106
Hit mean column vs. mean row: Ladder 10 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 10 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 133
Raw Hit column vs. row: Ladder 11 Sensor 1
Row
Column


Entries 115
Hit mean column vs. mean row: Ladder 11 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 11 Sensor 1
<rawhits>
EventID (Time)


Entries 142
Raw Hit column vs. row: Ladder 11 Sensor 2
Row
Column


Entries 119
Hit mean column vs. mean row: Ladder 11 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 11 Sensor 2
<rawhits>
EventID (Time)


Entries 164
Raw Hit column vs. row: Ladder 11 Sensor 3
Row
Column


Entries 147
Hit mean column vs. mean row: Ladder 11 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 11 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 155
Raw Hit column vs. row: Ladder 11 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 142
Hit mean column vs. mean row: Ladder 11 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 11 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 139
Raw Hit column vs. row: Ladder 11 Sensor 5
Row
Column


Entries 123
Hit mean column vs. mean row: Ladder 11 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 11 Sensor 5
<rawhits>
EventID (Time)


Entries 125
Raw Hit column vs. row: Ladder 11 Sensor 6
Row
Column


Entries 111
Hit mean column vs. mean row: Ladder 11 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 11 Sensor 6
<rawhits>
EventID (Time)


Entries 146
Raw Hit column vs. row: Ladder 12 Sensor 1
Row
Column


Entries 121
Hit mean column vs. mean row: Ladder 12 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 12 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 192
Raw Hit column vs. row: Ladder 12 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 157
Hit mean column vs. mean row: Ladder 12 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 12 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 161
Raw Hit column vs. row: Ladder 12 Sensor 3
Row
Column


Entries 138
Hit mean column vs. mean row: Ladder 12 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 12 Sensor 3
<rawhits>
EventID (Time)


Entries 169
Raw Hit column vs. row: Ladder 12 Sensor 4
Row
Column


Entries 147
Hit mean column vs. mean row: Ladder 12 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 12 Sensor 4
<rawhits>
EventID (Time)


Entries 123
Raw Hit column vs. row: Ladder 12 Sensor 5
Row
Column


Entries 109
Hit mean column vs. mean row: Ladder 12 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 12 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 120
Raw Hit column vs. row: Ladder 12 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 106
Hit mean column vs. mean row: Ladder 12 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 12 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 1
Entries 145
Row
Column


Hit mean column vs. mean row: Ladder 13 Sensor 1
Entries 123
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 13 Sensor 1
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 2
Entries 162
Row
Column


Entries 145
Hit mean column vs. mean row: Ladder 13 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 13 Sensor 2
<rawhits>
EventID (Time)


Entries 157
Raw Hit column vs. row: Ladder 13 Sensor 3
Row
Column


Entries 138
Hit mean column vs. mean row: Ladder 13 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 13 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 162
Raw Hit column vs. row: Ladder 13 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 142
Hit mean column vs. mean row: Ladder 13 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 13 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 142
Raw Hit column vs. row: Ladder 13 Sensor 5
Row
Column


Entries 117
Hit mean column vs. mean row: Ladder 13 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 13 Sensor 5
<rawhits>
EventID (Time)


Entries 110
Raw Hit column vs. row: Ladder 13 Sensor 6
Row
Column


Entries 95
Hit mean column vs. mean row: Ladder 13 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 13 Sensor 6
<rawhits>
EventID (Time)


Entries 141
Raw Hit column vs. row: Ladder 14 Sensor 1
Row
Column


Entries 121
Hit mean column vs. mean row: Ladder 14 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 14 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 163
Raw Hit column vs. row: Ladder 14 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 145
Hit mean column vs. mean row: Ladder 14 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 14 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 14 Sensor 3
Entries 156
Row
Column


Hit mean column vs. mean row: Ladder 14 Sensor 3
Entries 140
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 14 Sensor 3
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 14 Sensor 4
Entries 164
Row
Column


Entries 146
Hit mean column vs. mean row: Ladder 14 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 14 Sensor 4
<rawhits>
EventID (Time)


Entries 136
Raw Hit column vs. row: Ladder 14 Sensor 5
Row
Column


Entries 119
Hit mean column vs. mean row: Ladder 14 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 14 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 116
Raw Hit column vs. row: Ladder 14 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 99
Hit mean column vs. mean row: Ladder 14 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 14 Sensor 6
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 15 Sensor 1
Entries 171
Row
Column


Hit mean column vs. mean row: Ladder 15 Sensor 1
Entries 147
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 15 Sensor 1
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 15 Sensor 2
Entries 183
Row
Column


Entries 160
Hit mean column vs. mean row: Ladder 15 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 15 Sensor 2
<rawhits>
EventID (Time)


Entries 136
Raw Hit column vs. row: Ladder 15 Sensor 3
Row
Column


Entries 116
Hit mean column vs. mean row: Ladder 15 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 15 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 176
Raw Hit column vs. row: Ladder 15 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 162
Hit mean column vs. mean row: Ladder 15 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 15 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 108
Raw Hit column vs. row: Ladder 15 Sensor 5
Row
Column


Entries 101
Hit mean column vs. mean row: Ladder 15 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 15 Sensor 5
<rawhits>
EventID (Time)


Entries 119
Raw Hit column vs. row: Ladder 15 Sensor 6
Row
Column


Hit mean column vs. mean row: Ladder 15 Sensor 6
Entries 106
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 15 Sensor 6
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 16 Sensor 1
Entries 155
Row
Column


Hit mean column vs. mean row: Ladder 16 Sensor 1
Entries 130
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 16 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 152
Raw Hit column vs. row: Ladder 16 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 135
Hit mean column vs. mean row: Ladder 16 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 16 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 185
Raw Hit column vs. row: Ladder 16 Sensor 3
Row
Column


Entries 159
Hit mean column vs. mean row: Ladder 16 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 16 Sensor 3
<rawhits>
EventID (Time)


Entries 179
Raw Hit column vs. row: Ladder 16 Sensor 4
Row
Column


Entries 163
Hit mean column vs. mean row: Ladder 16 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 16 Sensor 4
<rawhits>
EventID (Time)


Entries 115
Raw Hit column vs. row: Ladder 16 Sensor 5
Row
Column


Entries 103
Hit mean column vs. mean row: Ladder 16 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 16 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 130
Raw Hit column vs. row: Ladder 16 Sensor 6
Row
Column


Entries 111
Hit mean column vs. mean row: Ladder 16 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 16 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 17 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 17 Sensor 2
<rawhits>
EventID (Time)


Entries 138
Raw Hit column vs. row: Ladder 17 Sensor 3
Row
Column


Entries 114
Hit mean column vs. mean row: Ladder 17 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 17 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 167
Raw Hit column vs. row: Ladder 17 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 148
Hit mean column vs. mean row: Ladder 17 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 17 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 133
Raw Hit column vs. row: Ladder 17 Sensor 5
Row
Column


Entries 117
Hit mean column vs. mean row: Ladder 17 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 17 Sensor 5
<rawhits>
EventID (Time)


Entries 124
Raw Hit column vs. row: Ladder 17 Sensor 6
Row
Column


Entries 107
Hit mean column vs. mean row: Ladder 17 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 17 Sensor 6
<rawhits>
EventID (Time)


Entries 128
Raw Hit column vs. row: Ladder 18 Sensor 1
Row
Column


Entries 110
Hit mean column vs. mean row: Ladder 18 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 18 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 180
Raw Hit column vs. row: Ladder 18 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 159
Hit mean column vs. mean row: Ladder 18 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 18 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 162
Raw Hit column vs. row: Ladder 18 Sensor 3
Row
Column


Entries 142
Hit mean column vs. mean row: Ladder 18 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 18 Sensor 3
<rawhits>
EventID (Time)


Entries 192
Raw Hit column vs. row: Ladder 18 Sensor 4
Row
Column


Entries 156
Hit mean column vs. mean row: Ladder 18 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 18 Sensor 4
<rawhits>
EventID (Time)


Entries 136
Raw Hit column vs. row: Ladder 18 Sensor 5
Row
Column


Entries 121
Hit mean column vs. mean row: Ladder 18 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 18 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 121
Raw Hit column vs. row: Ladder 18 Sensor 6
Row
Column


Entries 107
Hit mean column vs. mean row: Ladder 18 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 18 Sensor 6
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 19 Sensor 1
Entries 164
Row
Column


Hit mean column vs. mean row: Ladder 19 Sensor 1
Entries 136
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 19 Sensor 1
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 2
Entries 157
Row
Column


Entries 142
Hit mean column vs. mean row: Ladder 19 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 19 Sensor 2
<rawhits>
EventID (Time)


Entries 180
Raw Hit column vs. row: Ladder 19 Sensor 3
Row
Column


Entries 156
Hit mean column vs. mean row: Ladder 19 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 19 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 133
Raw Hit column vs. row: Ladder 19 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 125
Hit mean column vs. mean row: Ladder 19 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 19 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 5
Entries 151
Row
Column


Hit mean column vs. mean row: Ladder 19 Sensor 5
Entries 125
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 19 Sensor 5
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 6
Entries 102
Row
Column


Hit mean column vs. mean row: Ladder 19 Sensor 6
Entries 92
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 19 Sensor 6
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 20 Sensor 1
Entries 162
Row
Column


Hit mean column vs. mean row: Ladder 20 Sensor 1
Entries 139
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 20 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 156
Raw Hit column vs. row: Ladder 20 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 133
Hit mean column vs. mean row: Ladder 20 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 20 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 185
Raw Hit column vs. row: Ladder 20 Sensor 3
Row
Column


Entries 165
Hit mean column vs. mean row: Ladder 20 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 20 Sensor 3
<rawhits>
EventID (Time)


Entries 148
Raw Hit column vs. row: Ladder 20 Sensor 4
Row
Column


Entries 131
Hit mean column vs. mean row: Ladder 20 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 20 Sensor 4
<rawhits>
EventID (Time)


Entries 152
Raw Hit column vs. row: Ladder 20 Sensor 5
Row
Column


Entries 132
Hit mean column vs. mean row: Ladder 20 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 20 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 121
Raw Hit column vs. row: Ladder 20 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 101
Hit mean column vs. mean row: Ladder 20 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 20 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 123
Raw Hit column vs. row: Ladder 21 Sensor 1
Row
Column


Entries 107
Hit mean column vs. mean row: Ladder 21 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 21 Sensor 1
<rawhits>
EventID (Time)


Entries 163
Raw Hit column vs. row: Ladder 21 Sensor 2
Row
Column


Hit mean column vs. mean row: Ladder 21 Sensor 2
Entries 144
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 21 Sensor 2
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 21 Sensor 3
Entries 164
Row
Column


Hit mean column vs. mean row: Ladder 21 Sensor 3
Entries 146
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 21 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 163
Raw Hit column vs. row: Ladder 21 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 146
Hit mean column vs. mean row: Ladder 21 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 21 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 130
Raw Hit column vs. row: Ladder 21 Sensor 5
Row
Column


Entries 113
Hit mean column vs. mean row: Ladder 21 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 21 Sensor 5
<rawhits>
EventID (Time)


Entries 84
Raw Hit column vs. row: Ladder 21 Sensor 6
Row
Column


Hit mean column vs. mean row: Ladder 21 Sensor 6
Entries 70
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 21 Sensor 6
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 22 Sensor 1
Entries 154
Row
Column


Hit mean column vs. mean row: Ladder 22 Sensor 1
Entries 138
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 22 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 150
Raw Hit column vs. row: Ladder 22 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 132
Hit mean column vs. mean row: Ladder 22 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 22 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 22 Sensor 3
Entries 166
Row
Column


Hit mean column vs. mean row: Ladder 22 Sensor 3
Entries 145
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 22 Sensor 3
Entries 808
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 22 Sensor 4
Entries 119
Row
Column


Entries 103
Hit mean column vs. mean row: Ladder 22 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 22 Sensor 4
<rawhits>
EventID (Time)


Entries 161
Raw Hit column vs. row: Ladder 22 Sensor 5
Row
Column


Entries 136
Hit mean column vs. mean row: Ladder 22 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 22 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 99
Raw Hit column vs. row: Ladder 22 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 87
Hit mean column vs. mean row: Ladder 22 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 22 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 157
Raw Hit column vs. row: Ladder 23 Sensor 1
Row
Column


Entries 132
Hit mean column vs. mean row: Ladder 23 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 23 Sensor 1
<rawhits>
EventID (Time)


Entries 152
Raw Hit column vs. row: Ladder 23 Sensor 2
Row
Column


Entries 132
Hit mean column vs. mean row: Ladder 23 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 23 Sensor 2
<rawhits>
EventID (Time)


Entries 167
Raw Hit column vs. row: Ladder 23 Sensor 3
Row
Column


Entries 147
Hit mean column vs. mean row: Ladder 23 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 23 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 164
Raw Hit column vs. row: Ladder 23 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 145
Hit mean column vs. mean row: Ladder 23 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 808
Number of raw hits vs. EventID: Ladder 23 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 154
Raw Hit column vs. row: Ladder 23 Sensor 5
Row
Column


Entries 134
Hit mean column vs. mean row: Ladder 23 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 23 Sensor 5
<rawhits>
EventID (Time)


Entries 135
Raw Hit column vs. row: Ladder 23 Sensor 6
Row
Column


Entries 112
Hit mean column vs. mean row: Ladder 23 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 23 Sensor 6
<rawhits>
EventID (Time)


Entries 158
Raw Hit column vs. row: Ladder 24 Sensor 1
Row
Column


Entries 133
Hit mean column vs. mean row: Ladder 24 Sensor 1
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 24 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 173
Raw Hit column vs. row: Ladder 24 Sensor 2
Row
Column


Entries 150
Hit mean column vs. mean row: Ladder 24 Sensor 2
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 24 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 117
Raw Hit column vs. row: Ladder 24 Sensor 3
Row
Column


Entries 107
Hit mean column vs. mean row: Ladder 24 Sensor 3
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 24 Sensor 3
<rawhits>
EventID (Time)


Entries 146
Raw Hit column vs. row: Ladder 24 Sensor 4
Row
Column


Entries 134
Hit mean column vs. mean row: Ladder 24 Sensor 4
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 24 Sensor 4
<rawhits>
EventID (Time)


Entries 140
Raw Hit column vs. row: Ladder 24 Sensor 5
Row
Column


Entries 123
Hit mean column vs. mean row: Ladder 24 Sensor 5
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 24 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 94
Raw Hit column vs. row: Ladder 24 Sensor 6
Row
Column


Entries 86
Hit mean column vs. mean row: Ladder 24 Sensor 6
Mean Row
Mean Column


Entries 808
Number of raw hits vs. EventID: Ladder 24 Sensor 6
<rawhits>
EventID (Time)
×10^3