17145021.istQa

Tue May 24 05:02:07 2016


Entries 174240
The number of RawHits vs. sensor ID
Number of Raw Hits
Sensor ID


Entries 174240
The number of hits vs. sensor ID
Number of Hits
Sensor ID


Entries 34671
ADC of raw hits at time bin 0 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 34671
ADC of raw hits at time bin 1 vs. channel geometry ID
ADC of Raw Hits
Channel ID


ADC of raw hits at time bin 2 vs. channel geometry ID
Entries 34671
ADC of Raw Hits
Channel ID


ADC of raw hits at time bin 3 vs. channel geometry ID
Entries 34671
ADC of Raw Hits
Channel ID


ADC of raw hits at time bin 4 vs. channel geometry ID
Entries 34671
ADC of Raw Hits
Channel ID


ADC of raw hits at time bin 5 vs. channel geometry ID
Entries 34671
ADC of Raw Hits
Channel ID


Entries 34671
ADC of raw hits at time bin 6 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 34671
ADC of raw hits at time bin 7 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 34671
ADC of raw hits at time bin 8 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 34671
RMS noise of raw hits vs. channel geometry ID
RMS noise of Raw Hits
Channel ID
×10^3


ADC of hits vs. sensor ID
Entries 29908
ADC of Hits
×10^3
Sensor ID


RMS noise of hits vs. sensor ID
Entries 29908
RMS noise of Hits
Sensor ID


Max time bin of raw hits vs group ID
Entries 34671
Max Time Bin Index
Group ID [12*(RDO-1)+2*ARM+GROUP]


Max time bin of raw hits vs APV ID
Entries 34671
Max Time Bin Index
APV ID [144*(RDO-1)+24*ARM+APV]


Entries 29908
Max time bin of hits vs. sensor ID
Max Time Bin Index
Sensor ID


Entries 29908
Cluster size of hits vs. sensor ID
Cluster Size of Hits
Sensor ID


Entries 29908
Cluster size in Z of hits vs. sensor ID
Cluster Size in Z of Hits
Sensor ID


Entries 29908
Cluster size in r-ϕ of hits vs. sensor ID
Cluster Size in r-ϕ of hits
Sensor ID


IST hit map in r-phi vs. Z
Entries 29908
Column in Z
Row in r-ϕ
×10^3


IST hit map in APV geometry Id vs. ladder
Entries 29908
Ladder ID
APV geometry ID


Global X vs. Global Y
Entries 29908
Global Y [cm]
Global X [cm]


Global ϕ vs. Global Z
Entries 29908
Global Z [cm]
Global ϕ [rad.]


Entries 172
Raw Hit column vs. row: Ladder 1 Sensor 1
Row
Column


Entries 155
Hit mean column vs. mean row: Ladder 1 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 271
Raw Hit column vs. row: Ladder 1 Sensor 2
Row
Column


Entries 238
Hit mean column vs. mean row: Ladder 1 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 206
Raw Hit column vs. row: Ladder 1 Sensor 3
Row
Column


Entries 192
Hit mean column vs. mean row: Ladder 1 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 1 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 1 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 136
Hit mean column vs. mean row: Ladder 1 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 1 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 23
Raw Hit column vs. row: Ladder 1 Sensor 5
Row
Column


Entries 22
Hit mean column vs. mean row: Ladder 1 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 1257
Raw Hit column vs. row: Ladder 1 Sensor 6
Row
Column


Hit mean column vs. mean row: Ladder 1 Sensor 6
Entries 1248
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 1 Sensor 6
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 2 Sensor 1
Entries 261
Row
Column


Hit mean column vs. mean row: Ladder 2 Sensor 1
Entries 222
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 2 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 257
Raw Hit column vs. row: Ladder 2 Sensor 2
Row
Column


Entries 220
Hit mean column vs. mean row: Ladder 2 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 2 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 255
Raw Hit column vs. row: Ladder 2 Sensor 3
Row
Column


Entries 223
Hit mean column vs. mean row: Ladder 2 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 238
Raw Hit column vs. row: Ladder 2 Sensor 4
Row
Column


Entries 218
Hit mean column vs. mean row: Ladder 2 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 97
Raw Hit column vs. row: Ladder 2 Sensor 5
Row
Column


Entries 85
Hit mean column vs. mean row: Ladder 2 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 2 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 171
Raw Hit column vs. row: Ladder 2 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 149
Hit mean column vs. mean row: Ladder 2 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 2 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 233
Raw Hit column vs. row: Ladder 3 Sensor 1
Row
Column


Entries 203
Hit mean column vs. mean row: Ladder 3 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 254
Raw Hit column vs. row: Ladder 3 Sensor 2
Row
Column


Entries 217
Hit mean column vs. mean row: Ladder 3 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 225
Raw Hit column vs. row: Ladder 3 Sensor 3
Row
Column


Entries 190
Hit mean column vs. mean row: Ladder 3 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 3 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 286
Raw Hit column vs. row: Ladder 3 Sensor 4
Row
Column


Entries 245
Hit mean column vs. mean row: Ladder 3 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 3 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 194
Raw Hit column vs. row: Ladder 3 Sensor 5
Row
Column


Entries 165
Hit mean column vs. mean row: Ladder 3 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 187
Raw Hit column vs. row: Ladder 3 Sensor 6
Row
Column


Entries 161
Hit mean column vs. mean row: Ladder 3 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 253
Raw Hit column vs. row: Ladder 4 Sensor 1
Row
Column


Entries 218
Hit mean column vs. mean row: Ladder 4 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 4 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 242
Raw Hit column vs. row: Ladder 4 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 214
Hit mean column vs. mean row: Ladder 4 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 4 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 254
Raw Hit column vs. row: Ladder 4 Sensor 3
Row
Column


Entries 220
Hit mean column vs. mean row: Ladder 4 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 275
Raw Hit column vs. row: Ladder 4 Sensor 4
Row
Column


Entries 230
Hit mean column vs. mean row: Ladder 4 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 241
Raw Hit column vs. row: Ladder 4 Sensor 5
Row
Column


Entries 212
Hit mean column vs. mean row: Ladder 4 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 4 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 193
Raw Hit column vs. row: Ladder 4 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 158
Hit mean column vs. mean row: Ladder 4 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 4 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 265
Raw Hit column vs. row: Ladder 5 Sensor 1
Row
Column


Entries 222
Hit mean column vs. mean row: Ladder 5 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 5 Sensor 1
<rawhits>
EventID (Time)


Entries 284
Raw Hit column vs. row: Ladder 5 Sensor 2
Row
Column


Entries 245
Hit mean column vs. mean row: Ladder 5 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 5 Sensor 2
<rawhits>
EventID (Time)


Entries 286
Raw Hit column vs. row: Ladder 5 Sensor 3
Row
Column


Entries 245
Hit mean column vs. mean row: Ladder 5 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 5 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 259
Raw Hit column vs. row: Ladder 5 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 232
Hit mean column vs. mean row: Ladder 5 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 5 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 233
Raw Hit column vs. row: Ladder 5 Sensor 5
Row
Column


Entries 208
Hit mean column vs. mean row: Ladder 5 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 5 Sensor 5
<rawhits>
EventID (Time)


Entries 190
Raw Hit column vs. row: Ladder 5 Sensor 6
Row
Column


Entries 158
Hit mean column vs. mean row: Ladder 5 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 5 Sensor 6
<rawhits>
EventID (Time)


Entries 234
Raw Hit column vs. row: Ladder 6 Sensor 1
Row
Column


Entries 204
Hit mean column vs. mean row: Ladder 6 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 6 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 248
Raw Hit column vs. row: Ladder 6 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 219
Hit mean column vs. mean row: Ladder 6 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 6 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 256
Raw Hit column vs. row: Ladder 6 Sensor 3
Row
Column


Entries 220
Hit mean column vs. mean row: Ladder 6 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 6 Sensor 3
<rawhits>
EventID (Time)


Entries 263
Raw Hit column vs. row: Ladder 6 Sensor 4
Row
Column


Entries 225
Hit mean column vs. mean row: Ladder 6 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 6 Sensor 4
<rawhits>
EventID (Time)


Entries 215
Raw Hit column vs. row: Ladder 6 Sensor 5
Row
Column


Entries 185
Hit mean column vs. mean row: Ladder 6 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 6 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 199
Raw Hit column vs. row: Ladder 6 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 158
Hit mean column vs. mean row: Ladder 6 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 6 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 243
Raw Hit column vs. row: Ladder 7 Sensor 1
Row
Column


Entries 209
Hit mean column vs. mean row: Ladder 7 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 7 Sensor 1
<rawhits>
EventID (Time)


Entries 252
Raw Hit column vs. row: Ladder 7 Sensor 2
Row
Column


Entries 222
Hit mean column vs. mean row: Ladder 7 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 7 Sensor 2
<rawhits>
EventID (Time)


Entries 235
Raw Hit column vs. row: Ladder 7 Sensor 3
Row
Column


Entries 210
Hit mean column vs. mean row: Ladder 7 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 7 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 262
Raw Hit column vs. row: Ladder 7 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 227
Hit mean column vs. mean row: Ladder 7 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 7 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 214
Raw Hit column vs. row: Ladder 7 Sensor 5
Row
Column


Entries 189
Hit mean column vs. mean row: Ladder 7 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 7 Sensor 5
<rawhits>
EventID (Time)


Entries 179
Raw Hit column vs. row: Ladder 7 Sensor 6
Row
Column


Entries 147
Hit mean column vs. mean row: Ladder 7 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 7 Sensor 6
<rawhits>
EventID (Time)


Entries 223
Raw Hit column vs. row: Ladder 8 Sensor 1
Row
Column


Entries 192
Hit mean column vs. mean row: Ladder 8 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 8 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 274
Raw Hit column vs. row: Ladder 8 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 239
Hit mean column vs. mean row: Ladder 8 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 8 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 258
Raw Hit column vs. row: Ladder 8 Sensor 3
Row
Column


Entries 227
Hit mean column vs. mean row: Ladder 8 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 8 Sensor 3
<rawhits>
EventID (Time)


Entries 247
Raw Hit column vs. row: Ladder 8 Sensor 4
Row
Column


Entries 219
Hit mean column vs. mean row: Ladder 8 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 8 Sensor 4
<rawhits>
EventID (Time)


Entries 227
Raw Hit column vs. row: Ladder 8 Sensor 5
Row
Column


Entries 194
Hit mean column vs. mean row: Ladder 8 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 8 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 227
Raw Hit column vs. row: Ladder 8 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 184
Hit mean column vs. mean row: Ladder 8 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 8 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 254
Raw Hit column vs. row: Ladder 9 Sensor 1
Row
Column


Entries 215
Hit mean column vs. mean row: Ladder 9 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 9 Sensor 1
<rawhits>
EventID (Time)


Entries 221
Raw Hit column vs. row: Ladder 9 Sensor 2
Row
Column


Entries 194
Hit mean column vs. mean row: Ladder 9 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 9 Sensor 2
<rawhits>
EventID (Time)


Entries 207
Raw Hit column vs. row: Ladder 9 Sensor 3
Row
Column


Entries 183
Hit mean column vs. mean row: Ladder 9 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 9 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 229
Raw Hit column vs. row: Ladder 9 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 195
Hit mean column vs. mean row: Ladder 9 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 9 Sensor 4
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 9 Sensor 5
Entries 237
Row
Column


Hit mean column vs. mean row: Ladder 9 Sensor 5
Entries 197
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 9 Sensor 5
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 9 Sensor 6
Entries 145
Row
Column


Entries 122
Hit mean column vs. mean row: Ladder 9 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 9 Sensor 6
<rawhits>
EventID (Time)


Entries 261
Raw Hit column vs. row: Ladder 10 Sensor 1
Row
Column


Entries 213
Hit mean column vs. mean row: Ladder 10 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 10 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 260
Raw Hit column vs. row: Ladder 10 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 231
Hit mean column vs. mean row: Ladder 10 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 10 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 255
Raw Hit column vs. row: Ladder 10 Sensor 3
Row
Column


Entries 220
Hit mean column vs. mean row: Ladder 10 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 10 Sensor 3
<rawhits>
EventID (Time)


Entries 246
Raw Hit column vs. row: Ladder 10 Sensor 4
Row
Column


Entries 204
Hit mean column vs. mean row: Ladder 10 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 10 Sensor 4
<rawhits>
EventID (Time)


Entries 208
Raw Hit column vs. row: Ladder 10 Sensor 5
Row
Column


Entries 188
Hit mean column vs. mean row: Ladder 10 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 10 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 191
Raw Hit column vs. row: Ladder 10 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 169
Hit mean column vs. mean row: Ladder 10 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 10 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 11 Sensor 1
Entries 286
Row
Column


Hit mean column vs. mean row: Ladder 11 Sensor 1
Entries 244
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 11 Sensor 1
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 11 Sensor 2
Entries 226
Row
Column


Entries 201
Hit mean column vs. mean row: Ladder 11 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 11 Sensor 2
<rawhits>
EventID (Time)


Entries 265
Raw Hit column vs. row: Ladder 11 Sensor 3
Row
Column


Entries 235
Hit mean column vs. mean row: Ladder 11 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 11 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 260
Raw Hit column vs. row: Ladder 11 Sensor 4
Row
Column


Entries 235
Hit mean column vs. mean row: Ladder 11 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 11 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 257
Raw Hit column vs. row: Ladder 11 Sensor 5
Row
Column


Entries 209
Hit mean column vs. mean row: Ladder 11 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 11 Sensor 5
<rawhits>
EventID (Time)


Entries 162
Raw Hit column vs. row: Ladder 11 Sensor 6
Row
Column


Hit mean column vs. mean row: Ladder 11 Sensor 6
Entries 144
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 11 Sensor 6
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 12 Sensor 1
Entries 237
Row
Column


Hit mean column vs. mean row: Ladder 12 Sensor 1
Entries 209
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 12 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 282
Raw Hit column vs. row: Ladder 12 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 230
Hit mean column vs. mean row: Ladder 12 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 12 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 12 Sensor 3
Entries 272
Row
Column


Hit mean column vs. mean row: Ladder 12 Sensor 3
Entries 236
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 12 Sensor 3
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 12 Sensor 4
Entries 271
Row
Column


Entries 236
Hit mean column vs. mean row: Ladder 12 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 12 Sensor 4
<rawhits>
EventID (Time)


Entries 201
Raw Hit column vs. row: Ladder 12 Sensor 5
Row
Column


Entries 169
Hit mean column vs. mean row: Ladder 12 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 12 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 186
Raw Hit column vs. row: Ladder 12 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 155
Hit mean column vs. mean row: Ladder 12 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 12 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 286
Raw Hit column vs. row: Ladder 13 Sensor 1
Row
Column


Entries 235
Hit mean column vs. mean row: Ladder 13 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 13 Sensor 1
<rawhits>
EventID (Time)


Entries 259
Raw Hit column vs. row: Ladder 13 Sensor 2
Row
Column


Entries 214
Hit mean column vs. mean row: Ladder 13 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 13 Sensor 2
<rawhits>
EventID (Time)


Entries 209
Raw Hit column vs. row: Ladder 13 Sensor 3
Row
Column


Entries 186
Hit mean column vs. mean row: Ladder 13 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 13 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 261
Raw Hit column vs. row: Ladder 13 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 221
Hit mean column vs. mean row: Ladder 13 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 13 Sensor 4
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 5
Entries 227
Row
Column


Hit mean column vs. mean row: Ladder 13 Sensor 5
Entries 196
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 13 Sensor 5
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 6
Entries 172
Row
Column


Entries 144
Hit mean column vs. mean row: Ladder 13 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 13 Sensor 6
<rawhits>
EventID (Time)


Entries 236
Raw Hit column vs. row: Ladder 14 Sensor 1
Row
Column


Entries 202
Hit mean column vs. mean row: Ladder 14 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 14 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 260
Raw Hit column vs. row: Ladder 14 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 216
Hit mean column vs. mean row: Ladder 14 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 14 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 284
Raw Hit column vs. row: Ladder 14 Sensor 3
Row
Column


Entries 240
Hit mean column vs. mean row: Ladder 14 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 14 Sensor 3
<rawhits>
EventID (Time)


Entries 252
Raw Hit column vs. row: Ladder 14 Sensor 4
Row
Column


Entries 220
Hit mean column vs. mean row: Ladder 14 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 14 Sensor 4
<rawhits>
EventID (Time)


Entries 198
Raw Hit column vs. row: Ladder 14 Sensor 5
Row
Column


Entries 168
Hit mean column vs. mean row: Ladder 14 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 14 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 208
Raw Hit column vs. row: Ladder 14 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 178
Hit mean column vs. mean row: Ladder 14 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 14 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 226
Raw Hit column vs. row: Ladder 15 Sensor 1
Row
Column


Entries 192
Hit mean column vs. mean row: Ladder 15 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 15 Sensor 1
<rawhits>
EventID (Time)


Entries 279
Raw Hit column vs. row: Ladder 15 Sensor 2
Row
Column


Entries 236
Hit mean column vs. mean row: Ladder 15 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 15 Sensor 2
<rawhits>
EventID (Time)


Entries 302
Raw Hit column vs. row: Ladder 15 Sensor 3
Row
Column


Entries 270
Hit mean column vs. mean row: Ladder 15 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 15 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 252
Raw Hit column vs. row: Ladder 15 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 217
Hit mean column vs. mean row: Ladder 15 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 15 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 214
Raw Hit column vs. row: Ladder 15 Sensor 5
Row
Column


Entries 186
Hit mean column vs. mean row: Ladder 15 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 15 Sensor 5
<rawhits>
EventID (Time)


Entries 213
Raw Hit column vs. row: Ladder 15 Sensor 6
Row
Column


Entries 174
Hit mean column vs. mean row: Ladder 15 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 15 Sensor 6
<rawhits>
EventID (Time)


Entries 274
Raw Hit column vs. row: Ladder 16 Sensor 1
Row
Column


Entries 233
Hit mean column vs. mean row: Ladder 16 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 16 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 272
Raw Hit column vs. row: Ladder 16 Sensor 2
Row
Column


Entries 235
Hit mean column vs. mean row: Ladder 16 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 16 Sensor 2
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 16 Sensor 3
Entries 266
Row
Column


Hit mean column vs. mean row: Ladder 16 Sensor 3
Entries 232
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 16 Sensor 3
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 16 Sensor 4
Entries 241
Row
Column


Entries 202
Hit mean column vs. mean row: Ladder 16 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 16 Sensor 4
<rawhits>
EventID (Time)


Entries 218
Raw Hit column vs. row: Ladder 16 Sensor 5
Row
Column


Entries 185
Hit mean column vs. mean row: Ladder 16 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 16 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 195
Raw Hit column vs. row: Ladder 16 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 163
Hit mean column vs. mean row: Ladder 16 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 16 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 17 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 17 Sensor 2
<rawhits>
EventID (Time)


Entries 269
Raw Hit column vs. row: Ladder 17 Sensor 3
Row
Column


Entries 229
Hit mean column vs. mean row: Ladder 17 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 17 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 235
Raw Hit column vs. row: Ladder 17 Sensor 4
Row
Column


Entries 211
Hit mean column vs. mean row: Ladder 17 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 17 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 246
Raw Hit column vs. row: Ladder 17 Sensor 5
Row
Column


Entries 201
Hit mean column vs. mean row: Ladder 17 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 17 Sensor 5
<rawhits>
EventID (Time)


Entries 237
Raw Hit column vs. row: Ladder 17 Sensor 6
Row
Column


Entries 182
Hit mean column vs. mean row: Ladder 17 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 17 Sensor 6
<rawhits>
EventID (Time)


Entries 246
Raw Hit column vs. row: Ladder 18 Sensor 1
Row
Column


Entries 206
Hit mean column vs. mean row: Ladder 18 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 18 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 244
Raw Hit column vs. row: Ladder 18 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 208
Hit mean column vs. mean row: Ladder 18 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 18 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 18 Sensor 3
Entries 280
Row
Column


Hit mean column vs. mean row: Ladder 18 Sensor 3
Entries 237
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 18 Sensor 3
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 18 Sensor 4
Entries 230
Row
Column


Entries 202
Hit mean column vs. mean row: Ladder 18 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 18 Sensor 4
<rawhits>
EventID (Time)


Entries 249
Raw Hit column vs. row: Ladder 18 Sensor 5
Row
Column


Entries 208
Hit mean column vs. mean row: Ladder 18 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 18 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 181
Raw Hit column vs. row: Ladder 18 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 151
Hit mean column vs. mean row: Ladder 18 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 18 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 267
Raw Hit column vs. row: Ladder 19 Sensor 1
Row
Column


Entries 209
Hit mean column vs. mean row: Ladder 19 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 19 Sensor 1
<rawhits>
EventID (Time)


Entries 254
Raw Hit column vs. row: Ladder 19 Sensor 2
Row
Column


Entries 211
Hit mean column vs. mean row: Ladder 19 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 19 Sensor 2
<rawhits>
EventID (Time)


Entries 268
Raw Hit column vs. row: Ladder 19 Sensor 3
Row
Column


Entries 239
Hit mean column vs. mean row: Ladder 19 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 19 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 257
Raw Hit column vs. row: Ladder 19 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 221
Hit mean column vs. mean row: Ladder 19 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 19 Sensor 4
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 5
Entries 191
Row
Column


Hit mean column vs. mean row: Ladder 19 Sensor 5
Entries 169
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 19 Sensor 5
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 19 Sensor 6
Entries 179
Row
Column


Entries 154
Hit mean column vs. mean row: Ladder 19 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 19 Sensor 6
<rawhits>
EventID (Time)


Entries 238
Raw Hit column vs. row: Ladder 20 Sensor 1
Row
Column


Entries 194
Hit mean column vs. mean row: Ladder 20 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 20 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 283
Raw Hit column vs. row: Ladder 20 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 236
Hit mean column vs. mean row: Ladder 20 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 20 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 286
Raw Hit column vs. row: Ladder 20 Sensor 3
Row
Column


Entries 243
Hit mean column vs. mean row: Ladder 20 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 20 Sensor 3
<rawhits>
EventID (Time)


Entries 285
Raw Hit column vs. row: Ladder 20 Sensor 4
Row
Column


Entries 239
Hit mean column vs. mean row: Ladder 20 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 20 Sensor 4
<rawhits>
EventID (Time)


Entries 229
Raw Hit column vs. row: Ladder 20 Sensor 5
Row
Column


Entries 193
Hit mean column vs. mean row: Ladder 20 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 20 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 203
Raw Hit column vs. row: Ladder 20 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 164
Hit mean column vs. mean row: Ladder 20 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 20 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 283
Raw Hit column vs. row: Ladder 21 Sensor 1
Row
Column


Entries 223
Hit mean column vs. mean row: Ladder 21 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 21 Sensor 1
<rawhits>
EventID (Time)


Entries 254
Raw Hit column vs. row: Ladder 21 Sensor 2
Row
Column


Entries 220
Hit mean column vs. mean row: Ladder 21 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 21 Sensor 2
<rawhits>
EventID (Time)


Entries 301
Raw Hit column vs. row: Ladder 21 Sensor 3
Row
Column


Entries 255
Hit mean column vs. mean row: Ladder 21 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 21 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 234
Raw Hit column vs. row: Ladder 21 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 198
Hit mean column vs. mean row: Ladder 21 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 21 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 21 Sensor 5
Entries 269
Row
Column


Hit mean column vs. mean row: Ladder 21 Sensor 5
Entries 225
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 21 Sensor 5
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 21 Sensor 6
Entries 155
Row
Column


Entries 135
Hit mean column vs. mean row: Ladder 21 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 21 Sensor 6
<rawhits>
EventID (Time)


Entries 279
Raw Hit column vs. row: Ladder 22 Sensor 1
Row
Column


Entries 236
Hit mean column vs. mean row: Ladder 22 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 22 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 248
Raw Hit column vs. row: Ladder 22 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 214
Hit mean column vs. mean row: Ladder 22 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 22 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 252
Raw Hit column vs. row: Ladder 22 Sensor 3
Row
Column


Entries 228
Hit mean column vs. mean row: Ladder 22 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 22 Sensor 3
<rawhits>
EventID (Time)


Entries 174
Raw Hit column vs. row: Ladder 22 Sensor 4
Row
Column


Entries 150
Hit mean column vs. mean row: Ladder 22 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 22 Sensor 4
<rawhits>
EventID (Time)


Entries 242
Raw Hit column vs. row: Ladder 22 Sensor 5
Row
Column


Entries 209
Hit mean column vs. mean row: Ladder 22 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 22 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 203
Raw Hit column vs. row: Ladder 22 Sensor 6
Row
Column


Entries 174
Hit mean column vs. mean row: Ladder 22 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 22 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 269
Raw Hit column vs. row: Ladder 23 Sensor 1
Row
Column


Entries 234
Hit mean column vs. mean row: Ladder 23 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 23 Sensor 1
<rawhits>
EventID (Time)


Entries 305
Raw Hit column vs. row: Ladder 23 Sensor 2
Row
Column


Entries 265
Hit mean column vs. mean row: Ladder 23 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 23 Sensor 2
<rawhits>
EventID (Time)


Entries 299
Raw Hit column vs. row: Ladder 23 Sensor 3
Row
Column


Entries 257
Hit mean column vs. mean row: Ladder 23 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 23 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 285
Raw Hit column vs. row: Ladder 23 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 252
Hit mean column vs. mean row: Ladder 23 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 1210
Number of raw hits vs. EventID: Ladder 23 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 23 Sensor 5
Entries 238
Row
Column


Hit mean column vs. mean row: Ladder 23 Sensor 5
Entries 212
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 23 Sensor 5
Entries 1210
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 23 Sensor 6
Entries 218
Row
Column


Entries 178
Hit mean column vs. mean row: Ladder 23 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 23 Sensor 6
<rawhits>
EventID (Time)


Entries 268
Raw Hit column vs. row: Ladder 24 Sensor 1
Row
Column


Entries 233
Hit mean column vs. mean row: Ladder 24 Sensor 1
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 24 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 261
Raw Hit column vs. row: Ladder 24 Sensor 2
Row
Column


Entries 225
Hit mean column vs. mean row: Ladder 24 Sensor 2
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 24 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 216
Raw Hit column vs. row: Ladder 24 Sensor 3
Row
Column


Entries 189
Hit mean column vs. mean row: Ladder 24 Sensor 3
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 24 Sensor 3
<rawhits>
EventID (Time)


Entries 242
Raw Hit column vs. row: Ladder 24 Sensor 4
Row
Column


Entries 219
Hit mean column vs. mean row: Ladder 24 Sensor 4
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 24 Sensor 4
<rawhits>
EventID (Time)


Entries 255
Raw Hit column vs. row: Ladder 24 Sensor 5
Row
Column


Entries 214
Hit mean column vs. mean row: Ladder 24 Sensor 5
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 24 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 178
Raw Hit column vs. row: Ladder 24 Sensor 6
Row
Column


Entries 156
Hit mean column vs. mean row: Ladder 24 Sensor 6
Mean Row
Mean Column


Entries 1210
Number of raw hits vs. EventID: Ladder 24 Sensor 6
<rawhits>
EventID (Time)
×10^3