17146018.istQa

Wed May 25 04:53:26 2016


Entries 81360
The number of RawHits vs. sensor ID
Number of Raw Hits
Sensor ID


Entries 81360
The number of hits vs. sensor ID
Number of Hits
Sensor ID


Entries 18791
ADC of raw hits at time bin 0 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 18791
ADC of raw hits at time bin 1 vs. channel geometry ID
ADC of Raw Hits
Channel ID


ADC of raw hits at time bin 2 vs. channel geometry ID
Entries 18791
ADC of Raw Hits
Channel ID


ADC of raw hits at time bin 3 vs. channel geometry ID
Entries 18791
ADC of Raw Hits
Channel ID


ADC of raw hits at time bin 4 vs. channel geometry ID
Entries 18791
ADC of Raw Hits
Channel ID


ADC of raw hits at time bin 5 vs. channel geometry ID
Entries 18791
ADC of Raw Hits
Channel ID


Entries 18791
ADC of raw hits at time bin 6 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 18791
ADC of raw hits at time bin 7 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 18791
ADC of raw hits at time bin 8 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 18791
RMS noise of raw hits vs. channel geometry ID
RMS noise of Raw Hits
Channel ID
×10^3


ADC of hits vs. sensor ID
Entries 15837
ADC of Hits
×10^3
Sensor ID


RMS noise of hits vs. sensor ID
Entries 15837
RMS noise of Hits
Sensor ID


Max time bin of raw hits vs group ID
Entries 18791
Max Time Bin Index
Group ID [12*(RDO-1)+2*ARM+GROUP]


Max time bin of raw hits vs APV ID
Entries 18791
Max Time Bin Index
APV ID [144*(RDO-1)+24*ARM+APV]


Entries 15837
Max time bin of hits vs. sensor ID
Max Time Bin Index
Sensor ID


Entries 15837
Cluster size of hits vs. sensor ID
Cluster Size of Hits
Sensor ID


Entries 15837
Cluster size in Z of hits vs. sensor ID
Cluster Size in Z of Hits
Sensor ID


Entries 15837
Cluster size in r-ϕ of hits vs. sensor ID
Cluster Size in r-ϕ of hits
Sensor ID


IST hit map in r-phi vs. Z
Entries 15837
Column in Z
Row in r-ϕ
×10^3


IST hit map in APV geometry Id vs. ladder
Entries 15837
Ladder ID
APV geometry ID


Global X vs. Global Y
Entries 15837
Global Y [cm]
Global X [cm]


Global ϕ vs. Global Z
Entries 15837
Global Z [cm]
Global ϕ [rad.]


Entries 101
Raw Hit column vs. row: Ladder 1 Sensor 1
Row
Column


Entries 83
Hit mean column vs. mean row: Ladder 1 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 126
Raw Hit column vs. row: Ladder 1 Sensor 2
Row
Column


Entries 107
Hit mean column vs. mean row: Ladder 1 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 144
Raw Hit column vs. row: Ladder 1 Sensor 3
Row
Column


Entries 122
Hit mean column vs. mean row: Ladder 1 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 1 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 119
Raw Hit column vs. row: Ladder 1 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 104
Hit mean column vs. mean row: Ladder 1 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 1 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 1 Sensor 5
Entries 12
Row
Column


Hit mean column vs. mean row: Ladder 1 Sensor 5
Entries 10
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 1 Sensor 5
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 1 Sensor 6
Entries 583
Row
Column


Entries 583
Hit mean column vs. mean row: Ladder 1 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 139
Raw Hit column vs. row: Ladder 2 Sensor 1
Row
Column


Entries 117
Hit mean column vs. mean row: Ladder 2 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 2 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 133
Raw Hit column vs. row: Ladder 2 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 115
Hit mean column vs. mean row: Ladder 2 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 2 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 129
Raw Hit column vs. row: Ladder 2 Sensor 3
Row
Column


Entries 112
Hit mean column vs. mean row: Ladder 2 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 138
Raw Hit column vs. row: Ladder 2 Sensor 4
Row
Column


Entries 121
Hit mean column vs. mean row: Ladder 2 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 45
Raw Hit column vs. row: Ladder 2 Sensor 5
Row
Column


Entries 41
Hit mean column vs. mean row: Ladder 2 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 2 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 108
Raw Hit column vs. row: Ladder 2 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 87
Hit mean column vs. mean row: Ladder 2 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 2 Sensor 6
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 119
Raw Hit column vs. row: Ladder 3 Sensor 1
Row
Column


Entries 99
Hit mean column vs. mean row: Ladder 3 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 141
Raw Hit column vs. row: Ladder 3 Sensor 2
Row
Column


Hit mean column vs. mean row: Ladder 3 Sensor 2
Entries 117
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 3 Sensor 2
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 3 Sensor 3
Entries 117
Row
Column


Hit mean column vs. mean row: Ladder 3 Sensor 3
Entries 96
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 3 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 133
Raw Hit column vs. row: Ladder 3 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 116
Hit mean column vs. mean row: Ladder 3 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 3 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 118
Raw Hit column vs. row: Ladder 3 Sensor 5
Row
Column


Entries 104
Hit mean column vs. mean row: Ladder 3 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 77
Raw Hit column vs. row: Ladder 3 Sensor 6
Row
Column


Entries 69
Hit mean column vs. mean row: Ladder 3 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 166
Raw Hit column vs. row: Ladder 4 Sensor 1
Row
Column


Entries 140
Hit mean column vs. mean row: Ladder 4 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 4 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 146
Raw Hit column vs. row: Ladder 4 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 114
Hit mean column vs. mean row: Ladder 4 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 4 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 4 Sensor 3
Entries 122
Row
Column


Hit mean column vs. mean row: Ladder 4 Sensor 3
Entries 103
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 4 Sensor 3
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 4 Sensor 4
Entries 174
Row
Column


Entries 139
Hit mean column vs. mean row: Ladder 4 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 124
Raw Hit column vs. row: Ladder 4 Sensor 5
Row
Column


Entries 107
Hit mean column vs. mean row: Ladder 4 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 4 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 91
Raw Hit column vs. row: Ladder 4 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 76
Hit mean column vs. mean row: Ladder 4 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 4 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 130
Raw Hit column vs. row: Ladder 5 Sensor 1
Row
Column


Entries 97
Hit mean column vs. mean row: Ladder 5 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 5 Sensor 1
<rawhits>
EventID (Time)


Entries 144
Raw Hit column vs. row: Ladder 5 Sensor 2
Row
Column


Hit mean column vs. mean row: Ladder 5 Sensor 2
Entries 121
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 5 Sensor 2
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 5 Sensor 3
Entries 147
Row
Column


Hit mean column vs. mean row: Ladder 5 Sensor 3
Entries 121
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 5 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 149
Raw Hit column vs. row: Ladder 5 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 123
Hit mean column vs. mean row: Ladder 5 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 5 Sensor 4
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 119
Raw Hit column vs. row: Ladder 5 Sensor 5
Row
Column


Entries 100
Hit mean column vs. mean row: Ladder 5 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 5 Sensor 5
<rawhits>
EventID (Time)


Entries 101
Raw Hit column vs. row: Ladder 5 Sensor 6
Row
Column


Entries 86
Hit mean column vs. mean row: Ladder 5 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 5 Sensor 6
<rawhits>
EventID (Time)


Entries 125
Raw Hit column vs. row: Ladder 6 Sensor 1
Row
Column


Entries 104
Hit mean column vs. mean row: Ladder 6 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 6 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 139
Raw Hit column vs. row: Ladder 6 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 116
Hit mean column vs. mean row: Ladder 6 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 6 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 129
Raw Hit column vs. row: Ladder 6 Sensor 3
Row
Column


Entries 114
Hit mean column vs. mean row: Ladder 6 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 6 Sensor 3
<rawhits>
EventID (Time)


Entries 124
Raw Hit column vs. row: Ladder 6 Sensor 4
Row
Column


Hit mean column vs. mean row: Ladder 6 Sensor 4
Entries 112
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 6 Sensor 4
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 6 Sensor 5
Entries 112
Row
Column


Hit mean column vs. mean row: Ladder 6 Sensor 5
Entries 92
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 6 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 104
Raw Hit column vs. row: Ladder 6 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 86
Hit mean column vs. mean row: Ladder 6 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 6 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 134
Raw Hit column vs. row: Ladder 7 Sensor 1
Row
Column


Entries 118
Hit mean column vs. mean row: Ladder 7 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 7 Sensor 1
<rawhits>
EventID (Time)


Entries 171
Raw Hit column vs. row: Ladder 7 Sensor 2
Row
Column


Entries 142
Hit mean column vs. mean row: Ladder 7 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 7 Sensor 2
<rawhits>
EventID (Time)


Entries 148
Raw Hit column vs. row: Ladder 7 Sensor 3
Row
Column


Entries 125
Hit mean column vs. mean row: Ladder 7 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 7 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 152
Raw Hit column vs. row: Ladder 7 Sensor 4
Row
Column


Entries 134
Hit mean column vs. mean row: Ladder 7 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 7 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 140
Raw Hit column vs. row: Ladder 7 Sensor 5
Row
Column


Entries 115
Hit mean column vs. mean row: Ladder 7 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 7 Sensor 5
<rawhits>
EventID (Time)


Entries 119
Raw Hit column vs. row: Ladder 7 Sensor 6
Row
Column


Entries 93
Hit mean column vs. mean row: Ladder 7 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 7 Sensor 6
<rawhits>
EventID (Time)


Entries 123
Raw Hit column vs. row: Ladder 8 Sensor 1
Row
Column


Entries 107
Hit mean column vs. mean row: Ladder 8 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 8 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 170
Raw Hit column vs. row: Ladder 8 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 141
Hit mean column vs. mean row: Ladder 8 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 8 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 143
Raw Hit column vs. row: Ladder 8 Sensor 3
Row
Column


Entries 125
Hit mean column vs. mean row: Ladder 8 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 8 Sensor 3
<rawhits>
EventID (Time)


Entries 131
Raw Hit column vs. row: Ladder 8 Sensor 4
Row
Column


Entries 113
Hit mean column vs. mean row: Ladder 8 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 8 Sensor 4
<rawhits>
EventID (Time)


Entries 143
Raw Hit column vs. row: Ladder 8 Sensor 5
Row
Column


Entries 130
Hit mean column vs. mean row: Ladder 8 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 8 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 110
Raw Hit column vs. row: Ladder 8 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 86
Hit mean column vs. mean row: Ladder 8 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 8 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 130
Raw Hit column vs. row: Ladder 9 Sensor 1
Row
Column


Entries 105
Hit mean column vs. mean row: Ladder 9 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 9 Sensor 1
<rawhits>
EventID (Time)


Entries 139
Raw Hit column vs. row: Ladder 9 Sensor 2
Row
Column


Entries 115
Hit mean column vs. mean row: Ladder 9 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 9 Sensor 2
<rawhits>
EventID (Time)


Entries 105
Raw Hit column vs. row: Ladder 9 Sensor 3
Row
Column


Entries 96
Hit mean column vs. mean row: Ladder 9 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 9 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 136
Raw Hit column vs. row: Ladder 9 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 114
Hit mean column vs. mean row: Ladder 9 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 9 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 149
Raw Hit column vs. row: Ladder 9 Sensor 5
Row
Column


Entries 121
Hit mean column vs. mean row: Ladder 9 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 9 Sensor 5
<rawhits>
EventID (Time)


Entries 104
Raw Hit column vs. row: Ladder 9 Sensor 6
Row
Column


Entries 89
Hit mean column vs. mean row: Ladder 9 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 9 Sensor 6
<rawhits>
EventID (Time)


Entries 136
Raw Hit column vs. row: Ladder 10 Sensor 1
Row
Column


Entries 108
Hit mean column vs. mean row: Ladder 10 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 10 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 144
Raw Hit column vs. row: Ladder 10 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 124
Hit mean column vs. mean row: Ladder 10 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 10 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 146
Raw Hit column vs. row: Ladder 10 Sensor 3
Row
Column


Entries 116
Hit mean column vs. mean row: Ladder 10 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 10 Sensor 3
<rawhits>
EventID (Time)


Entries 147
Raw Hit column vs. row: Ladder 10 Sensor 4
Row
Column


Hit mean column vs. mean row: Ladder 10 Sensor 4
Entries 127
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 10 Sensor 4
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 10 Sensor 5
Entries 99
Row
Column


Hit mean column vs. mean row: Ladder 10 Sensor 5
Entries 80
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 10 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 90
Raw Hit column vs. row: Ladder 10 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 76
Hit mean column vs. mean row: Ladder 10 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 10 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 150
Raw Hit column vs. row: Ladder 11 Sensor 1
Row
Column


Entries 119
Hit mean column vs. mean row: Ladder 11 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 11 Sensor 1
<rawhits>
EventID (Time)


Entries 129
Raw Hit column vs. row: Ladder 11 Sensor 2
Row
Column


Hit mean column vs. mean row: Ladder 11 Sensor 2
Entries 114
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 11 Sensor 2
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 11 Sensor 3
Entries 154
Row
Column


Hit mean column vs. mean row: Ladder 11 Sensor 3
Entries 124
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 11 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 153
Raw Hit column vs. row: Ladder 11 Sensor 4
Row
Column


Entries 127
Hit mean column vs. mean row: Ladder 11 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 11 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 135
Raw Hit column vs. row: Ladder 11 Sensor 5
Row
Column


Entries 112
Hit mean column vs. mean row: Ladder 11 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 11 Sensor 5
<rawhits>
EventID (Time)


Entries 121
Raw Hit column vs. row: Ladder 11 Sensor 6
Row
Column


Entries 94
Hit mean column vs. mean row: Ladder 11 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 11 Sensor 6
<rawhits>
EventID (Time)


Entries 129
Raw Hit column vs. row: Ladder 12 Sensor 1
Row
Column


Entries 102
Hit mean column vs. mean row: Ladder 12 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 12 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 124
Raw Hit column vs. row: Ladder 12 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 102
Hit mean column vs. mean row: Ladder 12 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 12 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 131
Raw Hit column vs. row: Ladder 12 Sensor 3
Row
Column


Entries 108
Hit mean column vs. mean row: Ladder 12 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 12 Sensor 3
<rawhits>
EventID (Time)


Entries 126
Raw Hit column vs. row: Ladder 12 Sensor 4
Row
Column


Entries 108
Hit mean column vs. mean row: Ladder 12 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 12 Sensor 4
<rawhits>
EventID (Time)


Entries 153
Raw Hit column vs. row: Ladder 12 Sensor 5
Row
Column


Entries 134
Hit mean column vs. mean row: Ladder 12 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 12 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 125
Raw Hit column vs. row: Ladder 12 Sensor 6
Row
Column


Entries 101
Hit mean column vs. mean row: Ladder 12 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 12 Sensor 6
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 13 Sensor 1
Entries 124
Row
Column


Hit mean column vs. mean row: Ladder 13 Sensor 1
Entries 97
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 13 Sensor 1
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 2
Entries 120
Row
Column


Entries 102
Hit mean column vs. mean row: Ladder 13 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 13 Sensor 2
<rawhits>
EventID (Time)


Entries 143
Raw Hit column vs. row: Ladder 13 Sensor 3
Row
Column


Entries 117
Hit mean column vs. mean row: Ladder 13 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 13 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 132
Raw Hit column vs. row: Ladder 13 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 112
Hit mean column vs. mean row: Ladder 13 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 13 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 5
Entries 98
Row
Column


Hit mean column vs. mean row: Ladder 13 Sensor 5
Entries 85
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 13 Sensor 5
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 6
Entries 84
Row
Column


Entries 77
Hit mean column vs. mean row: Ladder 13 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 13 Sensor 6
<rawhits>
EventID (Time)


Entries 132
Raw Hit column vs. row: Ladder 14 Sensor 1
Row
Column


Entries 115
Hit mean column vs. mean row: Ladder 14 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 14 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 140
Raw Hit column vs. row: Ladder 14 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 121
Hit mean column vs. mean row: Ladder 14 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 14 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 14 Sensor 3
Entries 141
Row
Column


Hit mean column vs. mean row: Ladder 14 Sensor 3
Entries 121
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 14 Sensor 3
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 14 Sensor 4
Entries 148
Row
Column


Entries 130
Hit mean column vs. mean row: Ladder 14 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 14 Sensor 4
<rawhits>
EventID (Time)


Entries 119
Raw Hit column vs. row: Ladder 14 Sensor 5
Row
Column


Entries 88
Hit mean column vs. mean row: Ladder 14 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 14 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 102
Raw Hit column vs. row: Ladder 14 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 88
Hit mean column vs. mean row: Ladder 14 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 14 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 125
Raw Hit column vs. row: Ladder 15 Sensor 1
Row
Column


Entries 109
Hit mean column vs. mean row: Ladder 15 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 15 Sensor 1
<rawhits>
EventID (Time)


Entries 125
Raw Hit column vs. row: Ladder 15 Sensor 2
Row
Column


Entries 107
Hit mean column vs. mean row: Ladder 15 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 15 Sensor 2
<rawhits>
EventID (Time)


Entries 133
Raw Hit column vs. row: Ladder 15 Sensor 3
Row
Column


Entries 111
Hit mean column vs. mean row: Ladder 15 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 15 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 126
Raw Hit column vs. row: Ladder 15 Sensor 4
Row
Column


Entries 110
Hit mean column vs. mean row: Ladder 15 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 15 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 112
Raw Hit column vs. row: Ladder 15 Sensor 5
Row
Column


Entries 93
Hit mean column vs. mean row: Ladder 15 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 15 Sensor 5
<rawhits>
EventID (Time)


Entries 121
Raw Hit column vs. row: Ladder 15 Sensor 6
Row
Column


Entries 105
Hit mean column vs. mean row: Ladder 15 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 15 Sensor 6
<rawhits>
EventID (Time)


Entries 118
Raw Hit column vs. row: Ladder 16 Sensor 1
Row
Column


Entries 98
Hit mean column vs. mean row: Ladder 16 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 16 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 162
Raw Hit column vs. row: Ladder 16 Sensor 2
Row
Column


Entries 135
Hit mean column vs. mean row: Ladder 16 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 16 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 157
Raw Hit column vs. row: Ladder 16 Sensor 3
Row
Column


Entries 138
Hit mean column vs. mean row: Ladder 16 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 16 Sensor 3
<rawhits>
EventID (Time)


Entries 105
Raw Hit column vs. row: Ladder 16 Sensor 4
Row
Column


Entries 90
Hit mean column vs. mean row: Ladder 16 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 16 Sensor 4
<rawhits>
EventID (Time)


Entries 148
Raw Hit column vs. row: Ladder 16 Sensor 5
Row
Column


Entries 122
Hit mean column vs. mean row: Ladder 16 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 16 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 98
Raw Hit column vs. row: Ladder 16 Sensor 6
Row
Column


Entries 83
Hit mean column vs. mean row: Ladder 16 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 16 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 17 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 17 Sensor 2
<rawhits>
EventID (Time)


Entries 162
Raw Hit column vs. row: Ladder 17 Sensor 3
Row
Column


Entries 135
Hit mean column vs. mean row: Ladder 17 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 17 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 128
Raw Hit column vs. row: Ladder 17 Sensor 4
Row
Column


Entries 104
Hit mean column vs. mean row: Ladder 17 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 17 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 131
Raw Hit column vs. row: Ladder 17 Sensor 5
Row
Column


Entries 106
Hit mean column vs. mean row: Ladder 17 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 17 Sensor 5
<rawhits>
EventID (Time)


Entries 120
Raw Hit column vs. row: Ladder 17 Sensor 6
Row
Column


Hit mean column vs. mean row: Ladder 17 Sensor 6
Entries 91
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 17 Sensor 6
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 18 Sensor 1
Entries 156
Row
Column


Hit mean column vs. mean row: Ladder 18 Sensor 1
Entries 122
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 18 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 143
Raw Hit column vs. row: Ladder 18 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 123
Hit mean column vs. mean row: Ladder 18 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 18 Sensor 2
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 169
Raw Hit column vs. row: Ladder 18 Sensor 3
Row
Column


Entries 138
Hit mean column vs. mean row: Ladder 18 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 18 Sensor 3
<rawhits>
EventID (Time)


Entries 110
Raw Hit column vs. row: Ladder 18 Sensor 4
Row
Column


Hit mean column vs. mean row: Ladder 18 Sensor 4
Entries 99
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 18 Sensor 4
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 18 Sensor 5
Entries 140
Row
Column


Hit mean column vs. mean row: Ladder 18 Sensor 5
Entries 115
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 18 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 124
Raw Hit column vs. row: Ladder 18 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 96
Hit mean column vs. mean row: Ladder 18 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 18 Sensor 6
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 19 Sensor 1
Row
Column


Entries 118
Hit mean column vs. mean row: Ladder 19 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 19 Sensor 1
<rawhits>
EventID (Time)


Entries 140
Raw Hit column vs. row: Ladder 19 Sensor 2
Row
Column


Entries 116
Hit mean column vs. mean row: Ladder 19 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 19 Sensor 2
<rawhits>
EventID (Time)


Entries 160
Raw Hit column vs. row: Ladder 19 Sensor 3
Row
Column


Entries 133
Hit mean column vs. mean row: Ladder 19 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 19 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 118
Raw Hit column vs. row: Ladder 19 Sensor 4
Row
Column


Entries 103
Hit mean column vs. mean row: Ladder 19 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 19 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 116
Raw Hit column vs. row: Ladder 19 Sensor 5
Row
Column


Entries 95
Hit mean column vs. mean row: Ladder 19 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 19 Sensor 5
<rawhits>
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 19 Sensor 6
Row
Column


Entries 117
Hit mean column vs. mean row: Ladder 19 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 19 Sensor 6
<rawhits>
EventID (Time)


Entries 143
Raw Hit column vs. row: Ladder 20 Sensor 1
Row
Column


Entries 122
Hit mean column vs. mean row: Ladder 20 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 20 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 139
Raw Hit column vs. row: Ladder 20 Sensor 2
Row
Column


Entries 119
Hit mean column vs. mean row: Ladder 20 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 20 Sensor 2
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 20 Sensor 3
Entries 119
Row
Column


Hit mean column vs. mean row: Ladder 20 Sensor 3
Entries 100
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 20 Sensor 3
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 20 Sensor 4
Entries 139
Row
Column


Entries 113
Hit mean column vs. mean row: Ladder 20 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 20 Sensor 4
<rawhits>
EventID (Time)


Entries 137
Raw Hit column vs. row: Ladder 20 Sensor 5
Row
Column


Entries 106
Hit mean column vs. mean row: Ladder 20 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 20 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 140
Raw Hit column vs. row: Ladder 20 Sensor 6
Row
Column


Entries 112
Hit mean column vs. mean row: Ladder 20 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 20 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 149
Raw Hit column vs. row: Ladder 21 Sensor 1
Row
Column


Entries 118
Hit mean column vs. mean row: Ladder 21 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 21 Sensor 1
<rawhits>
EventID (Time)


Entries 152
Raw Hit column vs. row: Ladder 21 Sensor 2
Row
Column


Hit mean column vs. mean row: Ladder 21 Sensor 2
Entries 126
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 21 Sensor 2
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 21 Sensor 3
Entries 151
Row
Column


Hit mean column vs. mean row: Ladder 21 Sensor 3
Entries 131
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 21 Sensor 3
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 127
Raw Hit column vs. row: Ladder 21 Sensor 4
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 106
Hit mean column vs. mean row: Ladder 21 Sensor 4
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 21 Sensor 4
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 140
Raw Hit column vs. row: Ladder 21 Sensor 5
Row
Column


Entries 115
Hit mean column vs. mean row: Ladder 21 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 21 Sensor 5
<rawhits>
EventID (Time)


Entries 92
Raw Hit column vs. row: Ladder 21 Sensor 6
Row
Column


Hit mean column vs. mean row: Ladder 21 Sensor 6
Entries 82
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 21 Sensor 6
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 22 Sensor 1
Entries 130
Row
Column


Hit mean column vs. mean row: Ladder 22 Sensor 1
Entries 112
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 22 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 136
Raw Hit column vs. row: Ladder 22 Sensor 2
Row
Column


Entries 114
Hit mean column vs. mean row: Ladder 22 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 22 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 97
Raw Hit column vs. row: Ladder 22 Sensor 3
Row
Column


Entries 86
Hit mean column vs. mean row: Ladder 22 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 22 Sensor 3
<rawhits>
EventID (Time)


Entries 143
Raw Hit column vs. row: Ladder 22 Sensor 4
Row
Column


Entries 122
Hit mean column vs. mean row: Ladder 22 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 22 Sensor 4
<rawhits>
EventID (Time)


Entries 123
Raw Hit column vs. row: Ladder 22 Sensor 5
Row
Column


Entries 101
Hit mean column vs. mean row: Ladder 22 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 22 Sensor 5
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 104
Raw Hit column vs. row: Ladder 22 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 89
Hit mean column vs. mean row: Ladder 22 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 22 Sensor 6
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 125
Raw Hit column vs. row: Ladder 23 Sensor 1
Row
Column


Entries 102
Hit mean column vs. mean row: Ladder 23 Sensor 1
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 23 Sensor 1
<rawhits>
EventID (Time)


Entries 145
Raw Hit column vs. row: Ladder 23 Sensor 2
Row
Column


Entries 125
Hit mean column vs. mean row: Ladder 23 Sensor 2
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 23 Sensor 2
<rawhits>
EventID (Time)


Entries 212
Raw Hit column vs. row: Ladder 23 Sensor 3
Row
Column


Entries 173
Hit mean column vs. mean row: Ladder 23 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 23 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 135
Raw Hit column vs. row: Ladder 23 Sensor 4
Row
Column


Entries 114
Hit mean column vs. mean row: Ladder 23 Sensor 4
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 23 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 102
Raw Hit column vs. row: Ladder 23 Sensor 5
Row
Column


Entries 89
Hit mean column vs. mean row: Ladder 23 Sensor 5
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 23 Sensor 5
<rawhits>
EventID (Time)


Entries 110
Raw Hit column vs. row: Ladder 23 Sensor 6
Row
Column


Hit mean column vs. mean row: Ladder 23 Sensor 6
Entries 93
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 23 Sensor 6
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 24 Sensor 1
Entries 130
Row
Column


Hit mean column vs. mean row: Ladder 24 Sensor 1
Entries 111
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 24 Sensor 1
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 115
Raw Hit column vs. row: Ladder 24 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^{-1}
10^{-2}


Entries 99
Hit mean column vs. mean row: Ladder 24 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^{-1}
10^{-2}


Entries 565
Number of raw hits vs. EventID: Ladder 24 Sensor 2
<rawhits>
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 103
Raw Hit column vs. row: Ladder 24 Sensor 3
Row
Column


Entries 89
Hit mean column vs. mean row: Ladder 24 Sensor 3
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 24 Sensor 3
<rawhits>
EventID (Time)


Entries 160
Raw Hit column vs. row: Ladder 24 Sensor 4
Row
Column


Hit mean column vs. mean row: Ladder 24 Sensor 4
Entries 135
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 24 Sensor 4
Entries 565
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 24 Sensor 5
Entries 115
Row
Column


Hit mean column vs. mean row: Ladder 24 Sensor 5
Entries 93
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 24 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 91
Raw Hit column vs. row: Ladder 24 Sensor 6
Row
Column


Entries 76
Hit mean column vs. mean row: Ladder 24 Sensor 6
Mean Row
Mean Column


Entries 565
Number of raw hits vs. EventID: Ladder 24 Sensor 6
<rawhits>
EventID (Time)
×10^3