17169118.istQa

Sat Jun 18 00:49:13 2016


Entries 279360
The number of RawHits vs. sensor ID
Number of Raw Hits
Sensor ID


Entries 279360
The number of hits vs. sensor ID
Number of Hits
Sensor ID


Entries 1454567
ADC of raw hits at time bin 0 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 1454567
ADC of raw hits at time bin 1 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 1454567
ADC of raw hits at time bin 2 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 1454567
ADC of raw hits at time bin 3 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 1454567
ADC of raw hits at time bin 4 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 1454567
ADC of raw hits at time bin 5 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 1454567
ADC of raw hits at time bin 6 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 1454567
ADC of raw hits at time bin 7 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 1454567
ADC of raw hits at time bin 8 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 1454567
RMS noise of raw hits vs. channel geometry ID
RMS noise of Raw Hits
Channel ID
×10^3


Entries 1273652
ADC of hits vs. sensor ID
×10^3
ADC of Hits
Sensor ID


Entries 1273652
RMS noise of hits vs. sensor ID
RMS noise of Hits
Sensor ID


Entries 1454567
Max time bin of raw hits vs group ID
Max Time Bin Index
Group ID [12*(RDO-1)+2*ARM+GROUP]


Entries 1454567
Max time bin of raw hits vs APV ID
Max Time Bin Index
APV ID [144*(RDO-1)+24*ARM+APV]


Entries 1273652
Max time bin of hits vs. sensor ID
Max Time Bin Index
Sensor ID


Entries 1273652
Cluster size of hits vs. sensor ID
Cluster Size of Hits
Sensor ID


Entries 1273652
Cluster size in Z of hits vs. sensor ID
Cluster Size in Z of Hits
Sensor ID


Entries 1273652
Cluster size in r-ϕ of hits vs. sensor ID
Cluster Size in r-ϕ of hits
Sensor ID


Entries 1273652
IST hit map in r-phi vs. Z
Column in Z
Row in r-ϕ
×10³


Entries 1273652
IST hit map in APV geometry Id vs. ladder
Ladder ID
APV geometry ID


Entries 1273652
Global X vs. Global Y
Global Y [cm]
Global X [cm]


Entries 1273652
Global ϕ vs. Global Z
Global Z [cm]
Global ϕ [rad.]


Raw Hit column vs. row: Ladder 1 Sensor 1
Entries 8024
Row
Column


Hit mean column vs. mean row: Ladder 1 Sensor 1
Entries 6868
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 1 Sensor 1
Entries 1940
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 1 Sensor 2
Entries 10775
Row
Column


Entries 9489
Hit mean column vs. mean row: Ladder 1 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 10357
Raw Hit column vs. row: Ladder 1 Sensor 3
Row
Column


Entries 9661
Hit mean column vs. mean row: Ladder 1 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 1 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 7612
Raw Hit column vs. row: Ladder 1 Sensor 4
Row
Column


Entries 7154
Hit mean column vs. mean row: Ladder 1 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 1 Sensor 4
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 1 Sensor 5
Entries 6902
Row
Column


Hit mean column vs. mean row: Ladder 1 Sensor 5
Entries 6040
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 1 Sensor 5
Entries 1940
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 1 Sensor 6
Entries 20163
Row
Column


Entries 17162
Hit mean column vs. mean row: Ladder 1 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 9596
Raw Hit column vs. row: Ladder 2 Sensor 1
Row
Column


Entries 8266
Hit mean column vs. mean row: Ladder 2 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 2 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 10398
Raw Hit column vs. row: Ladder 2 Sensor 2
Row
Column


Entries 9305
Hit mean column vs. mean row: Ladder 2 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 2 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 11621
Raw Hit column vs. row: Ladder 2 Sensor 3
Row
Column


Entries 10380
Hit mean column vs. mean row: Ladder 2 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 11297
Raw Hit column vs. row: Ladder 2 Sensor 4
Row
Column


Entries 10325
Hit mean column vs. mean row: Ladder 2 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 9817
Raw Hit column vs. row: Ladder 2 Sensor 5
Row
Column


Entries 8844
Hit mean column vs. mean row: Ladder 2 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 2 Sensor 5
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 8903
Raw Hit column vs. row: Ladder 2 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^−1


Entries 7623
Hit mean column vs. mean row: Ladder 2 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^−1


Entries 1940
Number of raw hits vs. EventID: Ladder 2 Sensor 6
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 9232
Raw Hit column vs. row: Ladder 3 Sensor 1
Row
Column


Entries 7897
Hit mean column vs. mean row: Ladder 3 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 10782
Raw Hit column vs. row: Ladder 3 Sensor 2
Row
Column


Entries 9425
Hit mean column vs. mean row: Ladder 3 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 9758
Raw Hit column vs. row: Ladder 3 Sensor 3
Row
Column


Entries 8720
Hit mean column vs. mean row: Ladder 3 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 3 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11362
Raw Hit column vs. row: Ladder 3 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^−1


Entries 10122
Hit mean column vs. mean row: Ladder 3 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^−1


Entries 1940
Number of raw hits vs. EventID: Ladder 3 Sensor 4
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Raw Hit column vs. row: Ladder 3 Sensor 5
Entries 10101
Row
Column


Hit mean column vs. mean row: Ladder 3 Sensor 5
Entries 8834
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 3 Sensor 5
Entries 1940
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 3 Sensor 6
Entries 8724
Row
Column


Entries 7454
Hit mean column vs. mean row: Ladder 3 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 9549
Raw Hit column vs. row: Ladder 4 Sensor 1
Row
Column


Entries 8169
Hit mean column vs. mean row: Ladder 4 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 4 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 10880
Raw Hit column vs. row: Ladder 4 Sensor 2
Row
Column


Entries 9470
Hit mean column vs. mean row: Ladder 4 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 4 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 11563
Raw Hit column vs. row: Ladder 4 Sensor 3
Row
Column


Entries 10293
Hit mean column vs. mean row: Ladder 4 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 11590
Raw Hit column vs. row: Ladder 4 Sensor 4
Row
Column


Entries 10300
Hit mean column vs. mean row: Ladder 4 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 10167
Raw Hit column vs. row: Ladder 4 Sensor 5
Row
Column


Entries 8907
Hit mean column vs. mean row: Ladder 4 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 4 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 8840
Raw Hit column vs. row: Ladder 4 Sensor 6
Row
Column


Entries 7586
Hit mean column vs. mean row: Ladder 4 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 4 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 9431
Raw Hit column vs. row: Ladder 5 Sensor 1
Row
Column


Entries 8057
Hit mean column vs. mean row: Ladder 5 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 5 Sensor 1
<rawhits>
EventID (Time)


Entries 10714
Raw Hit column vs. row: Ladder 5 Sensor 2
Row
Column


Entries 9402
Hit mean column vs. mean row: Ladder 5 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 5 Sensor 2
<rawhits>
EventID (Time)


Entries 11811
Raw Hit column vs. row: Ladder 5 Sensor 3
Row
Column


Entries 10499
Hit mean column vs. mean row: Ladder 5 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 5 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11530
Raw Hit column vs. row: Ladder 5 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^-1


Entries 10194
Hit mean column vs. mean row: Ladder 5 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^-1


Entries 1940
Number of raw hits vs. EventID: Ladder 5 Sensor 4
<rawhits>
10
1
10^-1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10160
Raw Hit column vs. row: Ladder 5 Sensor 5
Row
Column


Entries 8877
Hit mean column vs. mean row: Ladder 5 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 5 Sensor 5
<rawhits>
EventID (Time)


Entries 8721
Raw Hit column vs. row: Ladder 5 Sensor 6
Row
Column


Entries 7429
Hit mean column vs. mean row: Ladder 5 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 5 Sensor 6
<rawhits>
EventID (Time)


Entries 9526
Raw Hit column vs. row: Ladder 6 Sensor 1
Row
Column


Entries 8185
Hit mean column vs. mean row: Ladder 6 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 6 Sensor 1
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10603
Raw Hit column vs. row: Ladder 6 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^−1


Entries 9271
Hit mean column vs. mean row: Ladder 6 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^−1


Entries 1940
Number of raw hits vs. EventID: Ladder 6 Sensor 2
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11674
Raw Hit column vs. row: Ladder 6 Sensor 3
Row
Column


Entries 10351
Hit mean column vs. mean row: Ladder 6 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 6 Sensor 3
<rawhits>
EventID (Time)


Entries 11524
Raw Hit column vs. row: Ladder 6 Sensor 4
Row
Column


Entries 10248
Hit mean column vs. mean row: Ladder 6 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 6 Sensor 4
<rawhits>
EventID (Time)


Entries 10363
Raw Hit column vs. row: Ladder 6 Sensor 5
Row
Column


Entries 9056
Hit mean column vs. mean row: Ladder 6 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 6 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 8726
Raw Hit column vs. row: Ladder 6 Sensor 6
Row
Column


Entries 7370
Hit mean column vs. mean row: Ladder 6 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 6 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 9255
Raw Hit column vs. row: Ladder 7 Sensor 1
Row
Column


Entries 7996
Hit mean column vs. mean row: Ladder 7 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 7 Sensor 1
<rawhits>
EventID (Time)


Entries 10410
Raw Hit column vs. row: Ladder 7 Sensor 2
Row
Column


Entries 9151
Hit mean column vs. mean row: Ladder 7 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 7 Sensor 2
<rawhits>
EventID (Time)


Entries 11502
Raw Hit column vs. row: Ladder 7 Sensor 3
Row
Column


Entries 10269
Hit mean column vs. mean row: Ladder 7 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 7 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11400
Raw Hit column vs. row: Ladder 7 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^-1


Entries 10148
Hit mean column vs. mean row: Ladder 7 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^-1


Entries 1940
Number of raw hits vs. EventID: Ladder 7 Sensor 4
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10106
Raw Hit column vs. row: Ladder 7 Sensor 5
Row
Column


Entries 8933
Hit mean column vs. mean row: Ladder 7 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 7 Sensor 5
<rawhits>
EventID (Time)


Entries 8635
Raw Hit column vs. row: Ladder 7 Sensor 6
Row
Column


Entries 7437
Hit mean column vs. mean row: Ladder 7 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 7 Sensor 6
<rawhits>
EventID (Time)


Entries 9225
Raw Hit column vs. row: Ladder 8 Sensor 1
Row
Column


Entries 7917
Hit mean column vs. mean row: Ladder 8 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 8 Sensor 1
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 10437
Raw Hit column vs. row: Ladder 8 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 9192
Hit mean column vs. mean row: Ladder 8 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 8 Sensor 2
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 11239
Raw Hit column vs. row: Ladder 8 Sensor 3
Row
Column
10


Entries 10029
Hit mean column vs. mean row: Ladder 8 Sensor 3
Mean Row
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 8 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 11314
Raw Hit column vs. row: Ladder 8 Sensor 4
Row
Column
10
1
10^−1


Entries 10119
Hit mean column vs. mean row: Ladder 8 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 8 Sensor 4
<rawhits>
EventID (Time)


Entries 10171
Raw Hit column vs. row: Ladder 8 Sensor 5
Row
Column


Entries 8911
Hit mean column vs. mean row: Ladder 8 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 8 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 8592
Raw Hit column vs. row: Ladder 8 Sensor 6
Row
Column


Entries 7360
Hit mean column vs. mean row: Ladder 8 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 8 Sensor 6
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 9 Sensor 1
Entries 9304
Row
Column


Hit mean column vs. mean row: Ladder 9 Sensor 1
Entries 7952
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 9 Sensor 1
Entries 1940
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 9 Sensor 2
Entries 10630
Row
Column


Entries 9290
Hit mean column vs. mean row: Ladder 9 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 9 Sensor 2
<rawhits>
EventID (Time)


Entries 11562
Raw Hit column vs. row: Ladder 9 Sensor 3
Row
Column


Entries 10309
Hit mean column vs. mean row: Ladder 9 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 9 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11280
Raw Hit column vs. row: Ladder 9 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^-1


Entries 10059
Hit mean column vs. mean row: Ladder 9 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^-1


Entries 1940
Number of raw hits vs. EventID: Ladder 9 Sensor 4
<rawhits>
10
1
10^-1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10082
Raw Hit column vs. row: Ladder 9 Sensor 5
Row
Column


Entries 8841
Hit mean column vs. mean row: Ladder 9 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 9 Sensor 5
<rawhits>
EventID (Time)


Entries 8518
Raw Hit column vs. row: Ladder 9 Sensor 6
Row
Column


Entries 7308
Hit mean column vs. mean row: Ladder 9 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 9 Sensor 6
<rawhits>
EventID (Time)


Entries 9279
Raw Hit column vs. row: Ladder 10 Sensor 1
Row
Column


Entries 7950
Hit mean column vs. mean row: Ladder 10 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 10 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 9777
Raw Hit column vs. row: Ladder 10 Sensor 2
Row
Column


Entries 8638
Hit mean column vs. mean row: Ladder 10 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 10 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 11349
Raw Hit column vs. row: Ladder 10 Sensor 3
Row
Column


Entries 10161
Hit mean column vs. mean row: Ladder 10 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 10 Sensor 3
<rawhits>
EventID (Time)


Entries 11235
Raw Hit column vs. row: Ladder 10 Sensor 4
Row
Column


Entries 10041
Hit mean column vs. mean row: Ladder 10 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 10 Sensor 4
<rawhits>
EventID (Time)


Entries 10115
Raw Hit column vs. row: Ladder 10 Sensor 5
Row
Column


Entries 8870
Hit mean column vs. mean row: Ladder 10 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 10 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 8349
Raw Hit column vs. row: Ladder 10 Sensor 6
Row
Column


Entries 7159
Hit mean column vs. mean row: Ladder 10 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 10 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 9036
Raw Hit column vs. row: Ladder 11 Sensor 1
Row
Column


Entries 7810
Hit mean column vs. mean row: Ladder 11 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 11 Sensor 1
<rawhits>
EventID (Time)


Entries 10322
Raw Hit column vs. row: Ladder 11 Sensor 2
Row
Column


Entries 9057
Hit mean column vs. mean row: Ladder 11 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 11 Sensor 2
<rawhits>
EventID (Time)


Entries 11433
Raw Hit column vs. row: Ladder 11 Sensor 3
Row
Column


Entries 10192
Hit mean column vs. mean row: Ladder 11 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 11 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11362
Raw Hit column vs. row: Ladder 11 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^-1


Entries 10100
Hit mean column vs. mean row: Ladder 11 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^-1


Entries 1940
Number of raw hits vs. EventID: Ladder 11 Sensor 4
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10131
Raw Hit column vs. row: Ladder 11 Sensor 5
Row
Column


Entries 8904
Hit mean column vs. mean row: Ladder 11 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 11 Sensor 5
<rawhits>
EventID (Time)


Entries 8608
Raw Hit column vs. row: Ladder 11 Sensor 6
Row
Column


Entries 7346
Hit mean column vs. mean row: Ladder 11 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 11 Sensor 6
<rawhits>
EventID (Time)


Entries 9378
Raw Hit column vs. row: Ladder 12 Sensor 1
Row
Column


Entries 8029
Hit mean column vs. mean row: Ladder 12 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 12 Sensor 1
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10300
Raw Hit column vs. row: Ladder 12 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 9081
Hit mean column vs. mean row: Ladder 12 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 12 Sensor 2
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11353
Raw Hit column vs. row: Ladder 12 Sensor 3
Row
Column


Entries 10035
Hit mean column vs. mean row: Ladder 12 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 12 Sensor 3
<rawhits>
EventID (Time)


Entries 11179
Raw Hit column vs. row: Ladder 12 Sensor 4
Row
Column


Entries 9915
Hit mean column vs. mean row: Ladder 12 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 12 Sensor 4
<rawhits>
EventID (Time)


Entries 10060
Raw Hit column vs. row: Ladder 12 Sensor 5
Row
Column


Entries 8793
Hit mean column vs. mean row: Ladder 12 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 12 Sensor 5
<rawhits>
10
1
10^{-1}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 8589
Raw Hit column vs. row: Ladder 12 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 7336
Hit mean column vs. mean row: Ladder 12 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 12 Sensor 6
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 1
Entries 9268
Row
Column


Hit mean column vs. mean row: Ladder 13 Sensor 1
Entries 7912
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 13 Sensor 1
Entries 1940
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 13 Sensor 2
Entries 10293
Row
Column


Entries 9019
Hit mean column vs. mean row: Ladder 13 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 13 Sensor 2
<rawhits>
EventID (Time)


Entries 11449
Raw Hit column vs. row: Ladder 13 Sensor 3
Row
Column


Entries 10122
Hit mean column vs. mean row: Ladder 13 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 13 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 11138
Raw Hit column vs. row: Ladder 13 Sensor 4
Row
Column


Entries 9896
Hit mean column vs. mean row: Ladder 13 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 13 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 9868
Raw Hit column vs. row: Ladder 13 Sensor 5
Row
Column


Entries 8697
Hit mean column vs. mean row: Ladder 13 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 13 Sensor 5
<rawhits>
EventID (Time)


Entries 8117
Raw Hit column vs. row: Ladder 13 Sensor 6
Row
Column


Entries 6927
Hit mean column vs. mean row: Ladder 13 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 13 Sensor 6
<rawhits>
EventID (Time)


Entries 9057
Raw Hit column vs. row: Ladder 14 Sensor 1
Row
Column


Entries 7791
Hit mean column vs. mean row: Ladder 14 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 14 Sensor 1
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10172
Raw Hit column vs. row: Ladder 14 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 8923
Hit mean column vs. mean row: Ladder 14 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 14 Sensor 2
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11458
Raw Hit column vs. row: Ladder 14 Sensor 3
Row
Column


Entries 10153
Hit mean column vs. mean row: Ladder 14 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 14 Sensor 3
<rawhits>
EventID (Time)


Entries 11522
Raw Hit column vs. row: Ladder 14 Sensor 4
Row
Column


Entries 10211
Hit mean column vs. mean row: Ladder 14 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 14 Sensor 4
<rawhits>
EventID (Time)


Entries 10017
Raw Hit column vs. row: Ladder 14 Sensor 5
Row
Column


Entries 8764
Hit mean column vs. mean row: Ladder 14 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 14 Sensor 5
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 8567
Raw Hit column vs. row: Ladder 14 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 7291
Hit mean column vs. mean row: Ladder 14 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1


Entries 1940
Number of raw hits vs. EventID: Ladder 14 Sensor 6
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 9408
Raw Hit column vs. row: Ladder 15 Sensor 1
Row
Column


Entries 7975
Hit mean column vs. mean row: Ladder 15 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 15 Sensor 1
<rawhits>
EventID (Time)


Entries 10290
Raw Hit column vs. row: Ladder 15 Sensor 2
Row
Column


Entries 9016
Hit mean column vs. mean row: Ladder 15 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 15 Sensor 2
<rawhits>
EventID (Time)


Entries 11183
Raw Hit column vs. row: Ladder 15 Sensor 3
Row
Column


Entries 9981
Hit mean column vs. mean row: Ladder 15 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 15 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11417
Raw Hit column vs. row: Ladder 15 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^−1


Entries 10077
Hit mean column vs. mean row: Ladder 15 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^−1


Entries 1940
Number of raw hits vs. EventID: Ladder 15 Sensor 4
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10252
Raw Hit column vs. row: Ladder 15 Sensor 5
Row
Column


Entries 8946
Hit mean column vs. mean row: Ladder 15 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 15 Sensor 5
<rawhits>
EventID (Time)


Entries 8698
Raw Hit column vs. row: Ladder 15 Sensor 6
Row
Column


Entries 7383
Hit mean column vs. mean row: Ladder 15 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 15 Sensor 6
<rawhits>
EventID (Time)


Entries 9550
Raw Hit column vs. row: Ladder 16 Sensor 1
Row
Column


Entries 8047
Hit mean column vs. mean row: Ladder 16 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 16 Sensor 1
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10633
Raw Hit column vs. row: Ladder 16 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 9198
Hit mean column vs. mean row: Ladder 16 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 16 Sensor 2
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11468
Raw Hit column vs. row: Ladder 16 Sensor 3
Row
Column


Entries 10148
Hit mean column vs. mean row: Ladder 16 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 16 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 11352
Raw Hit column vs. row: Ladder 16 Sensor 4
Row
Column


Entries 10054
Hit mean column vs. mean row: Ladder 16 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 16 Sensor 4
<rawhits>
EventID (Time)


Entries 9868
Raw Hit column vs. row: Ladder 16 Sensor 5
Row
Column


Entries 8613
Hit mean column vs. mean row: Ladder 16 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 16 Sensor 5
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 8703
Raw Hit column vs. row: Ladder 16 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 7401
Hit mean column vs. mean row: Ladder 16 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1


Entries 1940
Number of raw hits vs. EventID: Ladder 16 Sensor 6
<rawhits>
10
1
10^−1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 17 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 17 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 11499
Raw Hit column vs. row: Ladder 17 Sensor 3
Row
Column


Entries 10238
Hit mean column vs. mean row: Ladder 17 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 17 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11361
Raw Hit column vs. row: Ladder 17 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10
1
10^−1


Entries 10119
Hit mean column vs. mean row: Ladder 17 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10
1
10^−1


Entries 1940
Number of raw hits vs. EventID: Ladder 17 Sensor 4
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10126
Raw Hit column vs. row: Ladder 17 Sensor 5
Row
Column


Entries 8793
Hit mean column vs. mean row: Ladder 17 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 17 Sensor 5
<rawhits>
EventID (Time)


Entries 8792
Raw Hit column vs. row: Ladder 17 Sensor 6
Row
Column


Entries 7479
Hit mean column vs. mean row: Ladder 17 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 17 Sensor 6
<rawhits>
EventID (Time)


Entries 9342
Raw Hit column vs. row: Ladder 18 Sensor 1
Row
Column


Entries 8035
Hit mean column vs. mean row: Ladder 18 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 18 Sensor 1
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10418
Raw Hit column vs. row: Ladder 18 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 9095
Hit mean column vs. mean row: Ladder 18 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 18 Sensor 2
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11843
Raw Hit column vs. row: Ladder 18 Sensor 3
Row
Column


Entries 10475
Hit mean column vs. mean row: Ladder 18 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 18 Sensor 3
<rawhits>
EventID (Time)


Entries 11510
Raw Hit column vs. row: Ladder 18 Sensor 4
Row
Column


Entries 10213
Hit mean column vs. mean row: Ladder 18 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 18 Sensor 4
<rawhits>
EventID (Time)


Entries 10125
Raw Hit column vs. row: Ladder 18 Sensor 5
Row
Column


Entries 8819
Hit mean column vs. mean row: Ladder 18 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 18 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 8729
Raw Hit column vs. row: Ladder 18 Sensor 6
Row
Column


Entries 7423
Hit mean column vs. mean row: Ladder 18 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 18 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 9505
Raw Hit column vs. row: Ladder 19 Sensor 1
Row
Column


Entries 8114
Hit mean column vs. mean row: Ladder 19 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 19 Sensor 1
<rawhits>
EventID (Time)


Entries 10649
Raw Hit column vs. row: Ladder 19 Sensor 2
Row
Column


Entries 9268
Hit mean column vs. mean row: Ladder 19 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 19 Sensor 2
<rawhits>
EventID (Time)


Entries 11859
Raw Hit column vs. row: Ladder 19 Sensor 3
Row
Column


Entries 10549
Hit mean column vs. mean row: Ladder 19 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 19 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11415
Raw Hit column vs. row: Ladder 19 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 10114
Hit mean column vs. mean row: Ladder 19 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 19 Sensor 4
<rawhits>
10
1
10^−1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10378
Raw Hit column vs. row: Ladder 19 Sensor 5
Row
Column


Entries 9006
Hit mean column vs. mean row: Ladder 19 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 19 Sensor 5
<rawhits>
EventID (Time)


Entries 8535
Raw Hit column vs. row: Ladder 19 Sensor 6
Row
Column


Entries 7297
Hit mean column vs. mean row: Ladder 19 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 19 Sensor 6
<rawhits>
EventID (Time)


Entries 9408
Raw Hit column vs. row: Ladder 20 Sensor 1
Row
Column


Entries 8080
Hit mean column vs. mean row: Ladder 20 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 20 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 10692
Raw Hit column vs. row: Ladder 20 Sensor 2
Row
Column


Entries 9332
Hit mean column vs. mean row: Ladder 20 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 20 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 11564
Raw Hit column vs. row: Ladder 20 Sensor 3
Row
Column
10


Entries 10242
Hit mean column vs. mean row: Ladder 20 Sensor 3
Mean Row
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 20 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 11818
Raw Hit column vs. row: Ladder 20 Sensor 4
Row
Column
10


Entries 10409
Hit mean column vs. mean row: Ladder 20 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 20 Sensor 4
<rawhits>
EventID (Time)


Entries 10359
Raw Hit column vs. row: Ladder 20 Sensor 5
Row
Column


Entries 9064
Hit mean column vs. mean row: Ladder 20 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 20 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 8927
Raw Hit column vs. row: Ladder 20 Sensor 6
Row
Column


Entries 7548
Hit mean column vs. mean row: Ladder 20 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 20 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 9326
Raw Hit column vs. row: Ladder 21 Sensor 1
Row
Column


Entries 8006
Hit mean column vs. mean row: Ladder 21 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 21 Sensor 1
<rawhits>
EventID (Time)


Entries 10412
Raw Hit column vs. row: Ladder 21 Sensor 2
Row
Column


Entries 9157
Hit mean column vs. mean row: Ladder 21 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 21 Sensor 2
<rawhits>
EventID (Time)


Entries 9651
Raw Hit column vs. row: Ladder 21 Sensor 3
Row
Column


Entries 8628
Hit mean column vs. mean row: Ladder 21 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 21 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 11652
Raw Hit column vs. row: Ladder 21 Sensor 4
Row
Column


Entries 10358
Hit mean column vs. mean row: Ladder 21 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 21 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 10334
Raw Hit column vs. row: Ladder 21 Sensor 5
Row
Column


Entries 9045
Hit mean column vs. mean row: Ladder 21 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 21 Sensor 5
<rawhits>
EventID (Time)


Entries 7491
Raw Hit column vs. row: Ladder 21 Sensor 6
Row
Column


Entries 6363
Hit mean column vs. mean row: Ladder 21 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 21 Sensor 6
<rawhits>
EventID (Time)


Entries 9478
Raw Hit column vs. row: Ladder 22 Sensor 1
Row
Column


Entries 8087
Hit mean column vs. mean row: Ladder 22 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 22 Sensor 1
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 10680
Raw Hit column vs. row: Ladder 22 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column
10


Entries 9373
Hit mean column vs. mean row: Ladder 22 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column
10


Entries 1940
Number of raw hits vs. EventID: Ladder 22 Sensor 2
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 11747
Raw Hit column vs. row: Ladder 22 Sensor 3
Row
Column


Entries 10456
Hit mean column vs. mean row: Ladder 22 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 22 Sensor 3
<rawhits>
EventID (Time)


Entries 11356
Raw Hit column vs. row: Ladder 22 Sensor 4
Row
Column


Entries 10116
Hit mean column vs. mean row: Ladder 22 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 22 Sensor 4
<rawhits>
EventID (Time)


Entries 10376
Raw Hit column vs. row: Ladder 22 Sensor 5
Row
Column


Entries 9141
Hit mean column vs. mean row: Ladder 22 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 22 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 8897
Raw Hit column vs. row: Ladder 22 Sensor 6
Row
Column


Entries 7555
Hit mean column vs. mean row: Ladder 22 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 22 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 9622
Raw Hit column vs. row: Ladder 23 Sensor 1
Row
Column


Entries 8219
Hit mean column vs. mean row: Ladder 23 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 23 Sensor 1
<rawhits>
EventID (Time)


Entries 10605
Raw Hit column vs. row: Ladder 23 Sensor 2
Row
Column


Entries 9317
Hit mean column vs. mean row: Ladder 23 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 23 Sensor 2
<rawhits>
EventID (Time)


Entries 11595
Raw Hit column vs. row: Ladder 23 Sensor 3
Row
Column


Entries 10347
Hit mean column vs. mean row: Ladder 23 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 23 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 11859
Raw Hit column vs. row: Ladder 23 Sensor 4
Row
Column


Entries 10517
Hit mean column vs. mean row: Ladder 23 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 23 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 10366
Raw Hit column vs. row: Ladder 23 Sensor 5
Row
Column


Entries 9053
Hit mean column vs. mean row: Ladder 23 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 23 Sensor 5
<rawhits>
EventID (Time)


Entries 9079
Raw Hit column vs. row: Ladder 23 Sensor 6
Row
Column


Entries 7750
Hit mean column vs. mean row: Ladder 23 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 23 Sensor 6
<rawhits>
EventID (Time)


Entries 9586
Raw Hit column vs. row: Ladder 24 Sensor 1
Row
Column


Entries 8245
Hit mean column vs. mean row: Ladder 24 Sensor 1
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 24 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 10118
Raw Hit column vs. row: Ladder 24 Sensor 2
Row
Column


Entries 8926
Hit mean column vs. mean row: Ladder 24 Sensor 2
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 24 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 9660
Raw Hit column vs. row: Ladder 24 Sensor 3
Row
Column


Entries 8638
Hit mean column vs. mean row: Ladder 24 Sensor 3
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 24 Sensor 3
<rawhits>
EventID (Time)


Entries 11237
Raw Hit column vs. row: Ladder 24 Sensor 4
Row
Column


Entries 10083
Hit mean column vs. mean row: Ladder 24 Sensor 4
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 24 Sensor 4
<rawhits>
EventID (Time)


Entries 10131
Raw Hit column vs. row: Ladder 24 Sensor 5
Row
Column


Entries 8927
Hit mean column vs. mean row: Ladder 24 Sensor 5
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 24 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 8394
Raw Hit column vs. row: Ladder 24 Sensor 6
Row
Column


Entries 7217
Hit mean column vs. mean row: Ladder 24 Sensor 6
Mean Row
Mean Column


Entries 1940
Number of raw hits vs. EventID: Ladder 24 Sensor 6
<rawhits>
EventID (Time)
×10^3