17179034.istQa

Mon Jun 27 15:10:41 2016


Entries 288000
The number of RawHits vs. sensor ID
Number of Raw Hits
Sensor ID


Entries 288000
The number of hits vs. sensor ID
Number of Hits
Sensor ID


Entries 6084
ADC of raw hits at time bin 0 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 6084
ADC of raw hits at time bin 1 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 6084
ADC of raw hits at time bin 2 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 6084
ADC of raw hits at time bin 3 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 6084
ADC of raw hits at time bin 4 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 6084
ADC of raw hits at time bin 5 vs. channel geometry ID
ADC of Raw Hits
Channel ID


Entries 6084
ADC of raw hits at time bin 6 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 6084
ADC of raw hits at time bin 7 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 6084
ADC of raw hits at time bin 8 vs. channel geometry ID
ADC of Raw Hits
×10^3
Channel ID
×10^3


Entries 6084
RMS noise of raw hits vs. channel geometry ID
RMS noise of Raw Hits
Channel ID
×10^3


ADC of hits vs. sensor ID
Entries 5920
ADC of Hits
×10^3
Sensor ID


RMS noise of hits vs. sensor ID
Entries 5920
RMS noise of Hits
Sensor ID


Max time bin of raw hits vs group ID
Entries 6084
Max Time Bin Index
Group ID [12*(RDO-1)+2*ARM+GROUP]


Max time bin of raw hits vs APV ID
Entries 6084
Max Time Bin Index
APV ID [144*(RDO-1)+24*ARM+APV]


Max time bin of hits vs. sensor ID
Entries 5920
Max Time Bin Index
Sensor ID


Cluster size of hits vs. sensor ID
Entries 5920
Cluster Size of Hits
Sensor ID


Cluster size in Z of hits vs. sensor ID
Entries 5920
Cluster Size in Z of Hits
Sensor ID


Cluster size in r-ϕ of hits vs. sensor ID
Entries 5920
Cluster Size in r-ϕ of hits
Sensor ID


IST hit map in r-phi vs. Z
Entries 5920
Column in Z
Row in r-ϕ
IST hit map in APV geometry Id vs. ladder
Entries 5920
Ladder ID
APV geometry ID
Global X vs. Global Y
Entries 5920
Global Y [cm]
Global X [cm]
Global ϕ vs. Global Z
Entries 5920
Global Z [cm]
Global ϕ [rad.]


Entries 1
Raw Hit column vs. row: Ladder 1 Sensor 1
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 1 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 1 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 1 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 7
Raw Hit column vs. row: Ladder 1 Sensor 3
Row
Column


Entries 7
Hit mean column vs. mean row: Ladder 1 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 1 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 1380
Raw Hit column vs. row: Ladder 1 Sensor 4
Row
Column


Entries 1380
Hit mean column vs. mean row: Ladder 1 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 1 Sensor 4
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 1 Sensor 5
Entries 2000
Row
Column


Hit mean column vs. mean row: Ladder 1 Sensor 5
Entries 2000
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 1 Sensor 5
Entries 2000
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 1 Sensor 6
Entries 2180
Row
Column


Entries 2176
Hit mean column vs. mean row: Ladder 1 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 26
Raw Hit column vs. row: Ladder 2 Sensor 1
Row
Column


Entries 22
Hit mean column vs. mean row: Ladder 2 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 2 Sensor 1
<rawhits>
10
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 2 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 2 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 2 Sensor 2
<rawhits>
10
1
10^−1
10^−2
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Raw Hit column vs. row: Ladder 2 Sensor 3
Entries 24
Row
Column


Hit mean column vs. mean row: Ladder 2 Sensor 3
Entries 18
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 2 Sensor 3
Entries 2000
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 2 Sensor 4
Entries 0
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 2 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 2 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 2 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 2 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 1
Raw Hit column vs. row: Ladder 2 Sensor 6
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 2 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 2 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 3 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 3 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 3 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 28
Raw Hit column vs. row: Ladder 3 Sensor 2
Row
Column


Entries 23
Hit mean column vs. mean row: Ladder 3 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 3 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 3 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 3 Sensor 3
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 3 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 3 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 3 Sensor 4
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 2
Raw Hit column vs. row: Ladder 3 Sensor 5
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 3 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 1
Raw Hit column vs. row: Ladder 3 Sensor 6
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 3 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 4 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 4 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 4 Sensor 1
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 4 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 4 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 4 Sensor 2
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 4 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 4 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 4 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 4 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 4 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 2
Raw Hit column vs. row: Ladder 4 Sensor 5
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 4 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 4 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 2
Raw Hit column vs. row: Ladder 4 Sensor 6
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 4 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 4 Sensor 6
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 5 Sensor 1
Entries 1
Row
Column


Hit mean column vs. mean row: Ladder 5 Sensor 1
Entries 1
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 5 Sensor 1
Entries 2000
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 5 Sensor 2
Entries 0
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 5 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 5 Sensor 2
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 5 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 5 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 5 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 5 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 5 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 5 Sensor 4
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 5 Sensor 5
Entries 1
Row
Column


Hit mean column vs. mean row: Ladder 5 Sensor 5
Entries 1
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 5 Sensor 5
Entries 2000
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 5 Sensor 6
Entries 0
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 5 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 5 Sensor 6
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 6 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 6 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 6 Sensor 1
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 6 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 6 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 6 Sensor 2
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 6 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 6 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 6 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 6 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 6 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 6 Sensor 4
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 6 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 6 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 6 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 3
Raw Hit column vs. row: Ladder 6 Sensor 6
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 6 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 6 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 7 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 7 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 7 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 7 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 7 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 7 Sensor 2
<rawhits>
EventID (Time)


Entries 27
Raw Hit column vs. row: Ladder 7 Sensor 3
Row
Column


Entries 15
Hit mean column vs. mean row: Ladder 7 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 7 Sensor 3
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 7 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 7 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 7 Sensor 4
<rawhits>
10
1
10^−1
10^−2
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 7 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 7 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 7 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 1
Raw Hit column vs. row: Ladder 7 Sensor 6
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 7 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 7 Sensor 6
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 8 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 8 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 8 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 14
Raw Hit column vs. row: Ladder 8 Sensor 2
Row
Column


Entries 14
Hit mean column vs. mean row: Ladder 8 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 8 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 8 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 8 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 8 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 8 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 8 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 8 Sensor 4
<rawhits>
EventID (Time)


Entries 35
Raw Hit column vs. row: Ladder 8 Sensor 5
Row
Column


Entries 23
Hit mean column vs. mean row: Ladder 8 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 8 Sensor 5
<rawhits>
10
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 8 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 8 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 8 Sensor 6
<rawhits>
10
1
10^−1
10^−2
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 9 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 9 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 9 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 9 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 9 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 9 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 9 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 9 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 9 Sensor 3
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 9 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 9 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 9 Sensor 4
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 9 Sensor 5
Entries 4
Row
Column


Hit mean column vs. mean row: Ladder 9 Sensor 5
Entries 3
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 9 Sensor 5
Entries 2000
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 9 Sensor 6
Entries 2
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 9 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 9 Sensor 6
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 10 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 10 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 10 Sensor 1
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 10 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 10 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 10 Sensor 2
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 1
Raw Hit column vs. row: Ladder 10 Sensor 3
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 10 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 10 Sensor 3
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 10 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 10 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 10 Sensor 4
<rawhits>
EventID (Time)


Entries 2
Raw Hit column vs. row: Ladder 10 Sensor 5
Row
Column


Entries 2
Hit mean column vs. mean row: Ladder 10 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 10 Sensor 5
<rawhits>
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 10 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 10 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 10 Sensor 6
<rawhits>
10 1 10^−1 10^−2
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 11 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 11 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 11 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 11 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 11 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 11 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 11 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 11 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 11 Sensor 3
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 11 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 11 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 11 Sensor 4
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 11 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 11 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 11 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 11 Sensor 6
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 11 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 11 Sensor 6
<rawhits>
EventID (Time)


Entries 2
Raw Hit column vs. row: Ladder 12 Sensor 1
Row
Column


Entries 2
Hit mean column vs. mean row: Ladder 12 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 12 Sensor 1
<rawhits>
1
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 12 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 12 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 12 Sensor 2
<rawhits>
10
1
10^−1
10^−2
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 12 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 12 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 12 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 34
Raw Hit column vs. row: Ladder 12 Sensor 4
Row
Column


Hit mean column vs. mean row: Ladder 12 Sensor 4
Entries 25
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 12 Sensor 4
Entries 2000
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 12 Sensor 5
Entries 40
Row
Column


Hit mean column vs. mean row: Ladder 12 Sensor 5
Entries 27
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 12 Sensor 5
<rawhits>
10
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 25
Raw Hit column vs. row: Ladder 12 Sensor 6
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column
1
10^-1
10^-2
10^-3


Entries 17
Hit mean column vs. mean row: Ladder 12 Sensor 6
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column
1
10^-1
10^-2
10^-3


Entries 2000
Number of raw hits vs. EventID: Ladder 12 Sensor 6
<rawhits>
10
1
10^-1
10^-2
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 13 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 13 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 13 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 13 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 13 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 13 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 13 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 13 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 13 Sensor 3
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 13 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 13 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 13 Sensor 4
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 13 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 13 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 13 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 13 Sensor 6
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 13 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 13 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 14 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 14 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 14 Sensor 1
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 14 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 14 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 14 Sensor 2
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 14 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 14 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 14 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 14 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 14 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 14 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 14 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 14 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 14 Sensor 5
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 14 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 14 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 14 Sensor 6
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 3
Raw Hit column vs. row: Ladder 15 Sensor 1
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 15 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 15 Sensor 1
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 15 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 15 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 15 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 15 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 15 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 15 Sensor 3
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 15 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 15 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 15 Sensor 4
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Raw Hit column vs. row: Ladder 15 Sensor 5
Entries 1
Row
Column


Hit mean column vs. mean row: Ladder 15 Sensor 5
Entries 1
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 15 Sensor 5
Entries 2000
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 15 Sensor 6
Entries 1
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 15 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 15 Sensor 6
<rawhits>
EventID (Time)


Entries 2
Raw Hit column vs. row: Ladder 16 Sensor 1
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 16 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 16 Sensor 1
<rawhits>
1
10^{-1}
10^{-2}
10^{-3}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 16 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 16 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 16 Sensor 2
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 16 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 16 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 16 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 16 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 16 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 16 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 16 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 16 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 16 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 44
Raw Hit column vs. row: Ladder 16 Sensor 6
Row
Column


Entries 27
Hit mean column vs. mean row: Ladder 16 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 16 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 17 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 17 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 17 Sensor 2
<rawhits>
EventID (Time)


Entries 3
Raw Hit column vs. row: Ladder 17 Sensor 3
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 17 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 17 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 13
Raw Hit column vs. row: Ladder 17 Sensor 4
Row
Column


Entries 8
Hit mean column vs. mean row: Ladder 17 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 17 Sensor 4
<rawhits>
EventID (Time)
×10^3


Raw Hit column vs. row: Ladder 17 Sensor 5
Entries 1
Row
Column


Hit mean column vs. mean row: Ladder 17 Sensor 5
Entries 1
Mean Row
Mean Column


Number of raw hits vs. EventID: Ladder 17 Sensor 5
Entries 2000
<rawhits>
EventID (Time)


Raw Hit column vs. row: Ladder 17 Sensor 6
Entries 0
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 17 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 17 Sensor 6
<rawhits>
EventID (Time)


Entries 16
Raw Hit column vs. row: Ladder 18 Sensor 1
Row
Column


Entries 15
Hit mean column vs. mean row: Ladder 18 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 18 Sensor 1
<rawhits>
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 18 Sensor 2
Row
60 50 40 30 20 10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 18 Sensor 2
Mean Row
60 50 40 30 20 10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 18 Sensor 2
<rawhits>
10 1 10^−1 10^−2
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 2
Raw Hit column vs. row: Ladder 18 Sensor 3
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 18 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 18 Sensor 3
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 18 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 18 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 18 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 18 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 18 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 18 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 1
Raw Hit column vs. row: Ladder 18 Sensor 6
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 18 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 18 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 5
Raw Hit column vs. row: Ladder 19 Sensor 1
Row
Column


Entries 3
Hit mean column vs. mean row: Ladder 19 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 19 Sensor 1
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 19 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 19 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 19 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 19 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 19 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 19 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 1
Raw Hit column vs. row: Ladder 19 Sensor 4
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 19 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 19 Sensor 4
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 19 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 19 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 19 Sensor 5
<rawhits>
EventID (Time)


Entries 2
Raw Hit column vs. row: Ladder 19 Sensor 6
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 19 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 19 Sensor 6
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 20 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 20 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 20 Sensor 1
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 20 Sensor 2
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 20 Sensor 2
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 20 Sensor 2
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 20 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 20 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 20 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 2
Raw Hit column vs. row: Ladder 20 Sensor 4
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 20 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 20 Sensor 4
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 20 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 20 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 20 Sensor 5
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 20 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 20 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 20 Sensor 6
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 21 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 21 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 21 Sensor 1
<rawhits>
EventID (Time)


Entries 23
Raw Hit column vs. row: Ladder 21 Sensor 2
Row
Column


Entries 10
Hit mean column vs. mean row: Ladder 21 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 21 Sensor 2
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 21 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 21 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 21 Sensor 3
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 21 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 21 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 21 Sensor 4
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 21 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 21 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 21 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 21 Sensor 6
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 21 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 21 Sensor 6
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 22 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 22 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 22 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 19
Raw Hit column vs. row: Ladder 22 Sensor 2
Row
Column


Entries 16
Hit mean column vs. mean row: Ladder 22 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 22 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 3
Raw Hit column vs. row: Ladder 22 Sensor 3
Row
Column


Entries 2
Hit mean column vs. mean row: Ladder 22 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 22 Sensor 3
<rawhits>
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 22 Sensor 4
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 22 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 22 Sensor 4
<rawhits>
EventID (Time)


Entries 20
Raw Hit column vs. row: Ladder 22 Sensor 5
Row
Column


Entries 19
Hit mean column vs. mean row: Ladder 22 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 22 Sensor 5
<rawhits>
10
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 22 Sensor 6
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 22 Sensor 6
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 22 Sensor 6
<rawhits>
10
1
10^−1
10^−2
0 1 2 3 4 5 6 7 8 9 10
×10^3
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 23 Sensor 1
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 23 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 23 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 23 Sensor 2
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 23 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 23 Sensor 2
<rawhits>
EventID (Time)


Entries 1
Raw Hit column vs. row: Ladder 23 Sensor 3
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 23 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 23 Sensor 3
<rawhits>
1
10^{-1}
10^{-2}
10^{-3}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 23 Sensor 4
Row
60
50
40
30
20
10
2 4 6 8 10 12
Column


Entries 0
Hit mean column vs. mean row: Ladder 23 Sensor 4
Mean Row
60
50
40
30
20
10
2 4 6 8 10 12
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 23 Sensor 4
<rawhits>
10
1
10^{-1}
10^{-2}
0 1 2 3 4 5 6 7 8 9 10
$\times 10^3$
EventID (Time)


Entries 0
Raw Hit column vs. row: Ladder 23 Sensor 5
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 23 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 23 Sensor 5
<rawhits>
EventID (Time)


Entries 4
Raw Hit column vs. row: Ladder 23 Sensor 6
Row
Column


Entries 3
Hit mean column vs. mean row: Ladder 23 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 23 Sensor 6
<rawhits>
EventID (Time)


Entries 40
Raw Hit column vs. row: Ladder 24 Sensor 1
Row
Column


Entries 23
Hit mean column vs. mean row: Ladder 24 Sensor 1
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 24 Sensor 1
<rawhits>
EventID (Time)
×10^3


Entries 6
Raw Hit column vs. row: Ladder 24 Sensor 2
Row
Column


Entries 4
Hit mean column vs. mean row: Ladder 24 Sensor 2
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 24 Sensor 2
<rawhits>
EventID (Time)
×10^3


Entries 0
Raw Hit column vs. row: Ladder 24 Sensor 3
Row
Column


Entries 0
Hit mean column vs. mean row: Ladder 24 Sensor 3
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 24 Sensor 3
<rawhits>
EventID (Time)
×10^3


Entries 1
Raw Hit column vs. row: Ladder 24 Sensor 4
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 24 Sensor 4
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 24 Sensor 4
<rawhits>
EventID (Time)


Entries 23
Raw Hit column vs. row: Ladder 24 Sensor 5
Row
Column


Entries 10
Hit mean column vs. mean row: Ladder 24 Sensor 5
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 24 Sensor 5
<rawhits>
EventID (Time)
×10^3


Entries 1
Raw Hit column vs. row: Ladder 24 Sensor 6
Row
Column


Entries 1
Hit mean column vs. mean row: Ladder 24 Sensor 6
Mean Row
Mean Column


Entries 2000
Number of raw hits vs. EventID: Ladder 24 Sensor 6
<rawhits>
EventID (Time)
×10^3